REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 10JAN03	DATA TECH : RT	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J22069-101B	NOUN : FAIRING,AIRCRAFT	NSN : 1560004393249UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J22069 /	K	0005	0000	M			-101B
98897	DS5025 /	AB	0025	0000	S	C		
98897	STSUD002 /	A	0003	0000	S			
98897	4R24000 /	C	0189	0000	S	C	LOFT DATA	REFERENCE
98897	4E79050 /	C	0002	0000	S			REFERENCE
98897	STS63-001 /	P	0019	0000	S	C		
98897	DS30004 /		0000	0000				CANCELLED, USE STP51-302
98897	STP51-302 /	W	0043	0000	S	D		
98897	DS30000 /	R	0009	0000	S	C		
98897	STP54-101 /	W	0022	0000	S	D		
98897	STP51-402 /	G	0008	0000	S			
98897	STP58-208 /	U	0019	0000	S			USE FOR FINISH "AA"
98897	STP59-201 /		0004	0000	S			USE FOR FINISH "26"
								USE FOR FINISH "-1-1" (2 COATS)
98897	STP58-405 & (ACC)V02F /	F	0012	0000	S	D		USE FOR FINISH "F"
98897	DS30002 /		0000	0000				CANCELLED, USE 0581
98897	0581 /	AD	0063	0000	S	D		
98897	STP56-107 /	M	0027	0000	S			
98897	PS106 /		0000	0000				NOT REQUIRED.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
10JAN03	RT	LGECB		C-5	2 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J22069-101B	FAIRING,AIRCRAFT	1560004393249UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
25NOV02	JL	LGECB		C-5	1 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J50012-105C	PANEL,STRUCTURAL,AI	1560011161918UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J50012 /	AA	0005	0000	S		PANEL,ASSY OF	-105C
98897	4J52008 /	G	0003	0000	S		PANEL,ASSY OF	-101A, C/O 4J50012
98897	4J83013 /	B	0001	0000	S		HINGE HALF	111A, C/O 4J50012
98897	4J50016 /	A	0001	0000	S		BASIC DIMENSION DWG (REF)	
98897	4R23300 /	C	0098	0000	S		CONTOUR LOFT DATA	
98897	4R20000 /	C	0187	0000	S			REFERENCE
98897	D4M00200 /	E	0003	0000	S			PROGRAM PARTS (PPSL),REFERENCE
98897	LS35504 /	A	0001	0000	S			-1
98897	DS30000 /	R	0009	0000	S			
98897	STP56-105 /	M	0009	0000	S			
98897	DS30002 /		0000	0000				SUPERSEDED BY 0581.
98897	0581 /	AD	0063	0000	S			USE IN LIEU OF DS30002.
98897	DS5055 /		0000	0000				CANCELLED, USE STP52 726.
98897	STP52-726 /	F	0016	0000	S			USE IN LIEU OF DS5055.
98897	DS30006 /		0000	0000				CANCELLED, USE STP52 713.
98897	STP52-713 /	J	0036	0000	S			USE IN LIEU OF DS30006.
98897	STP63-001 /	P	0019	0000	S			
98897	DS30003 /		0000	0000				CANCELLED, USE STP51 400.
98897	STP51-400 /	D	0036	0000	S			USE IN LIEU OF DS30003.
98897	STSAE021 /	E	0003	0000	S		COLLAR	-G05
98897	STSAE020 /	D	0006	0000	S		PIN	-F05LA04
98897	DS5025 /	AB	0025	0000	S			
98897	LS35090 /	H	0002	0000	S		PIN	-C06G0211, -C06G0051, -C06G0125
98897	STP60-401 /	J	0009	0000	S			
98897	DS30004 /		0000	0000				CANCELLED, USE STP51-302.
98897	STP51-302 /	W	0043	0000	S			PDF FILE, USE IN LIEU OF DS30004.
98897	STP60-102 & ACC /	J	0055	0000	S			ECO 96C0006.
98897	STM30-102 /	F	0026	0000	S			
98897	STM28 102 /		0000	0000				CANCELLED, USE MIL-C-7438.
81349	MIL C 7438G(1) /	G	0000	0000	O			PDF FILE, 19 JUN 85. USE IN LIEU OF STM28-102.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 25NOV02	DATA TECH : JL	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J50012-105C	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560011161918UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	SIM22-506 /	B	0016	0000	S			CD ROM
98897	STM30-101 /	C	0019	0000	S			
98897	LS37824 /		0001	0000	S		HINGE HALF	1
98897	DS5193 /	D	0002	0000	S			
98897	DS5191 /	C	0001	0000	S			
98897	FINISH SPECIFICATIONS /		0000	0000				FA / 54-71 / AA / -53 / 54 54 (2 COATS) / -1
98897	STP58-408 /	G	0005	0000	S			FA FINISH
98897	STP59-204 /	B	0009	0000	S			-54 FINISH
98897	STP59-405 /		0009	0000	S			71 FINISH
98897	STP58 208 /	U	0019	0000	S			AA FINISH
98897	STP62 005 /	E	0008	0000	S			-53_FINISH
98897	STP59-201 /		0004	0000	S			-1 FINISH
98897	SPARES CONFIGURATION /		0000	0000				PER B/P MINOR TRIM REQUIRED ON INSTL.
								EXPORT CONTROL

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
08OCT02	DD	LGECB		C-5	1 OF 3

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J50012-107D	PANEL,STRUCTURAL,AI	1560011161920UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J50012	/	AA	0005	0000	S		PANEL, STRUCTURAL, AC	-107D
98897	LS35504	/	A	0001	0000	S		HINGE	
98897	4J39002	/	N	0004	0000	S		REFERENCE DRAWING	
98897	STSAE021	/	E	0003	0000	S			-G05
98897	STSAE020	/	D	0006	0000	S			05LA04
98897	4J52008	/	G	0003	0000	S		PANEL, ASSEMBLY OF	-112C, -109A, 103B
98897	STP58-208	/	U	0019	0000	S		FINISH -AA	
98897	STP62-005	/	E	0008	0000	S		FINISH -53	
98897	DS30004	/		0000	0000				CANCELLED - USE STP51-302
98897	STP58-405	/	F	0010	0000	S		FINISH -F	
98897	DS30003	/		0000	0000				CANCELLED USE STP51-400
98897	STP51-400	/	D	0036	0000	S			
98897	STP59-204	/	B	0009	0000	S		FINISH -54	
98897	STP59-604	/	E	0012	0000	S		FINISH -71	
98897	STP59-202	/		0003	0000	S		FINISH -17	
98897	STP59-203	/	A	0008	0000	S		FINISH F-31	
98897	STP59-302	/	A	0010	0000	S		FINISH -32	
98897	STP58-408	/	G	0005	0000	S		FINISH -FA	
98897	STP56-107	/	M	0027	0000	S			
98897	STP56-105	/	M	0009	0000	S			
98897	STP63-001	/	P	0019	0000	S			
98897	DS30002	/		0000	0000				CANCELLED - USE 0581
98897	DS5055	/		0000	0000				CANCELLED USE STP52-726
98897	STP52-726	/	F	0016	0000	S			
98897	DS30006	/		0000	0000				CANCELLED - USE STP52-708
98897	DS30000	/	R	0009	0000	S		LOCKHEED FINISH SPEC	
98897	4J59103	/	B	0001	0000	S			-109A, -105A
98897	STP60-102	/	J	0047	0000	S		BONDING SPEC	FOR C-5 ECO 96C00006
98897	STM30-101	/	C	0019	0000	S			
98897	4R23300	/	C	0098	0000	S		LOFT CONTOUR	

CD ROM

EXPORT CONTROL

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 08OCT02	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J50012-107D	NOUN : PANEL,STRUCTURAL,Al	NSN : 1560011161920UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J50016 /	A	0001	0000	S		REFERENCE DATUM DIMEN	
98897	4R23305 /		0001	0000	M		LOFT DEFINITIONS	MYLAR ARTWORK AVAIL
98897	STM22-506 /	B	0016	0000	S			
98897	STM28-102 /		0000	0000				CANCELLED USE MIL-C-7438F
98897	MIL-C-7438F /	G	0000	0000	O			
98897	STP51-302 /	W	0043	0000	S			
98897	STM30-102 & ECO 98C0001 /	F	0027	0000	S			
98897	ER 8296 & APPEND A /	K	0075	0000	S			
98897	STP60-401 /	J	0009	0000	S			
98897	4R20000 /	B	0187	0000	S		REFERENCE DRAWING	
98897	DS5025 /	AB	0025	0000	S			
98897	4J00002 /	AC	0002	0000	S		SMOOTHNESS REQUIREMENTS	
98897	0581 /	AD	0063	0000	S			
98897	STP52-708 /	K	0030	0000	S			USE IN LIEU OF DS30006
98897	STSAE024 /	E	0003	0000	S			
98897	D4M00200 & PL /	E	0050	0000	S		REFERENCE DRAWING	
98897	LS37823 /		0001	0000	S			
98897	4J83013 /	B	0001	0000	S			
98897	LS35090 /	H	0002	0000	S			
98897	LS38488 /		0001	0000	S			
98897	DS5191 /	C	0001	0000	S			
98897	LS37824 /		0001	0000	S			

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 08OCT02	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 3 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J50012-107D	NOUN : PANEL,STRUCTURAL,Al	NSN : 1560011161920UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED, FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 25NOV02	DATA TECH : JL	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J50012-111C	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560011162220UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J50012 /	AA	0005	0000	S		PANEL,ASSY OF	-111C
98897	4J52008 /	G	0003	0000	S		PANEL,ASSY OF	-107B
98897	4J83013 /	B	0001	0000	S		HINGE HALF	-105A
98897	4J59103 /	B	0001	0000	S		DOUBLER	-113A,-111A,-103A
98897	4R23300 /	C	0098	0000	S		CONTOUR LOFT DATA	
98897	4J50016 /	A	0001	0000	S		BASIC DIMENSION DWG (REF)	
98897	4R20000 /	C	0187	0000	S			REFERENCE
98897	D4M00200 /	E	0003	0000	S			PROGRAM PARTS (PPSL), REFERENCE
98897	LS35504 /	A	0001	0000	S			-1
98897	DS30000 /	R	0009	0000	S			
98897	STP56-105 /	M	0009	0000	S			
98897	DS30002 /		0000	0000				SUPERSEDED BY 0581.
98897	0581 & ACC /	F	0023	0000	S			USE IN LIEU OF DS30002.
98897	DS5055 /		0000	0000				CANCELLED, USE STP52-726.
98897	STP52-726 /	F	0016	0000	S			USE IN LIEU OF DS5055.
98897	DS30006 /		0000	0000				CANCELLED, USE STP52-713.
98897	STP52-713 /	J	0036	0000	S			USE IN LIEU OF DS30006.
98897	STP63-001 /	P	0019	0000	S			
98897	DS30003 /		0000	0000				CANCELLED, USE STP51-400.
98897	STP51-400 /	D	0036	0000	S			USE IN LIEU OF DS30003.
98897	DS5193 /	D	0002	0000	S			
98897	DS5025 /	AB	0025	0000	S			
98897	STSAE021 /	E	0003	0000	S		COLLAR	-021G05
98897	STSAE020 /	D	0006	0000	S		PIN	-F05LA04
98897	DS5191 /	C	0001	0000	S			
98897	LS35090 /	H	0002	0000	S		PIN	-06G0031, -06G0390
98897	LS37824 /		0001	0000	S		HINGE HALF	-1
98897	STP60-401 /	J	0009	0000	S			
98897	DS30004 /		0000	0000				CANCELLED, USE STP51-302.
98897	STP51-302 /	W	0043	0000	S			PDF FILE, USE IN LIEU OF DS30004.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
25NOV02	JL	LGECB		C-5	2 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J50012-111C	PANEL,STRUCTURAL,AI	1560011162220UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	STP60-102 & ACC /	J	0055	0000	S			ECO 96C0006.
98897	STM30-102 /	F	0026	0000	S			
98897	STM28-102 /		0000	0000				CANCELLED, USE MIL-C-7438.
81349	MIL-C-7438G(1) /	G	0000	0000	O			PDF FILE, 19 JUN 85. USE IN LIEU OF STM28-102.
7	STM22-506 /	B	0016	0000	S			
98897	STM30-101 /	C	0019	0000	S			
98897	FINISH SPECIFICATIONS /		0000	0000				FA / 54-71 / AA / -53 / 54-54 (2 COATS) / -1
98897	STP58-408 /	G	0005	0000	S			FA FINISH
98897	STP59-204 /	B	0009	0000	S			-54 FINISH
98897	STP59-405 /		0009	0000	S			-71 FINISH
98897	STP58-208 /	U	0019	0000	S			AA FINISH
98897	STP62-005 /	E	0008	0000	S			-53 FINISH
98897	STP59-201 /		0004	0000	S			-1 FINISH
98897	SPARES CONFIGURATION /		0000	0000				PER B/P MINOR TRIM REQUIRED ON INSTL.

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *04*

ENGINEERING DATA LIST

* HISTORY *

DATE : 11OCT02	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J50012-113B	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560011162221UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J50012 /	AA	0005	0000	S		PANEL, STRUCTURAL, AC	-113B
98897	LS35504 /	A	0001	0000	S		HINGE	
98897	4J39002 /	N	0004	0000	S		REFERENCE DRAWING	
98897	STSAE021 /	E	0003	0000	S			-G05
98897	STSAE020 /	D	0006	0000	S			-05LA04
[illegible]	4J52008 /	G	0003	0000	S			-112C, -109A, -103B
98897	STP58-208 /	U	0019	0000	S		FINISH -AA	
98897	STP62-005 & ACC /	E	0010	0000	S		FINISH -53	
98897	DS30004 /		0000	0000				CANCELLED - USE STP51-302
98897	STP58-405 & ACC /	F	0012	0000	S		FINISH -F	
98897	DS30003 /	P	0029	0000	S			
98897	STP59-204 /	B	0009	0000	S		FINISH -54	
98897	STP59-604 /	E	0012	0000	S		FINISH -71	
98897	STP59-202 /		0003	0000	S		FINISH -17	
98897	STP59-203 /	A	0008	0000	S		FINISH -31	
98897	STP59-302 /	A	0010	0000	S		FINISH -32	
98897	STP58-408 /	G	0005	0000	S		FINISH -FA	
98897	STP56-107 /	M	0027	0000	S			
[illegible]97	STP56-105 /	M	0009	0000	S			
98897	STP63-001 /	P	0019	0000	P			
98897	DS30002 /		0000	0000				CANCELLED - USE 0581
98897	DS5055 & ACC /	AH	0051	0000	S			
98897	DS30006 /		0000	0000				CANCELLED - USE STP52-708
98897	DS30000 /	R	0009	0000	S			
98897	4J59103 /	B	0001	0000	S			-109A, -105A
98897	STP60-102 & ECO 96C0006 /	J	0055	0000	S		BONDING SPEC	
98897	STM30-101 /	C	0019	0000	S			
98897	4R23300 /	C	0008	0000	S		LOFT CONTOUR	
98897	4J50016 /	A	0001	0000	S		DATUM REFERENCE	
98897	4R23305 /		0001	0000	M		LOFT DEFINITIONS	MYLAR ARTWORK AVAILABLE

REVISION: *04*

ENGINEERING DATA LIST

* HISTORY *

DATE : 11OCT02	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J50012-113B	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560011162221UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	STM22-506 /	B	0016	0000	S			
98897	STM28-102 /	D	0014	0000	S			
98897	STP51-302 /	W	0043	0000	S			
98897	STM30-102 & ECO 98C0001 /	F	0013	0000	S			
98897	ER8298 & APPEND A /	K	0066	0000	S			
98897	STP60-401 /	J	0009	0000	S			
98897	4R20000 /	B	0048	0000	S		REFERENCE	
98897	DS5025 /	AB	0025	0000	S			
98897	4J00002 /	AC	0002	0000	S		SMOOTHNESS REQUIREMENTS	
98897	0581 /	AD	0012	0000	S			
98897	STP52-708 /	K	0030	0000	S			USE IN LIEU OF DS30006
98897	STSAE024 /	E	0003	0000	S			
98897	D4M00200 & PL /	E	0050	0000	S		REFERENCE DRAWING ONLY	
98897	LS37823 /		0001	0000	S			
98897	4J83013 /	B	0001	0000	S			
98897	LS35090 /		0002	0000	S			
98897	LS38488 /		0001	0000	S			
98897	DS5191 /	B	0001	0000	S			
98897	LS37824 /		0001	0000	S			

ENGINEERING DATA LIST

REVISION: *04*

* HISTORY *

DATE : 11OCT02	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 3 OF 3
CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J50012-113B	NOUN : PANEL,STRUCTURAL,AI		NSN : 1560011162221UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 01OCT02	DATA TECH : JL	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31101-115B	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560004864945UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J31101	/	D	0001	0000	S		PANEL, ASSY OF	-115B
98897	4J00002	/	AC	0002	0000	S			SMOOTHNESS REQUIREMENTS
98897	4R13201	/	B	0254	0000	S			LOFT DATA
98897	4R23200	/		0185	0000	S			LOFT DATA
98897	DS30000	/	R	0009	0000	S			
98897	DS30004	/		0000	0000				CANCELLED, USE STP51-302
98897	STP51-302	/	W	0043	0000	S	D		PDF FILE, USE IN LIEU OF DS30004
98897	DS5025	/	AB	0025	0000	S			
98897	STM22-506	/	B	0016	0000	S			
98897	STM28-102	/	D	0014	0000	S			
98897	STM30-102	/	F	0026	0000	S			
98897	STP57-004	/	J	0008	0000	S			
98897	STP60-101	/	J	0052	0000	S			
98897	STP60-401	/	J	0009	0000	S			
98897	STP63-001	/	P	0019	0000	S			IMPRESSION STAMP NOT PERMITTED.
98897	FINISH SPECIFICATIONS	/		0000	0000				FA / FA-54-71
98897	STP58-408	/	G	0005	0000	S			-FA FINISH
98897	STP59-204	/	B	0009	0000	S			-54_FINISH
98897	STP59-405	/		0009	0000	S			-71 FINISH
98897	SPARES CONFIGURATION	/		0000	0000				PER B/P EXCEPT OMIT HOLES. ADD TRIM ON FWD PROFILE INCLUDING
									CUT OUT AND ON SIDE ADJACENT TO TORQUE BOX.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 01OCT02	DATA TECH : JL	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 2
CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31101-115B	NOUN : PANEL,STRUCTURAL,AI		NSN : 1560004864945UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)
THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 01OCT02	DATA TECH : JL	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31101-116B	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560004864946UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J31101 /	D	0001	0000	S		PANEL, ASSY OF	-116B
98897	4J00002 /	AC	0002	0000	S			SMOOTHNESS REQUIREMENTS
98897	4R13201 /	B	0254	0000	S			LOFT DATA
98897	4R23200 /		0185	0000	S			LOFT DATA
98897	DS30000 /	R	0009	0000	S			
98897	DS30004 /		0000	0000				CANCELLED, USE STP51-302
98897	STP51-302 /	W	0043	0000	S	D		PDF FILE, USE IN LIEU OF DS30004
98897	DS5025 /	AB	0025	0000	S			
98897	STM22-506 /	B	0016	0000	S			
98897	STM28-102 /	D	0014	0000	S			
98897	STM30-102 /	F	0026	0000	S			
98897	STP57-004 /	J	0008	0000	S			
98897	STP60-101 /	J	0052	0000	S			
98897	STP60-401 /	J	0009	0000	S			
98897	STP63-001 /	P	0019	0000	S			IMPRESSION STAMP NOT PERMITTED.
98897	FINISH SPECIFICATIONS /		0000	0000				FA / FA-54-71
98897	STP58-408 /	G	0005	0000	S			-FA FINISH
98897	STP59-204 /	B	0009	0000	S			-54 FINISH
98897	STP59-405 /		0009	0000	S			-71 FINISH
98897	SPARES CONFIGURATION /		0000	0000				PER B/P EXCEPT OMIT HOLES. ADD TRIM ON FWD PROFILE INCLUDING
								CUT OUT AND SIDE ADJACENT TO TORQUE BOX.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
01OCT02	JL	LGECB		C-5	2 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J31101-116B	PANEL,STRUCTURAL,AI	1560004864946UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)
THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

ENGINEERING DATA LIST

REVISION: * HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
08OCT02	BF	LGECA		C-5	1 OF 1

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J31107-115A	PANEL,STRUCTURAL,AI	1560004851692UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J31107	/	C	0001	0000	S			
98897	STP 57-004 & ACC	/	J	0010	0000	S			
98897	STM 28-102 (CANCELLED)	/		0000	0000				MIL-C-7438
98897	STP 60-101	/	J	0052	0000	S			
98897	STM 30-102 & ACC	/	F	0027	0000	S			
98897	STP 60-401	/	J	0009	0000	S			
98897	STP 63-001 & ACC	/	P	0021	0000	S			
98897	STP 51-302 & ACC	/	W	0059	0000	S	D		
98897	ER 8296 & ACC	/	K	0069	0000	S			
98897	DS 30000	/	R	0009	0000	S			
98897	DS 30004 (CANCELLED)	/		0000	0000				STP 51-302
98897	DS 5025	/	AB	0025	0000	S	C		
81349	MIL-C-7438	/	G	0029	0000		A		
98897	FINISH:	/		0000	0000				
98897	"FA" STP 58-408	/	G	0005	0000	S			
98897	"54" STP 59-204	/	B	0009	0000	S			
98897	"71" STP 59-405	/		0009	0000	S			

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.
WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

ENGINEERING DATA LIST

REVISION: * HISTORY *

DATE : 07OCT02	DATA TECH : DF	ORGN SYMBOL : LGECA	PR NR :	APPLICATION: C-5	PAGE 1 OF 1

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31108-127A	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560004858701UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J31108 /	C	0001	0000	S		PANEL	-'27A
98897	4R23200 L/D /		0002	0000	S			REFERENCE ONLY
98897	4J00002 /	AC	0002	0000	S			REFERENCE ONLY
98897	DS5025 /	AB	0025	0000	S	C		
98897	DS30000 /	R	0009	0000	S			
98897	DS30004 /		0000	0000				USE STP51-302 IN LIEU OF DS30004
98897	STP60-401 /	J	0013	0000	S			GROUP 1
98897	STP60-001 & ACC /	P	0019	0000	S			
98897	STP60-101 /	J	0052	0000	S	C		
98897	STP57-004 & ACC /	J	0008	0000	S			
98897	STM30-102 & ACC /	F	0026	0000	S			TYP.1
98897	STM22-506 /	B	0016	0000	S			TYP.111
98897	STP51=302 & ACC /	W	0043	0000	S	D		
98897	STP58-408 /	G	0005	0000	S			
98897	STP59-204 /	B	0009	0000	S			
98897	STP59-405 /		0009	0000	S			
98752	FINISH /		0000	0000	S			"FA"USE STP58-408,"54"USE STP59-204,"71"USE STP59-405

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.
WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
01OCT02	JL	LGECB		C-5	1 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J31109-127A	PANEL,STRUCTURAL,AI	1560004864936UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J31109 /	D	0001	0000	S		PANEL, ASSY OF	-127A
98897	4J00002 /	AC	0002	0000	S			SMOOTHNESS REQUIREMENTS
98897	4R22200 /	A	0260	0000	S	D		PDF FILE, LOFT DATA
98897	DS5025 /	AB	0025	0000	S			
98897	STM28-102 /	D	0014	0000	S			
98897	STM30-102 /	F	0026	0000	S			
98897	DS30000 /	R	0009	0000	S			
98897	DS30004 /		0000	0000				CANCELLED, USE STP51-302
98897	STP51-302 /	W	0043	0000	S	D		PDF FILE, USE IN LIEU OF DS30004
98897	STP57-004 /	J	0008	0000	S			
98897	STP60-101 /	J	0052	0000	S			
98897	STP63-001 /	P	0019	0000	S			IMPRESSION STAMP NOT PERMITTED.
98897	STP60-401 /	J	0009	0000	S			
98897	FINISH SPECIFICATIONS /		0000	0000				FA / FA-54-71
98897	STP58-408 /	G	0005	0000	S			FINISH -FA
98897	STP59-204 /	B	0009	0000	S			FINISH -54
98897	STP59-405 /		0009	0000	S			FINISH -71
98897	SPARES CONFIGURATION /		0000	0000				PER BLUEPRINT EXCEPT OMIT HOLES AND ADD TRIM ALLOWANCE
								TO FWD PROFILE AND CUT OUTS ALSO ONE CORDWISE PROFILE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 01OCT02	DATA TECH : JL	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31109-127A	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560004864936UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)
THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
20MAR02	RT	TILCB		C-5	1 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J31111-149A	PANEL,STRUCTURAL,Al	1560004851956UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J31111-149A	/	E	0001	0000	S			
98897	DS5025	/	AB	0025	0000	S	C		
98897	LS38492	/	A	0001	0000	S			
98897	DS30000	/	R	0009	0000	S	C	FINISH CODES	
98897	STP51-302	/	W	0043	0000	S			
98897	STP63-001	/	P	0019	0000	S	D		
98897	DS30004	/		0000	0000				CANCELLED, USE STP51-302
98897	STP60-401	/	J	0009	0000	S			
98897	FINISH FA	/		0000	0000				FINISH "FA" USE STP58-408
98897	STP58-408	/	G	0005	0000	S			
98897	STP60-101	/	J	0052	0000	S	C		
98897	STM30-102	/	F	0026	0000	S			
98897	ER8296 & ACC	/	K	0075	0000	S			
98897	DS30003	/		0000	0000				CANCELLED, USE STP51-400
98897	STP51-400	/	D	0036	0000	S			
98897	FINISH A	/		0000	0000				FINISH "A" - USE STP58-209
98897	STP58-209	/	L	0012	0000	S			
98897	STM22-602	/	F	0012	0000	S			
98897	FINISH FA-54-71	/		0000	0000				FINISH "FA" - USE STP58-408
									FINISH "54" USE STP59-204
									FINISH "71" - USE STP59-405
98897	STP59-204	/	B	0009	0000	S			
98897	STP59-405	/		0009	0000	S			
98897	DS5055	/		0000	0000				CANCELLED, USE STP52-726
98897	STP52-726	/	F	0016	0000	S			
98897	4R23200	/		0185	0000	S	C	MASTER DIM DATA	REF
98897	STM22-506	/	B	0016	0000	S			
98897	4J00002	/	AC	0002	0000	S		SMOOTHNESS REQUIREMENTS	REF
98897	STM28-102	/		0000	0000				CANCELLED, USE MIL-C-7438
98897	MIL-C-7438	/		0000	0000	O			PUBLICATION DATE: 26 FEBRUARY 1986

J-0085

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
20MAR02	RT	TILCB		C-5	2 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J31111-149A	PANEL,STRUCTURAL,AI	1560004851956UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP57-004 /	J	0008	0000	S			

CD ROM

EXPORT CONTROL

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 20AUG02	DATA TECH : DF	ORGN SYMBOL : LGECA	PR NR :	APPLICATION: C5-A,B	PAGE 1 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31112-161A	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560011161911UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J31112 /	E	0001	0000	S		PANEL,STRUCTURAL,AL	-161A
98897	4J00002 /	AC	0002	0000	S			REFERENCE
98897	4R23200 /		0185	0000	S			REFERENCE
98897	4W00003 /	B	0005	0000	S			REFERENCE
98897	DS5025 /	AB	0025	0000	S	C		
98897	DS30003 /		0000	0000				USE STP51-400 IN LIEU OF DS30003
98897	DS30004 /		0000	0000				USE STP51-302 IN LIEU OF DS30004
98897	DS5055 /		0000	0000				USE STP52-726 IN LIEU OF DS5055
98897	STP52-726 /	F	0016	0000	S			
98897	DS30000 /	R	0009	0000	S			
98897	LS38496 /	B	0001	0000	S			
98897	LS38491 /	B	0001	0000	S			
98897	STP60-401 /	J	0009	0000	S			
98897	STO60-101 /	J	0052	0000	S	C		
98897	STP63-001 & ACC /	P	0020	0000	S			
98897	STP51-302 & ACC /	W	0059	0000	S	D		
98897	STP57-004 & ACC /	J	0010	0000	S			
98897	STM22-602 & ACC /	F	0013	0000	S			TYP.V
98897	STM30-102 & ACC /	F	0027	0000	S			TYP.1
98897	STM28-102 /		0000	0000				USE MIL-C-7438 IN LIEU OF STM28-102
98897	STP51-400 /	D	0036	0000	S			
98897	STP58-408 /	G	0005	0000	S			
98897	STP58-209 & ACC /	L	0017	0000	S			
98897	ER8296 & ACC /	K	0075	0000	S			

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
20AUG02	DF	LGECA		C5-A,B	2 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J31112-161A	PANEL,STRUCTURAL,AI	1560011161911UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.
WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 30SEP02	DATA TECH : RT	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31113-147A	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560010144479UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J31113 /	F	0001	0000	S	D		-147A
98897	LS38496 /	B	0001	0000	S			
98897	STP51-302 /	W	0043	0000	S	D		
98897	STP63-001 /	P	0019	0000	S	C		
98897	DS30004 /		0000	0000				CANCELLED, USE STP51-302
98897	STP58-408 /	G	0005	0000	S			USE FOR FINISH "FA"
98897	STP59-204 /	B	0009	0000	S			USE FOR FINISH "54"
98897	STP59-405 /		0009	0000	S			USE FOR FINISH "71"
98897	STP58-209 /	L	0012	0000	S			USE FOR FINISH "A"
98897	ER8296 /	K	0010	0000	S			
98897	STP60-101 /	J	0052	0000	S			
98897	STM30-102 /	F	0027	0000	S			
98897	DS30003 /		0000	0000				CANCELLED, USE STP51-400
98897	STP51-400 /	D	0036	0000	S			
98897	STP57-004 /	J	0008	0000	S			
98897	DS30000 /	R	0009	0000	S	C		
98897	STM22-602 & (ACC)V01 /	F	0013	0000	S			
98897	STP60-401 /	J	0009	0000	S			
98897	DS5055 /	AH	0038	0000	S	C		
98897	STM22-506 /	B	0016	0000	S			
98897	STM28-102 /		0000	0000				CANCELLED, USE MIL-C-7438 IN LIEU OF STM28-102
98897	MIL-C-7438G /	G	0000	0000	O			PUBLICATION DATE: 26 FEBRUARY 1986
98897	DS5025 /	AB	0025	0000	S	C		
98897	4R22300 /		0006	0000	S	C	LOFT DATA	REFERENCE
98897	4J00002 /	AC	0002	0000	S		SMOOTHNESS REQUIREMENTS	REFERENCE
98897	SPARES CONFIGURATION /		0000	0000				PER BLUEPRINT EXCEPT OMIT HOLES. ADD TRIM ALLOWANCE ON ALL PROFILES EXCEPT
								IN AREA OF AFT BONDED CHANNEL.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 30SEP02	DATA TECH : RT	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 2
CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31113-147A	NOUN : PANEL,STRUCTURAL,AI		NSN : 1560010144479UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
02OCT02	TA	LGECA		C-5	1 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J31116-149A	PANEL,STRUCTURAL,Al	1560010148029UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J31116 /	E	0001	0000	S			
98897	4R23200 /		0185	0000	S			REF
98897	4J30600 /	K	0002	0000	S			
98897	4J00002 /	AC	0002	0000	S			REF
98897	STP63 001 /	P	0019	0000	S			IMPRESSION STAMPING NOT PERMISSIBLE
98897	STP51-302 /	W	0043	0000	S			
98897	ER8296 /	K	0010	0000	S			
98897	STM30-102 /	F	0026	0000	S			
98897	STP60 101 /	J	0052	0000	S			
98897	STP57 004 /	J	0008	0000	S			
98897	DS5055 /		0000	0000				CANCEL USE STP52-726
98897	STP60 401 /	J	0009	0000	S			
98897	STP52 726 /	F	0016	0000	S			
98897	STM22-602 /	F	0012	0000	S			
98897	DS30000 /	R	0009	0000	S			
98897	DS30003 /		0000	0000				USE STP51-400
98897	STP51-400 /	D	0036	0000	S			
98897	STM28 102 /		0000	0000				USE MIL C 7438
98897	STM22-506 /	B	0016	0000	S			
98897	DS30004 /		0000	0000				USE STP51-302
98897	MIL-C-7438 /	G	0000	0000	O			REV DATE 26-FEB-1986
98897	STP58-209 /	L	0012	0000	S			
98897	STP58-408 /	G	0005	0000	S			
98897	STP59-204 /	B	0009	0000	S			
98897	STP59-405 /		0009	0000	S			
98897	LS38496 /	B	0001	0000	S			
98897	FINISHES /		0000	0000				"A"USESTO58-209,"FA"USE STP58 408,"54"USE STP59-204(1),"71"USE STP59-405

J-0089

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
02OCT02	TA	LGECA		C-5	2 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J31116-149A	PANEL,STRUCTURAL,AI	1560010148029UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS

CD ROM

EXPORT CONTROL

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 01OCT02	DATA TECH : RT	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31119-143A	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560010148035UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J31119 /	E	0001	0000	S			-143A
98897	LS38496 /	B	0001	0000	S			
98897	DS5025 /	AB	0025	0000	S	C		
98897	STP51-302 /	W	0043	0000	S	D		
98897	STP63-001 /	P	0019	0000	S	C		
98897	DS30004 /		0000	0000				CANCELLED, USE STP51-302
98897	STP60-401 /	J	0009	0000	S			
98897	STP58-408 /	G	0005	0000	S			USE FOR FINISH "FA"
98897	STP59-204 /	B	0009	0000	S			USE FOR FINISH "54"
98897	STP59-405 /		0009	0000	S			USE FOR FINISH 71
98897	ER8296 /	K	0010	0000	S			
98897	STP60-101 /	J	0052	0000	S			
98897	STM30-102 /	F	0027	0000	S			
98897	DS30003 /		0000	0000				CANCELLED, USE STP51-400
98897	STP51-400 /	D	0036	0000	S			
98897	DS30000 /	R	0009	0000	S	C		
98897	STM22-602 & (ACC)V01 /	F	0013	0000	S			
98897	DS5055 /	AH	0038	0000	S	C		
98897	4J00002 /	AC	0002	0000	S		SMOOTHNESS REQUIREMENTS	REFERENCE
98897	4R23200 /		0007	0000	S	C	LOFT DATA	REFERENCE
98897	STM22-506 /	B	0016	0000	S			
98897	STM28-102 /		0000	0000				CANCELLED, USE MIL-C-7438
98897	MIL-C-7438G /	G	0000	0000	O			PUBLICATION DATE: 26 FEBRUARY 2002
98897	STP57-004 /	J	0008	0000	S			
98897	SPARES CONFIGURATION /		0000	0000				PER BLUEPRINT EXCEPT OMIT HOLES. ADD TRIM ALLOWANCE ON ALL PROFILES EXCEPT
								IN AREA OF AFT BONDED CHANNEL.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 01OCT02	DATA TECH : RT	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 2
CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31119-143A	NOUN : PANEL,STRUCTURAL,AI		NSN : 1560010148035UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.
WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
02OCT02	DD	LGECB		C-5	1 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J31120-149A	PANEL,STRUCTURAL,AI	1560010148037UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J31120	/	D	0001	0000	S		PANEL, STRUCTURAL, AC	-149A
98897	LS38496	/	B	0001	0000	S			
98897	STP57-004	/	J	0008	0000	S			
98897	4J30600	/	K	0002	0000	S		REFERENCE DRAWING ONLY	
98897	STM22-506	/	B	0016	0000	S			
98897	DS5055 & ACC	/	AH	0051	0000	S			
98897	STP60-401	/	J	0009	0000	S			
98897	STM22-602 & ACC	/	C	0018	0000	S			
98897	DS30000	/	R	0009	0000	S			
98897	DS30003	/	P	0029	0000	S			
98897	STP60-101	/	J	0052	0000	S			
98897	STM30-102 & ECO	/	F	0013	0000	S			ECO 98C0001
98897	ER8296 & APPENDIX X	/	K	0066	0000	S			
98897	DS30004	/		0000	0000				CANCELLED - USE STP51-302
98897	STP63-001	/	P	0019	0000	S			
98897	STP51-302	/	W	0043	0000	S			
98897	4R23200	/		0185	0000	S		LOFT DATA	
98897	4J00002	/	AC	0002	0000	S		SMOOTHNESS REQUIREMENT	
98897	STM28-102	/	D	0014	0000	S			
98897	STP58-209	/	L	0012	0000	S		FINISH -A	
98897	STP58-408	/	G	0005	0000	S		FINISH -FA	
98897	STP59-204	/	B	0009	0000	S		FINISH -54	
98897	STP59-604	/	E	0012	0000	S		FINISH -71	
98897	0581	/	AD	0012	0000	S			
98897	DS5025	/	AB	0025	0000	S			
98897	STP60-102 & ECO	/	J	0022	0000	S			ECO 96C0001

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 02OCT02	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 2
CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31120-149A	NOUN : PANEL,STRUCTURAL,AI		NSN : 1560010148037UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 04OCT02	DATA TECH : RF	ORGN SYMBOL : LGECC	PR NR :	APPLICATION: C-5	PAGE 1 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31117-150A	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560010148032UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J31117 /	D	0001	0000	S		PANEL, OUTER WING T/E	(-150A)
98897	LS 38491 /	B	0001	0000	S		EXTRUDED CHANNEL	
98897	4J00002 /	AC	0002	0000	S		AERODYNAMIC SMOOTHNESS	
98897	4R23200 /		0185	0000	S		MASTER DIMENSION DATA	
98897	STM 28-102 /		0000	0000			CANCELLED	USE MIL-C-7438
98897	STP 57-004 /	J	0008	0000	S		SURFACE PREP SPEC.	
98897	STP 63-001 /	P	0019	0000	S		MARKING SPEC.	
98897	DS 30004 /		0000	0000			CANCELLED	USE STP 51-302
98897	STP 51-302 /	U	0043	0000	S		FORM & FAB SPEC.	
98897	STP 60-401 /	J	0009	0000	S		BONDING SPEC.	
98897	DS 30000 /	R	0009	0000	S		FINISH CODE	
98897	STP 60-101 /	J	0052	0000	S		HONEYCOMB BONDING	
98897	STM 30-102 /	F	0026	0000	S		STRUCTURAL ADHESIVE	
98897	ER 8296 /	K	0078	0000	S		INSPECTION REQUIREMENTS	
98897	STM 22-602 /	C	0014	0000	S		RESIN-PLASTIC CASTING	
98897	DS 5055 /	AH	0038	0000	S		FASTENER INSTL.	
98897	STP 58-408 /	G	0005	0000	S		CHEM. FILM TREATMENT	
98897	STP 59-204 /	B	0009	0000	S		PRIMER APPLICATION SPEC.	
98897	STP 59-405 /		0009	0000	S		ENAMEL APPLICATION SPEC.	
98897	DS 5025 /	AB	0025	0000	S	C	DRAWING INTERPRETATION	
98897	STM 22-506 /	B	0016	0000	S		STANDARD MATERIAL SPEC.	
98897	4J30600 /	K	0002	0000	S		SURFACE PANEL	REFERENCE

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 04OCT02	DATA TECH : RF	ORGN SYMBOL : LGECC	PR NR :	APPLICATION: C-5	PAGE 2 OF 2
CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31117-150A	NOUN : PANEL,STRUCTURAL,AI		NSN : 1560010148032UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 04NOV02	DATA TECH : TA	ORGN SYMBOL : LGECA	PR NR :	APPLICATION: C-5	PAGE 1 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31105-116A	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560004868794UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J31105 /	D	0001	0000	S		PANEL,STRUCTURAL,AI	
98897	4R22200 /	A	0260	0000	S			REF
98897	4J3060C /	K	0002	0000	S			REF
98897	4J00002 /	AC	0002	0000	S			REF
98897	STM30-102 /	F	0026	0000	S			
98897	STP63-001 /	P	0019	0000	S			IMPRESSION STAMPING NOT PERMISSIBLE
98897	DS30004 /		0000	0000				USE STP51-302
98897	DS30000 /	R	0009	0000	S			
98897	STP51-302 /	W	0043	0000	S			
98897	STP60-401 /	J	0009	0000	S			
98897	ER9296 /	K	0016	0000	S			
98897	STP60-101 /	J	0052	0000	S			
98897	STP57-004 /	J	0008	0000	S			
98897	STM28-102 /		0000	0000				USE MIL-C-7438
98897	STM22-506 /	B	0016	0000	S			
98897	DS5025 /	AB	0025	0000	S			
98897	MIL C 7438 /	G	0000	0000	O			REV DATE 26-FEB-1986
98897	STP58-408 /	G	0005	0000	S			
98897	STP59-204 /	B	0009	0000	S			
98897	STP59-405 /		0009	0000	S			
98897	FINISHES /		0000	0000				"FA"USE STP58-408,"54"USE STP59-204,"71"USE STP59-405

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
04NOV02	TA	LGECA		C-5	2 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J31105-116A	PANEL,STRUCTURAL,AI	1560004868794UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
								CD ROM
								EXPORT CONTROL

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
02OCT02	TA	LGECA		C-5	1 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J31118-148A	PANEL,STRUCTURAL,AI	1560010148034UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J31118 /	E	0001	0000	S			
98897	4R23200 /		0185	0000	S			REF
98897	4J30600 /	K	0002	0000	S			REF
98897	4J00002 /	AC	0002	0000	S			REF
98897	LS38496 /	B	0001	0000	S			
98897	STP63-001 /	P	0019	0000	S	D		IMPRESSION STAMPING NOT PERMISSIBLE
98897	STP52 726 /	F	0016	0000	S			
98897	STP51 302 /	W	0043	0000	S			
98897	ER8296 /	K	0010	0000	S			
98897	STM30-102 /	F	0026	0000	S			
98897	STP60-101 /	J	0052	0000	S			
98897	STP57-004 /	J	0008	0000	S			FOR PROCUREMENT PURPOSES ONLY PER LOCKHEED LETTER DATED 19-APR-2001
98897	DS5055 /		0000	0000				CANCEL, USE STP52-726
98897	STP60-401 /	J	0009	0000	S			
98897	STM22-602 /	F	0012	0000	S			
98897	DS30000 /	R	0009	0000	S			
98897	DS30003 /		0000	0000				USE STP51-400
98897	STP51-400 /	D	0036	0000	S			
98897	STM28-102 /		0000	0000				USE MIL-C-7438
98897	STM22-506 /	B	0016	0000	S			
98897	DS30004 /		0000	0000				USE STP51-302
98897	STP58-209 /	L	0012	0000	S			
98897	STP58-408 /	G	0005	0000	S			
98897	STP59-204 /	B	0009	0000	S			
98897	STP59-405 /		0009	0000	S			
98897	MIL-C 7438 /	G	0000	0000	O			REV DATE 26-EB-1986
98897	FINISHES /		0000	0000				"A"USE STP58-209,"FA"USE STP58-408,"54"USE STP59-204(1)"71"USE STP59-405

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 02OCT02	DATA TECH : TA	ORGN SYMBOL : LGECA	PR NR :	APPLICATION: C-5	PAGE 2 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31118-148A	NOUN : PANEL,STRUCTURAL.AI	NSN : 1560010148034UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS

CD ROM

EXPORT CONTROL

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.
WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 30SEP02	DATA TECH : RT	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31113-148A	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560010144480UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J31113 /	F	0001	0000	S	D		-148A
98897	LS38496 /	B	0001	0000	S			
98897	STP51-302 /	W	0043	0000	S	D		
98897	STP63-001 /	P	0019	0000	S	C		
98897	DS30004 /		0000	0000				CANCELLED, USE STP51-302
98897	STP58-408 /	G	0005	0000	S			USE FOR FINISH "FA"
98897	STP59-204 /	B	0009	0000	S			USE FOR FINISH "54"
98897	STP59-405 /		0009	0000	S			USE FOR FINISH "71"
98897	STP58-209 /	L	0012	0000	S			USE FOR FINISH "A"
98897	ER8296 /	K	0010	0000	S			
98897	STP60-101 /	J	0052	0000	S			
98897	STM30-102 /	F	0027	0000	S			
98897	DS30003 /		0000	0000				CANCELLED, USE STP51-400
98897	STP51-400 /	D	0036	0000	S			
98897	STP57-004 /	J	0008	0000	S			
98897	DS30000 /	R	0009	0000	S	C		
98897	STM22-602 & (ACC)V01 /	F	0013	0000	S			
98897	STP60-401 /	J	0009	0000	S			
98897	DS5055 /	AH	0038	0000	S	C		
98897	STM22-506 /	B	0016	0000	S			
98897	STM28-102 /		0000	0000				CANCELLED, USE MIL-C-7438 IN LIEU OF STM28-102
98897	MIL-C-7438G /	G	0000	0000				PUBLICATION DATE: 26 FEBRUARY 1986
98897	DS5025 /	AB	0025	0000	S	C		
98897	4R22300 /		0006	0000	S	C	LOFT DATA	REFERENCE
98897	4J00002 /	AC	0002	0000	S		SMOOTHNESS REQUIREMENTS	REFERENCE
98897	SPARES CONFIGURATION /		0000	0000				PER BLUEPRINT EXCEPT OMIT HOLES. ADD TRIM ALLOWANCE ON ALL PROFILES EXCEPT IN AREA OF AFT BONDED CHANNEL.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 30SEP02	DATA TECH : RT	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 2
CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31113-148A	NOUN : PANEL,STRUCTURAL,AI		NSN : 1560010144480UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
11OCT02	JG	LGECC		C-5	1 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J31116-150A	PANEL,STRUCTURAL,AI	1560010148030UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J31116 /	E	0001	0000	S		TRAILING EDGE ASSY OF	(-105)
98897	STM22-506 /	B	0016	0000	S		MATERIAL SPEC.	
98897	23200 /	E	0001	0000	S		REF. DRAWING	
98897	STM28-102 (CANCELLED) /		0000	0000			USE MIL-C-7438(G) (1)	
98897	MIL-C-7438(G),(1) /		0000	0000	O	A	26 FEB, 1986	
[illegible]	4J00002 /	AC	0001	0000	S		FLUSHNESS REG. SPEC.	
98897	4J30600 /	K	0002	0000	S		SURFACE PANEL	
98897	STP57-004/ECO /	J	0010	0000	S		ADHESIVE BONDING SPEC.	
98897	STP51-302 /	U	0043	0000	S		FORM AND FAB SPEC.	
98897	STP63-001 /	N	0008	0000	S		MARKING SPEC.	
98897	DS30004 (CANCELLED) /		0000	0000			USE STP51-302	
98897	DS30003 (CANCELLED) /		0000	0000			USE STP51-400	
98897	STP51-400 /	D	0036	0000	S		STANDARD MACHINING SPEC.	
98897	DS30000 /	R	0009	0000	S		CODES FOR AIRCRAFT FINISHES	
98897	STP60-401 /	J	0009	0000	S		CASTING AND SEALANTS SPEC.	
98897	STM22-602 /	C	0014	0000	S		RESIN PLASTIC CASTING SPEC.	
98897	DS5055 /	AH	0038	0000	S		INSTALL OF FASTENER SPEC.	
98897	4J 33601 /	B	0002	0000	S		UPPER WING TE	
[illegible]	4J33606 /	B	0002	0000	S		WING TE OUTER	
[illegible]	LS38552 /	A	0001	0000	S		I SECTION EXTRUDED	
98897	STP58-208 /	U	0019	0000	S		ACID ANODIZING OF ALUMINUM	
98897	STM37-305 /	A	0008	0000	S		EXPOXY POLYAMIDE ALUMINUM	
98897	STP58-408 /	G	0005	0000	S		CHEMICAL FILM TREATMENT OF ALUM	

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
11OCT02	JG	LGECC		C-5	2 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J31116-150A	PANEL,STRUCTURAL,AI	1560010148030UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 01OCT02	DATA TECH : RT	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31119-144A	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560010148036UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J31119 /	E	0001	0000	S			-144A
98897	DS5025 /	AB	0025	0000	S	C		
98897	STP51-302 /	W	0043	0000	S	D		
98897	STP63-001 /	P	0019	0000	S	C		
98897	DS30004 /		0000	0000				CANCELLED, USE STP51-302
98897	STP60-402 /	J	0009	0000	S			
98897	STP58-408 /	G	0005	0000	S			USE FOR FINISH "FA"
98897	STP59-204 /	B	0009	0000	S			USE FOR FINISH "54"
98897	STP59-405 /		0009	0000	S			USE FOR FINISH "71"
98897	ER8296 /	K	0010	0000	S			
98897	STP60-101 /	J	0052	0000	S			
98897	STM30-102 /	F	0027	0000	S			
98897	DS30003 /		0000	0000				CANCELLED, USE STP51-400
98897	STP51-400 /	D	0036	0000	S			
98897	DS30000 /	R	0009	0000	S	C		
98897	STM22-602 & (ACC)V01 /	F	0013	0000	S			
98897	DS5055 /	AH	0038	0000	S	C		
98897	4J00002 /	AC	0002	0000	S			REFERENCE
98897	4R23200 /		0007	0000	S	C		REFERENCE
98897	STM22-506 /	B	0016	0000	S			
98897	STM28-102 /		0000	0000				CANCELLED, USE MIL-C-7438
98897	MIL-C-7438G /	G	0000	0000	O			PUBLICATION DATE: 26 FEBRUARY 1986
98897	STP57-004 /	J	0008	0000	S			
98897	SPARES CONFIGURATION /		0000	0000				PER BLUEPRINT EXCEPT OMIT HOLES. ADD TRIM ALLOWANCE ON ALL PROFILES EXCEPT
								IN AREA OF AFT BONDED CHANNEL.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 01OCT02	DATA TECH : RT	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31119-144A	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560010148036UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.
WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 28AUG02	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: PANEL	PAGE 1 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J31104-116A	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560004868792UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J31104	/	C	0001	0000	S		PANEL	-116A
98897	4R23200	/		0185	0000	S		LOFT DATA	
98897	4J00002	/	AC	0002	0000	S		SMOOTHNESS REQUIREMENTS	
98897	DS30000	/	R	0009	0000	S		FINISH SPEC	SEE EACH FINISH CALL-OUT BELOW
98897	STP60-101	/	J	0052	0000	S			
98897	STP57-004	/	J	0008	0000	S			
98897	4J30600	/	K	0002	0000	S		REFERENCE DRAW	
98897	STM22-506	/	B	0016	0000	S			
98897	STM28-102	/		0000	0000				CANCELLED - USE MIL-C-7438F
98897	MIL-C-7438F	/		0000	0000	O			
98897	STP60-401	/	J	0009	0000	S			
98897	STM30-102 & ECO	/	F	0027	0000	S			ECO 98C0001
98897	ER8296 & APPEND A	/	K	0075	0000	S			
98897	DS30004	/		0000	0000				CANCELLED - USE STP51-302
98897	STP63-001	/	P	0019	0000	S			
98897	DS5025	/	AB	0025	0000	S			
98897	4J31202	/	AD	0010	0000	S		REFERENCE DRAW	
98897	STP56-505	/	F	0013	0000	S			
98897	4J32501	/	J	0002	0000	S		REFERENCE DRAW	
98897	STP56-107	/	M	0027	0000	S			
98897	DS30002	/		0000	0000				CANCELLED - USE 0581
98897	4J12104	/	F	0002	0000	S		REFERENCE DRAW	
98897	LS35270	/	F	0003	0000	S			
98897	4W02002	/	G	0003	0000	S		REFERENCE DRAW	
98897	4J12252	/	E	0003	0000	S		REFERENCE DRAW	
98897	4J13058	/	E	0003	0000	S		REFERENCE DRAW	
98897	4J12256	/	K	0002	0000	S		REFERENCE DRAW	
98897	4J13057	/	H	0002	0000	S		REFERENCE DRAW	
98897	4J12253	/	G	0001	0000	S		REFERENCE DRAW	
98897	STP60-102 & ECO 96C0006	/	J	0055	0000	S		BONDING SPEC	ECO 96C0006 CANCELLS ALL PREVIOUS ECO'S

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
28AUG02	DD	LGECB		PANEL	2 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J31104-116A	PANEL,STRUCTURAL,AI	1560004868792UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	STP51-302 /	W	0043	0000	S			
98897	0581 /	AD	0063	0000	S			
98897	STP58-408 /	G	0005	0000	S		FINISH -FA	
98897	STP59-204 /	B	0009	0000	S		FINISH -54	
97	STP59-604 /	E	0012	0000	S		FINISH -71	

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.
WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)
DIGITAL LOFT DATA IS AVAILABLE AS INITIAL GRAPHICS EXCHANGE SPECIFICATION (IGES) FILES FOR DIRECT INPUT TO CAD/CAM SYSTEMS. THE SUCCESSFUL BIDDER, UPON WRITTEN REQUEST TO THE PROCUREMENT CONTRACTING

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
09JAN03	DD	LGECB		C-5	1 OF 9

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J20000-101A	TIP,AIRCRAFT	1560010081624UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J20000 /	J	0001	0000	S	D	WING TIP ASSEMBLY	-101A
98897	4J00002 /	AC	0002	0000	S		SMOOTHNESS REQUIREMENTS	
98897	4E79050 /	C	0002	0000	S		MARKINGS	
98897	4R24000 /	B	0009	0000	S		CONTOUR MASTER LINES	
98897	4J20120 /	H	0001	0000	S			
98897	4J20114 /	C	0002	0000	S			
98897	4J20117 /	F	0003	0000	S			
98897	4J20112 /	N	0009	0000	S			
98897	4E74010 /	E	0001	0000	S			
98897	4B51001 /	A	0001	0000	S			
98897	4B51002 /	E	0002	0000	S			
98897	4J20123 /	M	0002	0000	S			
98897	4J20103 /	T	0007	0000	S			
98897	4J20104 /	P	0008	0000	S			
98897	4J20100 /	K	0004	0000	S			
98897	4J21009 /	F	0001	0000	S			
98897	4J21024 /	B	0001	0000	S			
98897	4J20101 /	H	0003	0000	S			
98897	4J20102 /	N	0003	0000	S			
98897	4J21021 /	E	0001	0000	S			
98897	4J21002 /	E	0002	0000	S			
98897	4J27000 /	B	0001	0000	S			
98897	4J22069 /	K	0005	0000	M		UNDIMENSIONED DRAWING	MYLAR REQUIRED
98897	4J21015 /	C	0001	0000	S			
98897	4J22022 /	G	0001	0000	S			
98897	4J22050 /	B	0001	0000	S			
98897	4R23305 /		0001	0000	M		LOFT CONTOUR	UNDIMENSIONED - MYLAR REQUIRED
98897	4R23306 /		0001	0000	M		LOFT CONTOUR	UNDIMENSIONED - MYLAR REQUIRED
98897	4J22058 /	D	0001	0000	S			
98897	4J22041 /	B	0001	0000	S			

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
09JAN03	DD	LGECB		C-5	2 OF 9

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J20000-101A	TIP,AIRCRAFT	1560010081624UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J23031 /	B	0001	0000	S			
98897	4J23029 /	A	0001	0000	S			
98897	4J23022 /		0001	0000	S			
98897	4J23028 /	B	0001	0000	S			
98[illegible]	[illegible]J23027 /		0001	0000	S			
98897	4J23026 /	B	0001	0000	S			
98897	4J23025 /	A	0001	0000	S			
98897	4J23024 /	A	0001	0000	S			
98897	4J23021 /		0001	0000	S			
98897	4J23020 /		0001	0000	S			
98897	4J23019 /		0001	0000	S			
98897	4J23018 /	A	0001	0000	S			
98897	4J23017 /	A	0001	0000	S			
98897	4J23016 /	A	0001	0000	S			
98897	4J23015 /	B	0001	0000	S			
98897	4J23014 /	A	0001	0000	S			
98897	4J22059 /	A	0001	0000	S			
98[illegible]	[illegible]J22046 /	A	0001	0000	S			
98897	4J22045 /	B	0001	0000	S			
98897	4J22044 /	A	0001	0000	S			
98897	4J22043 /	A	0001	0000	S			
98897	4J28019 /	A	0001	0000	S		MASTER GAGE	
98897	4J23687 /	A	0001	0000	M		UNDIMENSIONED DWG	MYLAR REQUIRED
98897	4J22055 /	C	0001	0000	S			
98897	4J23689 /	A	0001	0000	S			
98897	4J23688 /	A	0001	0000	S			
98897	4J23686 /	A	0001	0000	M		UNDIMENSIONED DWG	MYLAR REQUIRED
98897	4J23685 /	A	0001	0000	S			
98897	4J23684 /	C	0001	0000	S			
98897	4J23682 /	A	0001	0000	S			

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 09JAN03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR : -	APPLICATION: C-5	PAGE 3 OF 9

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J20000-101A	NOUN : TIP,AIRCRAFT	NSN : 1560010081624UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J23683 /	C	0001	0000	S			
98897	4J23681 /	B	0002	0000	M		UNDIMENSIONED DRAWING	MYLAR REQUIRED
98897	4J23680 /	C	0001	0000	S			
98897	4J23679 /	B	0001	0000	M	D	UNDIMENSIONED DWG	MYLAR REQUIRED
98897	4E73015 /	F	0002	0000	S		OUTER WING MARKINGS	REFERENCE DRAWING ONLY
98897	4E74071 /	A	0001	0000	S			
98897	4E74070 /	A	0001	0000	S			
98897	4E74047 /		0001	0000	S			
98897	4L51516 /	C	0001	0000	S			
98897	4L51519 /	A	0001	0000	S			
98897	4L51520 /		0001	0000	S			
98897	4B52003 /	A	0001	0000	S			
98897	4B52005 /	D	0001	0000	S			
98897	4J22066 /	C	0001	0000	M		UNDIMENSIONED DWG	MYLAR REQUIRED
98897	4J22067 /	J	0001	0000	S			
98897	4J22068 /	K	0001	0000	S			
98897	4J23032 /		0001	0000	S			
98897	4J23033 & ECO /		0002	0000	S			ECO 2001C0001
98897	4J23034 /		0001	0000	S			
98897	4J22025 /	E	0001	0000	S			
98897	4J22026 /	F	0001	0000	S			
98897	4J22063 /		0001	0000	S			
98897	4J23046 /	A	0001	0000	S			
98897	4J23045 /	B	0001	0000	M		UNDIMENSIONED DWG	MYLAR REQUIRED
98897	4J23047 /	A	0001	0000	S			
98897	4J23048 /	A	0001	0000	S			
98897	4J23041 /	C	0002	0000	S			
98897	4J20109 /	E	0001	0000	S			
98897	4J23044 /		0001	0000	M		UNDIMENSIONED DWG	MYLAR REQUIRED
98897	4J23043 /	A	0003	0000	M		UNDIMENSIONED DWG	MYLAR REQUIRED

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 09JAN03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 4 OF 9

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J20000-101A	NOUN : TIP,AIRCRAFT	NSN : 1560010081624UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4J23042 /		0001	0000	S			
98897	4J23041 /	D	0002	0000	S			
98897	4K51981 /	C	0001	0000	S			
98897	4J23004 /		0001	0000	S			
98[illegible]	4J28021 /		0001	0000	S		BASIC DIMENSIONS - WING TIP	
98897	4J21025 /	A	0001	0000	S			
80539	68456-5 /		0000	0000	O		NUT	VENDOR ITEM - PROCURE FROM CAGE 80539 - SPS TECHNOLOGIES INC.
98897	4J23040 /	C	0001	0000	S			
98897	4J22010 /	A	0001	0000	S			
98897	4J23030 /	A	0001	0000	S			
98897	4J23039 /		0001	0000	S			
98897	4J22047 /	A	0001	0000	S			
98897	4J22009 /	C	0001	0000	S		REFERENCE DRAWING ONLY	
98897	4W33051 /	D	0003	0000	S		REFERENCE DRAWING ONLY	
98897	4J22064 /		0001	0000	S			
98897	4E73013 /	H	0002	0000	S		REFERENCE DRAWING ONLY	
98897	4K52002 /		0000	0000	M		UNDIMENSIONED DRAWING	MYLAR REQUIRED
98[illegible]	[illegible]K52001 /		0001	0000	S			
98897	4L51561 /	A	0001	0000	S			
98897	4K52000 /		0001	0000	M		UNDIMENSIONED DRAWING	MYLAR REQUIRED
98897	4J20001 /	C	0002	0000	S		WING TIP, INSTAL OF	
98897	4W31000 /	E	0003	0000	S		REFERENCE DRAWING ONLY	
98897	4W31010 /	E	0003	0000	S		REFERENCE DRAWING ONLY	
98897	4J50014 /	Y	0004	0000	S		REFERENCE DRAWING ONLY	
98897	4J23013 /	C	0001	0000	S			
98897	4J23012 /	C	0001	0000	S			
98897	4J23007 /	A	0001	0000	S			
98897	STP56-505 /	F	0013	0000	S			
98897	STP56-107 /	M	0027	0000	S			
98897	STP56-105 /	M	0009	0000	S			

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 09JAN03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 5 OF 9

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J20000-101A	NOUN : TIP,AIRCRAFT	NSN : 1560010081624UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	STP63-001 /	P	0019	0000	S			
98897	STP65-001 /	D	0007	0000	S			
98897	STP59-511 /	A	0006	0000	S			
98897	STP60-505 /	T	0018	0000	S			
98897	STP65-502 /	E	0005	0000	S			
98897	STP54-101 /	W	0022	0000	S	D		
98897	STP51-302 /	W	0043	0000	S	D		
98897	STP52-901 /	A	0004	0000	S			
98897	STP60-701 /	F	0006	0000	S			
98897	STP60-401 /	J	0009	0000	S			
98897	STP61-211 /	B	0004	0000	S			
98897	STP60-101 /	J	0052	0000	S			
98897	STP60-102 & ECO96C0006 /	J	0055	0000	S		BONDING SPEC	ECO96C0006 INCLUDES C-5, C-141 & C-130 UPDATES
98897	STP56-405 /	J	0013	0000	S			
98897	STP51-501 /	K	0013	0000	S			
98897	STP51-402 /	G	0008	0000	S			
98897	STP60-005 /	M	0031	0000	S			
98897	STP55-104 & V01 /	F	0020	0000	S			
98897	STP60-009 /		0000	0000			CANCELLED	USE STP60-007
98897	STP55-005 & VARIANT /	G	0043	0000	S			
98897	STP63-203 /	D	0009	0000	S	D		
98897	STP61-202 /		0000	0000			INACTIVE	USE STM22-502, STM22-301, STP61-212, STP61-202
98897	STP51-303 & V01 /	E	0007	0000	S			
98897	STP51-311 & V01J /	K	0012	0000	S			
98897	DS30002 /		0000	0000			CANCELLED	USE 0581
98897	DS5025 /	AB	0025	0000	S			
98897	DS30004 /		0000	0000			CANCELLED	USE STP51-302
98897	DS5055 /		0000	0000			CANCELLED	USE STP52-726
98897	DS30011 /	K	0013	0000	S			
98897	DS2210 /		0000	0000			INACTIVE	USE DS5210

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 09JAN03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 6 OF 9

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J20000-101A	NOUN : TIP,AIRCRAFT	NSN : 1560010081624UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	DS30003 /		0000	0000			CANCELLED	USE STP51-400
98897	DS5075 /	N	0011	0000	S			
98897	DS5145 /		0000	0000			CANCELLED	USE STP52-727
98897	DS2218 /	J	0002	0000	S			
98[illegible]	[illegible]S130 /	P	0002	0000	S			
98897	DS925 /	M	0003	0000	S			
98897	DS300 /	C	0001	0000	S			
98897	DS5078 /	E	0001	0000	S			
98897	LS5909 /	N	0002	0000	S			
98897	LS35501 /	C	0002	0000	S			
98897	LS35100 /	H	0006	0000	S			
98897	LS5935 /	H	0002	0000	S			
98897	LS10136 /	B	0004	0000	S			
98897	LS5984 /	D	0002	0000	S			
98897	LS30524 /		0001	0000	S			
98897	LS32310 /		0001	0000	S			
98897	LS5238 /		0001	0000	S			
98[illegible]	[illegible]S6504 /	A	0001	0000	S			
98897	LS6061 /	J	0001	0000	S			
98897	LS5998 /	K	0004	0000	S			
98897	LS1721 /	E	0001	0000	S			
98897	LS30062 /		0001	0000	S			
98897	LS33087 /		0001	0000	S			
98897	LS1669 /	M	0002	0000	S			
98897	LS173 /	B	0001	0000	S			
98897	LS6262 /	D	0001	0000	S			
98897	LS5918 /	B	0002	0000	S			
98897	LS38223 /	A	0001	0000	S			
98897	STM22-502 /	A	0006	0000	S			
98897	STM40-006 /	F	0018	0000	S			

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 09JAN03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 7 OF 9

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J20000-101A	NOUN : TIP,AIRCRAFT	NSN : 1560010081624UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	STM40-109 /	C	0007	0000	S			
98897	STM40-601 /	H	0011	0000	S			
98897	STM22-602 /	F	0012	0000	S			
98897	STM22-508 & V01 /		0011	0000	S			
98897	STM30-301 /	C	0014	0000	S			
98897	STM30-701 /	A	0006	0000	S			
98897	STM40-111 /	E	0018	0000	S			
98897	STM28-102 /		0000	0000			CANCELLED	USE MIL-C-7438
98897	STM30-102 & ECO 98C0001 /	F	0027	0000	S			ECO 98C0001
98897	STM22-506 /	B	0016	0000	S			
98897	STM22-304 & RN /		0013	0000	S			
98897	STM07-105 /	D	0008	0000	S			
98897	STM08-101 /		0000	0000			CANCELLED	USE WW-T-700/6
98897	STM24-906 /	D	0008	0000	S			
98897	STM07-111 /		0000	0000			CANCELLED	NO REQUIREMENT FOR THIS LAC SPEC
98897	STM07-107 /		0000	0000			CANCELLED	NO REQUIREMENT FOR THIS LAC SPEC
98897	22-2204 /		0000	0000			LAC SPEC - CANCELLED	USE STM22-502
98897	STSAE015 /	G	0006	0000	S			
98897	STSAF009 /		0000	0000			SUPERSEDED	USE LS35271
98897	STSAE007 /	E	0002	0000	S			
98897	STSAC003 /	K	0001	0000	S			
98897	STSAF003 /	K	0001	0000	S			INACTIVE FOR NEW DESIGN
98897	STSBG001 /	E	0004	0000	S			
98897	STSUD002 /	A	0003	0000	S			
98897	STSUD000 & ECO 88C0001 /	A	0004	0000	S			ECO 88C0001
98897	STSAE008 /	E	0003	0000	S			
98897	ER 8296 & APPENDIX A /	K	0066	0000	S		ENGINEERING ORDER	
98897	STP59-201 /		0004	0000	S		FINISH -1 & -26	
98897	STP58-405 & ACC /	F	0012	0000	S	D	FINISH -F	
98897	STP59-202 /		0003	0000	S		FINISH -17	

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 09JAN03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 8 OF 9

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J20000-101A	NOUN : TIP,AIRCRAFT	NSN : 1560010081624UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	STP59-203	/	A	0008	0000	S		FINISH -31	
98897	STP59-302	/	A	0010	0000	S		FINISH -32	
98897	STP58-209	/	L	0012	0000	S		FINISH -A	
98897	STP58-208	/	U	0019	0000	S		FINISH -AA	
98897	STP59-602	/	B	0005	0000	S		FINISH -R	
98897	STP59-507	/	B	0005	0000	S		FINISH -77	
98897	STP59-204	/	B	0009	0000	S		FINISH -54	
98897	STP59-405	/		0009	0000	S		FINISH -71	
98897	STP58-408	/	G	0005	0000	S		FINISH -FA	
98897	STP58-301	/	D	0004	0000	S		FINISH -M	
98897	0581	/	AD	0063	0000	S			USE IN LIEU OF DS30002
98897	DS30000	/	R	0009	0000	S		LOCKHEED FINISH SPEC	SEE FINISH CODES ABOVE FOR ADDITIONAL SPECS
98897	STP52-727	/		0017	0000	S			USE IN LIEU OF DS5145
98897	DS5210	/	E	0003	0000	S			USE IN LIEU OF DS2210
98897	LS35271	/	F	0003	0000	S			USE IN LIEU OF STSAF009
81349	MIL-C-7438 (FEB 86)	/	G	0000	0000	O			USE IN LIEU OF STM28-102
98897	STP52-726	/	F	0016	0000	S			USE IN LIEU OF DS5055
98897	STP51-400	/	D	0036	0000	S			USE IN LIEU OF DS30003
98897	STP60-007 & V02	/	N	0019	0000	S			
98897	STM22-301	/		0000	0000			CANCELLED	USE STP61-213
98897	STP61-212	/	B	0013	0000	S			
98897	DS5252	/		0001	0000	S			
98897	LS5084	/	B	0001	0000	S			
98897	STP61-213 & V01	/	J	0012	0000	S			USE IN LIEU OF STM22-301
81348	WW-T-700/6 (JUL 01)	/		0000	0000	O			USE IN LIEU OF STM08-101

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 09JAN03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 9 OF 9

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J20000-101A	NOUN : TIP,AIRCRAFT	NSN : 1560010081624UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.
WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED)
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 09JAN03	DATA TECH : DF	ORGN SYMBOL : LGECA	PR NR :	APPLICATION: C-5	PAGE 1 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J20112-103A	NOUN : LEADING EDGE,AIRCRA	NSN : 1560002243098UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J20112 /	N	0009	0000	S		LEADING EDGE,AIRCRAFT	-103A
98897	4J23679 /	B	0006	0000	M	D		
98897	4E79050 /	C	0002	0000	S			REFERENCE
98897	4R24000 /	C	0189	0000	S	C		REFERENCE
98897	4J28019 /	A	0001	0000	S			REFERENCE
98897	4J00002 /	AC	0002	0000	S	C		REFERENCE
98897	4J23687 /	A	0001	0000	M			
98897	4J23689 /	A	0001	0000	S			
98897	4J23688 /		0001	0000	M			
98897	4J23686 /	A	0001	0000	M			
98897	4J23685 /	A	0001	0000	S			
98897	4J23684 /	C	0001	0000	S			
98897	4J23683 /	C	0001	0000	S			
98897	4J23682 /	A	0001	0000	S			
98897	4J23681 /	B	0002	0000	M			
98897	4J23680 /	C	0001	0000	S			
98897	4J22064 /		0001	0000	S			
98897	LS33087 /		0001	0000	S			
98897	LS1669-62D60 /	M	0002	0000	S			
98897	0581 /	AD	0063	0000	S	D		
98897	DS5025 /	AB	0025	0000	S	C		
98897	DS30002 /		0000	0000				USE 0581 IN LIEU OF DS30002
98897	DS30004 /		0000	0000				USE STP51-302 IN LIEU OF DS30004
98897	DS30000 /	R	0009	0000	S			
98897	DS30003 /		0000	0000				USE STP51-400 IN LIEU OF DS30003
98897	STP56 105 /	M	0009	0000	S			
98897	STP65-502 /	E	0005	0000	S			
98897	STP56 107 /	M	0027	0000	S			
98897	STP54-101 & ACC /	W	0022	0000	S			
98897	STP51-302 & ACC /	W	0043	0000	S	D		

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
09JAN03	DF	LGECA		C-5	2 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J20112-103A	LEADING EDGE,AIRCRA	1560002243098UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP63-001 & ACC /	P	0019	0000	S			
98897	STP58-405 & ACC /	F	0010	0000	S			
98897	STP51-400 /	D	0036	0000	S			
98897	STP59-201(1) /		0004	0000	S			
98897	STM08-101 /		0000	0000				USE WW-T-700/6 IN LIEU OF STM08-101
98897	STM40-109 /	C	0007	0000	S			
98897	WW-T-700/6 /		0000	0000				01/JUL/01

CD ROM

EXPORT CONTROL

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED. TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: 01

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
15JAN02	RT	TILCB		C-5	1 OF 6

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J20120-113A	FRAME,AIRCRAFT	1560001957356UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J20120-113A /	H	0001	0000	S		BOX-WING TIP	
98897	4J20100-101A /	K	0004	0000	S		TRAILING EDGE-WING TIP	
98897	4J21009-101A /	F	0001	0000	S		RIB	
98897	4J21024-101A /	B	0001	0000	S		PANEL	
98897	4J20101-239A /	H	0003	0000	S		WEB SHEAR FWD	
98897	4J20102-253A /	N	0003	0000	S		WEB SHEAR AFT	
98897	4J21021-141A /	E	0001	0000	S		SHEAR WEB	
98897	4J21002-135A /	E	0002	0000	S		RIB	
98897	4J00002 /	AC	0002	0000	S		AERODYNAMIC SMOOTHNESS	
98897	4J20104-605A /	P	0008	0000	S		PANEL	
98897	4J20103-343A /	T	0007	0000	S		PANEL	
98897	4B51002-101A /	E	0002	0000	S		WIRING SUPPORT	
98897	4J20123-103A /	M	0002	0000	S		SUPPORT BRACKET	
98897	LS5909 /	N	0002	0000	S			
98897	DS30004 /		0000	0000				CANCELLED, USE STP51-302
98897	STP51-302 /	W	0043	0000	S			USE IN LIEU OF DS30004
98897	STP63-001 /	P	0019	0000	S	D		*EXPORT CONTROL
98897	DS5025 /	AB	0025	0000	S	C		*EXPORT CONTROL
98897	4J23041 /	D	0002	0000	S		SKIN	C/O 4J20100-101A
98897	4J23042 /		0001	0000	S		PLATE	
98897	4J23043 /	A	0003	0000	M		RIB	*UNDIMENTIONED DRAWING
98897	4J23044 /		0001	0000	M		ANGLE	*UNDIMENTIONED DRAWING
98897	4J23045 /	B	0001	0000	M		DOUBLER	*UNDIMENTIONED DRAWING
98897	4J20109 /	E	0002	0000	S		BRACKET	
98897	4J23046 /	A	0001	0000	S		BLOCK	
98897	4J23048 /	A	0001	0000	S		DOUBLER, INST	
98897	4J23047 /	A	0001	0000	S		WEDGE	
98897	STSUD000 & (ACC) 88C0001 /	A	0002	0000	S		RETAINER	
98897	STSAC003 /	K	0001	0000	S		RIVET, BLIND	
98897	4R24000 /	C	0189	0000	S		LOFT DATA	

CD ROM

EXPORT CONTROL

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
15JAN02	RT	TILCB		C-5	2 OF 6

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J20120-113A	FRAME,AIRCRAFT	1560001957356UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP56-505 /	F	0013	0000	S			
98897	STP56-107 /	M	0027	0000	S			
98897	DS30000 /	R	0009	0000	S		FINISH CODE	
98897	DS30002 /		0000	0000			INSTALL FASTENER	CANCELLED, USE 0581
98897	0581 /	AD	0063	0000	S			
98897	DS5145 /		0000	0000				CANCELLED, USE STP52-727
98897	STP52-727 /		0017	0000	S	C		USE IN LIEU OF DS5145, *EXPORT CONTROL
98897	DS5075 /	N	0011	0000	S		INSTALL FASTENER	
98897	DS2210 /		0000	0000				INACTIVE, USE DS5210
98897	DS5210 /	E	0003	0000	S			
98897	FINISH F-1-1 /		0000	0000				F - STP58-405
								1 - STP59-201
98897	STP58-405 /	F	0010	0000	S			PROCESS SPEC. FOR FINISH "F"
98897	STP59-201 /		0004	0000	S			PROCESS SPEC. FOR FINISH "-1-1". 2 COATS.
98897	STP56-405 /	J	0013	0000	S			
98897	LS30845 /		0001	0000	S			C/O 4J21009-101A
98897	STSAF009 /	J	0007	0000	S		PIN	
98897	STSAE007 /	E	0002	0000	S		COLLAR	
98897	4J23004 /		0001	0000	S		GUSSET	
98897	4K51981 /	C	0001	0000	S		SUPPORT	
98897	FINISH AA-1 /		0000	0000				AA - STP58-208
								1 - STP59-201
98897	STP58-208 /	U	0019	0000	S			PROCESS SPEC. FOR FINISH "AA".
98897	FINISH A /		0000	0000				A - STP58-209
98897	STP58-209 /	L	0012	0000	S			PROCESS SPEC. FOR FINISH "A".
98897	STP56-105 /	M	0009	0000	S		WET INSTALL	
98897	STP51-501 & (ACC)V03J /	K	0014	0000	S		SHOT PEEN	
98897	STP65-001 /	D	0007	0000	S		ELECTRICAL BOND	
98897	STP60-401 /	J	0009	0000	S		SEAL BOND	
98897	STP54-101 /	W	0022	0000	S		HEAT TREAT	

REVISION: 01

ENGINEERING DATA LIST

* HISTORY *

DATE : 15JAN02	DATA TECH : RT	ORGN SYMBOL : TILCB	PR NR :	APPLICATION: C-5	PAGE 3 OF 6
CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J20120-113A	NOUN : FRAME,AIRCRAFT	NSN : 1560001957356UC	

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP60-101	/	J	0052	0000	S		FABRICATE	
98897	STM30-102 & (ACC)98C0001	/	F	0027	0000	S			
98897	ER8296 & (ACC)A	/	K	0069	0000	S			
98897	4J21025	/	A	0001	0000	S		RING, ASSY	C/O 4J21024-101A
98897	4E79050	/	C	0002	0000	S		FINISH & MARKING-OUTER WING	
98897	4J28021	/		0001	0000	S		BASIC DIMENSION DATA	
98897	FINISH F-26	/		0000	0000				F - STP58-405
									26 - STP59-201
98897	LS32310	/		0001	0000	S			
98897	4J22009	/	C	0001	0000	S		FITTING	
98897	4J23006	/		0001	0000	S		GUSSET	
98897	STSAF003	/	G	0006	0000	S		PIN	
98897	STSBG000	/	F	0004	0000	S		BOLT	
98897	LS5984	/	D	0002	0000	S		WASHER	
98897	LS898	/	H	0001	0000	S		FABRIC PATCH	
98897	STP60-505	/	T	0018	0000	S	C	COLD BOND	*EXPORT CONTROL
98897	DS5055	/		0000	0000				CANCELLED USE STP52-726
98897	STP52-726	/	F	0016	0000	S			
98897	DS30003	/		0000	0000				CANCELLED, USE STP51-400
98897	STP51-400	/	D	0036	0000	S			
98897	STM22-508 & (ACC)V01	/		0011	0000	S			
98897	STM22-602 & (ACC)V01	/	F	0013	0000	S			
98897	STM28-102	/		0000	0000				CANCELLED. USE MIL-C-7438F
98897	MIL-C-7438F & AMENDMENT1	/		0000	0000				PUBLICATION DATE 13 MARCH '72 & AMEMDMENT1 PUBLICATION DATE 01 FEB '77
98897	STM22-506	/	B	0016	0000	S			
98897	LS6504	/	A	0001	0000	S			C/O 4J20102-253A
98897	LS5238	/		0001	0000	S			
98897	LS30524	/		0001	0000	S			
98897	4J22010	/	A	0001	0000	S		FITTING ATTACHMENT	
98897	4J23040	/	C	0001	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
15JAN02	RT	TILCB		C-5	4 OF 6

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J20120-113A	FRAME,AIRCRAFT	1560001957356UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STSBG001 /	E	0004	0000	S			
98897	DS5064 /	J	0003	0000	S			C/O 4J21021-141A
98897	LS6061 /	J	0002	0000	S		WASHER	
98897	STSAE015 /	G	0006	0000	S		PIN	C/O 4J20104-605A
98897	LS10136 /	B	0004	0000	S			
98897	STP61-211 /	B	0004	0000	S			
98897	STM30-301 /	C	0014	0000	S			
98897	STM30-701 /	A	0006	0000	S			
98897	STP60-701 /	F	0006	0000	S			
98897	STM40-111 /	E	0018	0000	S	C		*EXPORT CONTROL
98897	STM40-601 /	H	0011	0000	S			
98897	4J23032 /		0001	0000	S			
98897	4J23033 /		0001	0000	S			
98897	4J23034 /		0001	0000	S		ZEE	
98897	4J22025 /	E	0001	0000	S		SKIN	
98897	4J22026 /	F	0001	0000	S			
98897	4J22063 /		0001	0000	S		BRACKET	
98897	4J23035 /		0001	0000	S			C/O 4J20103-343A
98897	4J22023 /	D	0001	0000	S			
98897	4J23036 /		0001	0000	S			
98897	4J23037 /		0001	0000	S			
98897	4J22024 /	E	0001	0000	S			
98897	LS7042 /	C	0001	0000	S			
98897	4L51516 /	C	0001	0000	S		BRACKET, ASSY	C/O 4B51002
98897	4L51519 /	A	0001	0000	S		BRACKET	
98897	4L51520 /		0001	0000	S		BRACKET	
98897	4B52005 /	D	0001	0000	S		CONDUIT	
98897	LS5935 /	H	0002	0000	S		NAME PLATE	
98897	DS30011 /	K	0013	0000	S	C	SAFETY	*EXPORT CONTROL
98897	STP52-901 /	A	0004	0000	S		NAME PLATE	

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
15JAN02	RT	TILCB		C-5	5 OF 6

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J20120-113A	FRAME,AIRCRAFT	1560001957356UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J22066 /	C	0001	0000	M		DIAPHRAGM	*UNDIMENTIONED DRAWING
98897	4J23014 /	A	0001	0000	S		BRACKET	
98897	4J23015 /	B	0001	0000	S			
98897	4J23016 /	A	0001	0000	S			
98897	4J23017 /	A	0001	0000	S			
98897	4J23018 /	A	0001	0000	S			
98897	4J23019 /		0001	0000	S		SHIM	
98897	4J23020 /		0001	0000	S			
98897	4J23021 /		0001	0000	S			
98897	4J23024 /	A	0001	0000	S		PLATE	
98897	4J23025 /	A	0001	0000	S			
98897	4J23026 /	B	0001	0000	S		ANGLE	
98897	4J23027 /		0001	0000	S			
98897	4J23028 /	B	0001	0000	S		BRACKET	
98897	4J23022 /		0001	0000	S		SHIM	
98897	4R23305 /		0001	0000	M		MASTER DIM. DATA	*UNDIMENTIONED DRAWING
98897	4R23306 /		0001	0000	M		MASTER DIM. DATA	*UNDIMENTIONED DRAWING
98897	STM07-107 /	G	0001	0000	S			C/O 4J23041, CANCELLED - NO ENGINEERING REQ.
98897	STP51-402 & (ACC)V01 /	G	0009	0000	S			
36659	DS925 /	M	0003	0000	S			
98897	LS6262 /	D	0001	0000	S			C/O 4J23044
98897	STM07-111 /	A	0001	0000	S			C/O 4J23045, CANCELLED - NO ENGINEERING REQ.
98897	4K52000 /		0001	0000	M		BRACKET	C/O 4K51981, *UNDIMENTIONED DRAWING
98897	4L51561 /	A	0001	0000	S		BLOCK	
98897	4K52002 /		0001	0000	M		BRACKET	*UNDIMENTIONED DRAWING
98897	LS38223 /	A	0001	0000	S			C/O 4J22010
98897	DS3000 /		0000	0000	O			SUBSTITUTE DS30004
98897	DS130 /	P	0002	0000	S			
98897	STP65-101 & (ACC)V01 /	J	0019	0000	S			C/O 4B52005
98897	STP51-311 & (ACC)V01 /	K	0012	0000	S			

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 15JAN02	DATA TECH : RT	ORGN SYMBOL : TILCB	PR NR :	APPLICATION: C-5	PAGE 6 OF 6

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J20120-113A	NOUN : FRAME,AIRCRAFT	NSN : 1560001957356UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	LS30062 /		0001	0000	S			C/O 4J23014
98897	LS1721 /	E	0001	0000	S			C/O 4J23015
98897	STM07-105 /	D	0008	0000	S			C/O 4J23019
98897	FINISH F-54-71 /		0000	0000				F - STP58-405
								54 - STP59-204
								71 - STP59-405
98897	STP59 204 /	B	0009	0000	S			PROCESS SPEC. FOR FINISH "54".
98897	STP59-405 /		0009	0000				

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED HEREIN."

DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
09JAN03	AG	LGECA		C-5	1 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J20100-101A	TRAILING EDGE,AIRCR	1560001452905UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J20100	/	K	0004	0000	S			
98897	4J23041	/	D	0002	0000	S			
98897	4J23042	/		0001	0000	S			
98897	4J23043	/	A	0003	0000	S			
98897	STP56-505	/	F	0013	0000	S			
98897	STP56-107	/	M	0027	0000	S			
98897	STP03-001	/	F	0019	0000	S			
98897	DS30002	/		0000	0000				USE 0581
98897	DS5145	/		0000	0000				USE STP52-727
98897	DS5075	/	N	0011	0000	S			
98897	DS2210	/		0000	0000				USE DS5210
98897	STP56-405	/	J	0013	0000	S			
98897	DS30000	/	R	0009	0000	S			
98897	DS30004	/		0000	0000				USE STP51-302
98897	STP51-302	/	W	0043	0000	S	D		
98897	4R24000	/	C	0189	0000	S			REFERENCE ONLY
98897	4J23044	/		0001	0000	M			MYLAR AVAILABLE
98897	4J23045	/	B	0001	0000	M			MYLAR AVAILABLE
98897	4J20109	/	E	0002	0000	S			
98897	4J23046	/	A	0001	0000	S			
98897	4J23048	/	A	0001	0000	S			
98897	4J23047	/	A	0001	0000	S			
98897	STSUD000 & ECO	/	A	0004	0000	S			88C0001
98897	STSAC003	/	K	0001	0000	S			
98897	4J00002	/	AC	0002	0000	S			REFERENCE ONLY
98897	DS5210	/	E	0003	0000	S			
98897	STP51-402	/	G	0008	0000	S			
98897	DS5025	/	AB	0025	0000	S	C		
98897	DS30003	/		0000	0000				USE STP51-400
98897	DS925	/	M	0003	0000	S			

CD ROM

EXPORT CONTROL

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 09JAN03	DATA TECH : AG	ORGN SYMBOL : LGECA	PR NR :	APPLICATION: C-5	PAGE 2 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J20100-101A	NOUN : TRAILING EDGE,AIRCR	NSN : 1560001452905UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP54-101 & V28	/	W	0023	0000	S	D		
98897	0581	/	AD	0063	0000	S	D		
98897	STP52-727	/		0017	0000	S	C		
98897	LS6262	/	D	0001	0000	S			
98897	STP56-105	/	M	0009	0000	S			
98897	STP60-505	/	T	0018	0000	S	C		
98897	STM40-111	/	W	0018	0000	S	C		
98897	4E79050	/	C	0002	0000	S			
98897	STP51-400	/	D	0036	0000	S			
98897	4E79051	/	A	0019	0000	S			REFERENCE ONLY
98897	STP59-007	/	E	0015	0000	S			
98897	STP58-208	/	U	0019	0000	S			
98897	STP59-201	/		0004	0000	S			
98897	STP58-405 & V2	/	F	0012	0000	S			
98752	FINISH	/		0000	0000				"AA" USE STP58-208
									"1" USE STP59-201
									"F" USE STP58-405

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462. WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.
THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.
WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 10JAN03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C5A,B,C	PAGE 1 OF 9

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J20000-102A	NOUN : TIP ASSY	NSN : 1560010081625UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J20000 /	J	0001	0000	S	D	WING TIP ASSEMBLY	-102A
98897	4J20002 /	AC	0002	0000	S		SMOOTHNESS REQUIREMENTS	
98897	4E79050 /	C	0002	0000	S		MARKINGS	
98897	4R24000 /	B	0189	0000	S		CONTOUR MASTER LINES	
98897	4J20120 /	H	0001	0000	S			
98897	4J20114 /	C	0002	0000	S			
98897	4J20117 /	F	0003	0000	S			
98897	4J20112 /	N	0009	0000	S			
98897	4E74010 /	E	0001	0000	S			
98897	4B51001 /	A	0001	0000	S			
98897	4B51002 /	E	0002	0000	S			
98897	4J20123 /	M	0002	0000	S			
98897	4J20103 /	T	0007	0000	S			
98897	4J20104 /	P	0008	0000	S			
98897	4J20100 /	K	0004	0000	S			
98897	4J21009 /	F	0001	0000	S			
98897	4J21024 /	B	0001	0000	S			
98897	4J20101 /	H	0003	0000	S			
98897	4J20102 /	N	0003	0000	S			
98897	4J21021 /	E	0001	0000	S			
98897	4J21002 /	E	0002	0000	S			
98897	4J27000 /	B	0001	0000	S			
98897	4J22069 /	K	0005	0000	M		UNDIMENSIONED DWG	MYLAR REQUIRED
98897	4J21015 /	C	0001	0000	S			
98897	4J22022 /	G	0001	0000	S			
98897	4J22050 /	B	0001	0000	S			
98897	4R23305 /		0001	0000	M		LOFT CONTOUR	UNDIMENSIONED DWG MYLAR REQUIRED
98897	4R23306 /		0001	0000	M		LOFT CONTOUR	UNDIMENSIONED DWG - MYLAR REQUIRED
98897	4J22058 /	D	0001	0000	S			
98897	4J22041 /	B	0001	0000	S			

CD ROM

EXPORT CONTROL

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
10JAN03	DD	LGECB		C5A,B,C	2 OF 9

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J20000-102A	TIP ASSY	1560010081625UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J23031 /	B	0001	0000	S			
98897	RJ23029 /	A	0001	0000	S			
98897	4J23022 /		0001	0000	S			
98897	4J23028 /	B	0001	0000	S			
98897	4J23027 /		0001	0000	S			
98897	4J23026 /	B	0001	0000	S			
98897	4J23025 /	A	0001	0000	S			
98897	4J23024 /	A	0001	0000	S			
98897	4J23021 /		0001	0000	S			
98897	4J23020 /		0001	0000	S			
98897	4J23019 /		0001	0000	S			
98897	4J23018 /	A	0001	0000	S			
98897	4J23017 /	A	0001	0000	S			
98897	4J23016 /	A	0001	0000	S			
98897	4J23015 /	B	0001	0000	S			
98897	4J23014 /	A	0001	0000	S			
98897	4J22059 /	A	0001	0000	S			
98897	4J22046 /	A	0001	0000	S			
98897	4J22045 /	B	0001	0000	S			
98897	4J22044 /	A	0001	0000	S			
98897	4J22043 /	A	0001	0000	S			
98897	4J28019 /	A	0001	0000	S			
98897	4J23687 /	A	0001	0000	M		UNDIMENSIONED DWG	MYLAR REQUIRED
98897	4J22055 /	C	0001	0000	S			
98897	4J23689 /	A	0001	0000	S			
98897	4J23688 /	A	0001	0000	S			
98897	4J23686 /	A	0001	0000	M		UNDIMENSIONED DWG	MYLAR REQUIRED
98897	4J23685 /	A	0001	0000	S			
98897	4J23684 /	C	0001	0000	S			
98897	4J23682 /	A	0001	0000	S			

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 10JAN03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C5A,B,C	PAGE 3 OF 9
CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J20000-102A	NOUN : TIP ASSY	NSN : 1560010081625UC	

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J23683 /	C	0001	0000	S			
98897	4J23681 /	B	0002	0000	M		UNDIMENSIONED DWG	MYLAR REQUIRED
98897	4J23680 /	C	0001	0000	S			
98897	4J23679 /	B	0006	0000	M	D	UNDIMENSIONED DWG	MYLAR REQUIRED
98897	4E73015 /	F	0002	0000	S		REFERENCE DWG ONLY	
98897	4E74071 /	A	0001	0000	S			
98897	4E74070 /	A	0001	0000	S			
98897	4E74047 /		0001	0000	S			
98897	4L51516 /	C	0001	0000	S			
98897	4L51519 /	A	0001	0000	S			
98897	4L51520 /		0001	0000	S			
98897	4B52003 /	A	0001	0000	S			
98897	4B52005 /	D	0001	0000	S			
98897	4J22066 /	C	0001	0000	M		UNDIMENSIONED DWG	MYLAR REQUIRED
98897	4J22067 /	J	0001	0000	S			
98897	4J22068 /	K	0001	0000	S			
98897	4J23032 /		0001	0000	S			
98897	4J23033 & ECO 2001C0001 /		0002	0000	S			ECO 2001C0001
98897	4J23034 /		0001	0000	S			
98897	4J22025 /	E	0001	0000	S			
98897	4J22026 /	F	0001	0000	S			
98897	4J22063 /		0001	0000	S			
98897	4J23046 /	A	0001	0000	S			
98897	4J23045 /	B	0001	0000	M		UNDIMENSIONED DWG	MYLAR REQUIRED
98897	4J23047 /	A	0001	0000	S			
98897	4J23048 /	A	0001	0000	S			
98897	4J23041 /	C	0002	0000	S			
98897	4J20109 /	E	0002	0000	S			
98897	4J23044 /		0001	0000	M		UNDIMENSIONED DWG	MYLAR REQUIRED
98897	4J23043 /	A	0003	0000	M		UNDIMENSIONED DWG	MYLAR REQUIRED

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 10JAN03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C5A,B,C	PAGE 4 OF 9

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J20000-102A	NOUN : TIP ASSY	NSN : 1560010081625UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J23042 /		0001	0000	S			
98897	4K51981 /	C	0001	0000	S			
98897	4J23004 /		0001	0000	S			
98897	4J28021 /		0001	0000	S		BASIC DIMENSIONS WING TIP	
98897	4J21025 /	A	0001	0000	S			
80539	66456-5 /		0000	0000	O		NUT	VENDOR ITEM - PROCURE FROM SPS TECHNOLOGIES INC 80539
98897	4J22040 /	C	0001	0000	S			
98897	4J22010 /	A	0001	0000	S			
98897	4J23030 /	A	0001	0000	S			
98897	4J23039 /		0001	0000	S			
98897	4J22047 /	A	0001	0000	S			
98897	4J22009 /	C	0001	0000	S		REFERENCE DWG	
98897	4W33051 /	D	0003	0000	S		REFERENCE DWG	
98897	4J22064 /		0001	0000	S			
98897	4E73013 /	H	0002	0000	S		REFERENCE DWG	
98897	4K52002 /		0001	0000	M		UNDIMENSIONED DWG	MYLAR REQUIRED
98897	4K52001 /		0001	0000	S			
98897	4L51561 /	A	0001	0000	S			
98897	4K52000 /		0001	0000	M		UNDIMENSIONED DWG	MYLAR REQUIRED
98897	4J20001 /	C	0002	0000	S		WING TIP, INSTAL OF	
98897	4W31000 /	E	0003	0000	S		REFERENCE DWG	
98897	4W31010 /	E	0003	0000	S		REFERENCE DWG	
98897	4J50014 /	Y	0004	0000	S		REFERENCE DWG	
98897	4J23013 /	B	0001	0000	S			
98897	4J23012 /	C	0001	0000	S			
98897	4J23007 /	A	0001	0000	S			
98897	STP56-505 /	F	0013	0000	S			
98897	STP56-107 /	M	0027	0000	S			
98897	STP56-105 /	M	0009	0000	S			
98897	STP63-001 /	P	0019	0000	S			

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 10JAN03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C5A,B,C	PAGE 5 OF 9
CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J20000-102A	NOUN : TIP ASSY	NSN : 1560010081625UC	

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP65-001 /	E	0005	0000	S			
98897	STP59-511 /	A	0006	0000	S			
98897	STP60-505 /	T	0018	0000	S			
98897	STP65-502 /	E	0005	0000	S			
98897	STP54-101 /	W	0022	0000	S	D		
98897	STP51-302 /	W	0043	0000	S	D		
98897	STP52-901 /	A	0004	0000	S			
98897	STP60-701 /	F	0006	0000	S			
98897	STP60-401 /	J	0009	0000	S			
98897	STP61-211 /	B	0004	0000	S			
98897	STP60-101 /	J	0052	0000	S			
98897	STP60-102 & ECO 96C0006 /	J	0055	0000	S		BONDING SPEC UPDATE	ECO 96C0006 REPLACES ALL PREVIOUS ECOS FOR THIS SPEC
98897	STP56-405 /	J	0013	0000	S			
98897	STP51-501 /	K	0013	0000	S			
98897	STP51-402 /	G	0008	0000	S			
98897	STP60-005 /	M	0031	0000	S			
98897	STP55-104 & V01 /	F	0020	0000	S			
98897	STP60-009 /		0000	0000			CANCELLED	USE STP60-007
98897	STP55-005 & VARIANT /	G	0043	0000	S			
98897	STP63-203 /	D	0009	0000	S	D		
98897	STP61-202 /		0000	0000			CANCELLED	USE STM22-502, STM22-301, STP61-212, STP61-202
98897	STP51-303 /	E	0007	0000	S			
98897	STP51-311 & V01J /	K	0012	0000	S			
98897	DS30002 /		0000	0000			CANCELLED	USE 0581
98897	DS5025 /	AB	0025	0000	S			
98897	DS30004 /		0000	0000			CANCELLED	USE STP51-302
98897	DS5055 /		0000	0000			CANCELLED	USE STP52-726
98897	DS30011 /	K	0013	0000	S			
98897	DS2210 /		0000	0000			INACTIVE	USE DS5210
98897	DS30003 /		0000	0000			CANCELLED	USE STP51-400

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 10JAN03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C5A,B,C	PAGE 6 OF 9

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J20000-102A	NOUN : TIP ASSY	NSN : 1560010081625UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	DS5075 /	N	0011	0000	S			
98897	DS5145 /		0000	0000			CANCELLED	USE STP52-727
98897	DS2218 /	J	0002	0000	S			
98897	DS130 /	P	0002	0000	S			
98897	DS925 /	M	0003	0000	S			
98897	DS300 /	C	0001	0000	S			
98897	DS5078 /	E	0001	0000	S			
98897	LS5909 /	N	0002	0000	S			
98897	LS35501 /	G	0002	0000	S			
98897	LS35100 /	H	0006	0000	S			
98897	LS5935 /	H	0002	0000	S			
98897	LS10136 /	B	0004	0000	S			
98897	LS5984 /	D	0002	0000	S			
98897	LS30524 /		0001	0000	S			
98897	LS32310 /		0001	0000	S			
98897	LS5238 /		0001	0000	S			
98897	LS6504 /	A	0001	0000	S			
98897	LS6061 /	J	0002	0000	S			
98897	LS5998 /	K	0004	0000	S			
98897	LS1721 /	E	0001	0000	S			
98897	LS30062 /		0001	0000	S			
98897	LS33087 /		0001	0000	S			
98897	LS1669 /	M	0002	0000	S			
98897	LS173 /	B	0001	0000	S			
98897	LS6262 /	D	0001	0000	S			
98897	LS5918 /	B	0002	0000	S			
98897	LS38223 /	A	0001	0000	S			
98897	STM22-502 /		0000	0000				CANCELLED USE MIL-C-9084
98897	MIL-C-9084 /		0000	0000	O			
98897	STM40-006 /	F	0018	0000	S			

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 10JAN03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C5A,B,C	PAGE 7 OF 9

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J20000-102A	NOUN : TIP ASSY	NSN : 1560010081625UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	PURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STM40-109	/	C	0007	0000	S			
98897	STM40-601	/	H	0011	0000	S			
98897	STM22-602	/	F	0012	0000	S			
98897	STM22-508 & V01	/		0011	0000	S			
98897	STM30-301	/	C	0014	0000	S			
98897	STM30-701	/	A	0006	0000	S			
98897	STM40-111	/	E	0018	0000	S			
98897	STM28-102	/		0000	0000			CANCELLED	USE MIL-C-7438
98897	STM30-102 & ECO 98C0001	/	F	0027	0000	S			ECO 98C0001
98897	STM22-506	/	B	0016	0000	S			
98897	STM22-304 & RN	/	A	0012	0000	S			
98897	STM07-105	/	D	0008	0000	S			
98897	STM08-101	/		0000	0000			CANCELLED	USE WW-T-700/6
98897	STM24-906	/	D	0008	0000	S			
98897	STM07-111	/		0000	0000			CANCELLED	THIS SPEC NOT REQUIRED BY LAC
98897	STM07-107	/		0000	0000			CANCELLED	THIS SPEC NOT REQUIRED BY LAC
98897	22 2204	/		0000	0000			LAC SPEC CANCELLED	USE STM22 502
98897	STSAE015	/	G	0006	0000	S			
98897	STSAF009	/		0000	0000			SUPERSEDED	USE LS35271
98897	STSAE007	/	E	0002	0000	S			
98897	STSAC003	/	K	0001	0000	S			
98897	STSAF003	/	G	0006	0000	S			INACTIVE FOR NEW DESIGN ONLY
98897	STSBG001	/	F	0004	0000	S			
98897	STSUD002	/	A	0003	0000	S			
98897	STSUD000 & ECO 88C0001	/	A	0004	0000	S			ECO 88C0001
98897	STSAE008	/	E	0003	0000	S			
98897	ER8296 & APPENDIX A	/	K	0075	0000	S			
98897	STP59-201	/		0004	0000	S		FINISH -1, -26	
98897	STP58-405 & ACC	/	F	0012	0000	S	D	FINISH -F	
98897	STP59-202	/		0002	0000	S		FINISH -17	

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
10JAN03	DD	LGECB		C5A,B,C	8 OF 9

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J20000-102A	TIP ASSY	1560010081625UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP59 203	/	A	0008	0000	S		FINISH -31	
98897	STP59-302	/	A	0010	0000	S		FINISH -32	
98897	STP58-209	/	T	0012	0000	S		FINISH A	
98897	STP58-208	/	U	0019	0000	S		FINISH -AA	
98897	STP59-602	/	B	0005	0000	S		FINISH R	
98897	STP59-507	/	B	0005	0000	S		FINISH -77	
98897	STP58-301	/	D	0004	0000	S		FINISH -M	
98897	STP59-204	/	B	0009	0000	S		FINISH -54	
98897	STP59-405	/		0009	0000	S		FINISH -71	
98897	STP58-408	/	G	0005	0000	S		FINISH -FA	
98897	0581	/	AD	0063	0000	S	D		USE IN LIEU OF DS30002
98897	DS30000	/	R	0009	0000	S		LOCKHEED FINISH SPEC	SEE INDIVIDUAL FINISH CODES FOR SPECS
98897	STP52-727	/		0017	0000	S			USE IN LIEU OF DS5145
98897	DS5210	/	E	0003	0000	S			USE IN LIEU OF DS2210
98897	LS35271	/	F	0003	0000	S			USE IN LIEU OF STSAF009
81349	MIL-C-7438 (FEB 86)	/	G	0000	0000	O			USE IN LIEU OF STM28-102
98897	STP52-726	/	F	0016	0000	S			USE IN LIEU OF DS5055
98897	STP51-400	/	D	0036	0000	S			USE IN LIEU OF DS30003
98897	STP60-007 & V02	/	N	0019	0000	S			
98897	STM22-301	/		0000	0000			CANCELLED	USE STP61-213
98897	STP61-212	/	B	0013	0000	S			
98897	DS5252	/		0001	0000	S			
98897	LS5084	/	B	0001	0000	S			
98897	STP61-213 & V01	/	J	0013	0000	S			USE IN LIEU OF STM22-301
81348	WW-T-700/6 (JUL 01)	/		0000	0000	O			USE IN LIEU OF STM08-101

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 10JAN03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C5A,B,C	PAGE 9 OF 9
CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J20000-102A	NOUN : TIP ASSY	NSN : 1560010081625UC	

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
06JAN03	DD	LGECB		C-5	1 OF 3

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J20112-104A	LEADING EDGE,AIRCRA	1560004896568UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J20112	/	N	0009	0000	S		LEADING EDGE, WING TIP	104A
98897	STP65-502	/	E	0005	0000	S		PROCESS SPEC	
98897	STP56-105	/	M	0009	0000	S			
98897	STM40-109	/	C	0007	0000	S			
98897	DS5055	/		0000	0000				CANCELLED - USE STP52 726
98897	STP52-726	/	F	0016	0000	S			
98897	STP56 107	/	M	0027	0000	S			
98897	DS30002	/		0000	0000				CANCELLED - USE 0581
98897	0581	/	AD	0063	0000	S			
98897	STP54-101	/	W	0022	0000	S			
98897	DS30000	/	R	0009	0000	S			
98897	STP51-302	/	W	0043	0000	S			
98897	DS30004	/		0000	0000				CANCELLED - USE STP51-302
98897	STP63-001	/	P	0019	0000	S			
98897	4E79050	/	C	0002	0000	S		EXTERIOR FINISHES	
98897	4R24000	/	C	0189	0000	S		MASTER DIMENSIONS	
98897	4J28019	/	A	0001	0000	S		MASTER GAGE DATA	
98897	4J00002	/	AC	0002	0000	S		SMOOTHNESS REQUIREMENTS	
98897	4J23687	/	A	0001	0000	M		UNDIMENSIONED DRAWING	ARTWORK MYLAR AVAILABLE
98897	STSAE015	/	G	0006	0000	S			
98897	STSAF009	/	J	0007	0000	S			
98897	STSAE007	/	E	0002	0000	S			
98897	4J22055	/	C	0001	0000	S			
98897	4J23689	/	A	0001	0000	S			
98897	STM40 006	/	F	0018	0000	S			
98897	4J23688	/		0001	0000	M		UNDIMENSIONED DRAWING	ARTWORK MYLAR AVAILABL
98897	4J23686	/	A	0001	0000	M		UNDIMENSIONED DRAWING	ARTWORK MYLAR AVAILABL
98897	4J23685	/	A	0001	0000	S			
98897	4J23684	/	C	0001	0000	S			
98897	4J23682	/	A	0001	0000	S			

CD ROM

EXPORT CONTROL

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
06JAN03	DD	LGECB		C-5	2 OF 3

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J20112-104A	LEADING EDGE,AIRCRA	1560004896568UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J23683	/	C	0001	0000	S			
98897	4J23681	/	B	0002	0000	M		UNDIMENSIONED DRAWING	ARTWORK MYLAR AVAILABLE
98897	4J23680	/	C	0001	0000	S			
98897	4J23679	/	B	0006	0000	M	D	UNDIMENSIONED DRAWING	ARTWORK MYLAR AVAILABLE
98897	4J22010	/	A	0001	0000	S		REFERENCE DRAWING ONLY	
98897	4J22009	/	C	0001	0000	S		REFERENCE DRAWING ONLY	
98897	4W33051	/	D	0003	0000	S		REFERENCE DRAWING ONLY	
98897	4J20101	/	H	0003	0000	S		REFERENCE DRAWING ONLY	
98897	DS5025	/	AB	0025	0000	S			
98897	DS30003	/		0000	0000				CANCELLED - USE STP51-400
98897	STP51-400	/	D	0036	0000	S			
98897	STP55-104 & V01	/	F	0020	0000	S			
98897	LS33087	/		0001	0000	S			
98897	STP51-303 & V01	/	E	0007	0000	S			
98897	STM08-101	/		0000	0000				CANCELLED - USE WW-T-700/6
98897	LS1669	/	M	0002	0000	S			
98897	DS2218	/	J	0002	0000	S			
98897	STP59-511	/	A	0006	0000	S			
98897	STP60-505	/	T	0018	0000	S			
98897	STP61-202	/		0000	0000				CANCELLED - USE STP61-212
98897	STM22-304	/		0012	0000	S			
98897	STM22-502	/		0000	0000				CANCELLED USE MIL-C-9084
98897	MIL-C-9084	/		0000	0000	O			
98897	4J22064	/		0001	0000	S			
98897	STP58-209	/	L	0012	0000	S		FINISH -A	
98897	STP59-507	/	B	0005	0000	S		FINISH -77	
98897	STP59-602	/	B	0005	0000	S		FINISH -R	
98897	STP59-201	/		0004	0000	S		FINISH -1	
98897	STP61-212	/	B	0013	0000	S			USE IN LIEU OF STP61-202
81348	WW-T-700/6	/	F	0000	0000	O		DATED APR 01	

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
06JAN03	DD	LGECB		C-5	3 OF 3

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J20112-104A	LEADING EDGE,AIRCRA	1560004896568UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697 1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.
WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
10JAN03	RT	LGECB		C-5	1 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J22069-102B	FAIRING,AIRCRAFT	1560004393248UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J22069	/	K	0005	0000	M			-102B
98897	DS5025	/	AB	0025	0000	S	C		
98897	STSUD002	/	A	0003	0000	S			
98897	4R24000	/	C	0189	0000	S	C	LOFT DATA	REFERENCE
98897	4E79050	/	C	0002	0000	S	C		REFERENCE
98897	STP63-001	/	P	0019	0000	S	C		
98897	DS30004	/		0000	0000				CANCELLED, USE STP51-302
98897	STP51-302	/	W	0043	0000	S	D		
98897	DS30000	/	R	0009	0000	S	C		
98897	STP54-101	/	W	0022	0000	S	D		
98897	STP51-402	/	G	0008	0000	S			
98897	STP58-208	/	U	0019	0000	S			USE FOR FINISH "AA"
98897	STP59-201	/		0004	0000	S			USE FOR FINISH "26"
									USE FOR FINISH "-1-1" (2 COATS)
98897	STP58-405 & (ACC)V02F	/	F	0012	0000	S	D		USE FOR FINISH "F"
98897	DS30002	/		0000	0000				CANCELLED, USE 0581
98897	0581	/	AD	0063	0000	S	D		
98897	STP56-107	/	M	0027	0000	S			
98897	PS106	/		0000	0000				NOT REQUIRED.

CD ROM

EXPORT CONTROL

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
10JAN03	RT	LGECB		C-5	2 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J22069-102B	FAIRING,AIRCRAFT	1560004393248UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697 1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL ? WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
10FEB03	RT	LGECB		C-5	1 OF 5

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J20120-114A	FRAME,AIRCRAFT	1560001957357UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J20120 /	H	0001	0000	S			-114A
98897	DS5025 /	AB	0025	0000	S	C		
98897	LS5909 /	N	0002	0000	S	C		
98897	4J20100 /	K	0004	0000	S			
98897	4J21009 /	F	0001	0000	S			
98897	4J21024 /	B	0001	0000	S			
98897	4J20101 /	H	0003	0000	S			
98897	4J20102 /	N	0003	0000	S			
98897	4J21021 /	E	0001	0000	S			
98897	4J21002 /	E	0002	0000	S	C		
98897	4J00002 /	AC	0002	0000	S		AERODYNAMIC SMOOTHNESS	REFERENCE
98897	4J20104 /	P	0008	0000	S	C		
98897	4J20103 /	T	0007	0000	S			
98897	4B51002 /	E	0002	0000	S			
98897	4J20123 /	M	0002	0000	S			
98897	STP63-001 /	P	0019	0000	S	C		
98897	DS30004 /		0000	0000				CANCELLED, USE STP51-302
98897	STP51-302 /	W	0043	0000	S	D		
98897	DS30002 /		0000	0000				CANCELLED, USE 0581
98897	0581 /	AD	0063	0000	S	D		
98897	STP56-107 /	M	0027	0000	S			
98897	STP65-001 /	E	0005	0000	S	C		
98897	STP56-505 /	F	0013	0000	S			
98897	4J23041 /	D	0002	0000	S			
98897	4J23042 /		0001	0000	S			
98897	4J23043 /	A	0003	0000	M	C		
98897	4J23044 /		0001	0000	M			
98897	4J23045 /	B	0001	0000	M			
98897	4J20109 /	E	0002	0000	S			
98897	4J23046 /	A	0001	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
10FEB03	RT	LGECB		C-5	2 OF 5

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J20120-114A	FRAME,AIRCRAFT	1560001957357UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J23048 /	A	0001	0000	S			
98897	4J23047 /	A	0001	0000	S	D		
98897	STSUD000 & ECO 88C0001 /	A	0004	0000	S			
98897	STSAC003 /	K	0001	0000	S			
98897	DS30000 /	R	0009	0000	S	C		
98897	DS5145 /		0000	0000				CANCELLED, USE STP52 727
98897	STP52-727 /		0017	0000	S	C		
98897	DS5075 /	N	0011	0000	S			
98897	DS2210 /		0000	0000				INACTIVE, USE DS5210
98897	DS5210 /	E	0003	0000	S			
98897	STP58 405 & (ACC)V02F /	F	0012	0000	S	D		USE FOR FINISH "F"
98897	STP59 201 /		0004	0000	S			USE FOR FINISH "1 -1" (2 COATS)
								USE FOR FINISH " 1" (1 COAT)
								USE FOR FINISH "26"
98897	STP56-405 /	J	0013	0000	S			
98897	4R24000 /	C	0189	0000	S	C	LOFT DATA	REFERENCE
98897	LS30845 /		0001	0000	S			
98897	STSAF009 /		0000	0000				SUPERCEDED BY LS35271
98897	LS35271 /	F	0003	0000	S			
98897	STSAE007 /	E	0002	0000	S			
98897	4K51981 /	C	0001	0000	S			
98897	STP58-208 /	U	0019	0000	S			USE FOR FINISH "AA"
98897	STP58-209 /	L	0012	0000	S			USE FOR FINISH "A"
98897	STP56-105 /	M	0009	0000	S	C		
98897	STP51-501 /	K	0013	0000	S	C		
98897	STP60-401 /	J	0009	0000	S			
98897	STP54-101 /	W	0022	0000	S	D		
98897	STP60-101 /	J	0052	0000	S	C		
98897	STM28-102 /		0000	0000				CANCELLED, USE MIL-C-7438
81349	MIL-C-7438(1) /	G	0000	0000				PUBLICATION DATE: 26 FEBRUARY 1986

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
10FEB03	RT	LGECB		C-5	3 OF 5

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J20120-114A	FRAME,AIRCRAFT	1560001957357UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STM22-506	/	B	0016	0000	S			
98897	4J21025	/	A	0001	0000	S			
98897	4J28021	/		0001	0000	S			REFERENCE
98897	4E79050	/	C	0002	0000	S	C		
98897	4J22009	/	C	0001	0000	S			
98897	STSAF003	/	G	0006	0000	S			
98897	STSBG000	/	F	0004	0000	S			
98897	LS5984	/	D	0002	0000	S			
98897	LS898	/	H	0001	0000	S			
98897	STP60-505	/	T	0018	0000	S	C		
98897	STM22-602	/	F	0012	0000	S			
98897	STM30-102 & ECO 98C0001	/	F	0027	0000	S			
98897	ER8296 & ACC	/	K	0075	0000	S			
98897	LS6504	/	A	0001	0000	S			
98897	LS5238	/		0001	0000	S			
80539	68456-5	/		0000	0000				VENDOR ITEM (SPS TECHNOLOGIES INC.), CAGE: 80539.
98897	STSBG001	/	E	0004	0000	S			
98897	DS5055	/		0000	0000				CANCELLED, USE STP52-726
98897	STP52 726	/	F	0016	0000	S			
98897	DS30003	/		0000	0000				CANCELLED, USE STP51-400
98897	STP51-400	/	D	0036	0000	S	C		
98897	DS5064	/	J	0003	0000	S			
98897	LS6061	/	J	0002	0000	S			
98897	STM40-111	/	E	0018	0000	S			
98897	STSAE015	/	G	0006	0000	S	C		
98897	4J22063	/		0001	0000	S			
98897	4L51516	/	C	0001	0000	S			
98897	4L51519	/	A	0001	0000	S			
98897	4L51520	/		0001	0000	S			
98897	4B52003	/	A	0001	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
10FEB03	RT	LGECB		C-5	4 OF 5

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J20120-114A	FRAME,AIRCRAFT	1560001957357UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	LS5935	/	H	0002	0000	S	D		
98897	DS30011	/	K	0013	0000	S	C		
98897	STP52-901	/	A	0004	0000	S			
98897	4J22066	/	C	0001	0000	M			
98897	4J23014	/	A	0001	0000	S			
98897	4J23015	/	B	0001	0000	S			
98897	4J23016	/	A	0001	0000	S			
98897	4J23017	/	A	0001	0000	S			
98897	4J23018	/	A	0001	0000	S			
98897	4J23019	/		0001	0000	S			
98897	4J23020	/		0001	0000	S			
98897	4J23021	/		0001	0000	S			
98897	4J23024	/	A	0001	0000	S	C		
98897	4J23025	/	A	0001	0000	S			
98897	4J23026	/	B	0001	0000	S			
98897	4J23027	/		0001	0000	S			
98897	4J23028	/	B	0001	0000	S			
98897	4J23022	/		0001	0000	S			
98897	4R23306	/		0001	0000	M		MASTER DIMENSION	
98897	STM07-107	/		0000	0000				CANCELLED, NO ENGINEERING REQUIREMENTS FOR THIS SPEC.
98897	STP51-402	/	G	0008	0000	S			
98897	DS925	/	M	0003	0000	S			
98897	4K52000	/		0001	0000	M			
98897	4L51561	/	A	0001	0000	S			
98897	4K52002	/		0001	0000	M			
98897	4R23305	/		0001	0000	M			REFERENCE
98897	DS130	/	P	0002	0000	S			
98897	STP51-311	/	K	0011	0000	S			
98897	STP65-101	/	J	0017	0000	S			
98897	LS30062	/		0001	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
10FEB03	RT	LGECB		C-5	5 OF 5

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J20120-114A	FRAME,AIRCRAFT	1560001957357UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	LS1721 /	E	0001	0000	S			
98897	STM07-105 /	D	0008	0000	S			
98897	STP59-204 /	B	0009	0000	S			USE FOR FINISH "54"
98897	STP59-405 /		0009	0000	S			USE FOR FINISH "71"
98897	STP58-408 /	G	0005	0000	S			USE FOR FINISH "FA"
98897	DS5078 /	E	0001	0000	S	D		
98897	SPARES CONFIGURATION /		0000	0000				PER B/P EXCEPT HOLES DRILLED & FASTENERS INSTALLED COMMON TO (2) TIPS AND
								UPPER & LOWER AILERON COUNTERBALANCE CLOSURES. FOUR INDEX HOLES DRILLED
								COMMON TO WING BOX WITH OTHERS OMITTED.
98897	SPARES CONFIG CINTINUATION /		0000	0000				AFT WING BEAM ATTACH ANGLE HAS TWO PILOTS (1) EA. END.

CD ROM

EXPORT CONTROL

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
09JAN03	AG	LGECA		C-5	1 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J20100-102A	TRAILING EDGE,AIRCR	1560001452906UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J20100	/	K	0004	0000	S			
98897	4J23041	/	D	0002	0000	S			
98897	4J23042	/		0001	0000	S			
98897	4J23043	/	A	0003	0000	S			
98897	STP56-505	/	F	0013	0000	S			
98897	STP56-107	/	M	0027	0000	S			
98897	STP63-001	/	P	0019	0000	S			
98897	DS30002	/		0000	0000				USE 0581
98897	DS5145	/		0000	0000				USE STP52-727
98897	DS5075	/	N	0011	0000	S			
98897	DS2210	/		0000	0000				USE DS5210
98897	STP56-405	/	J	0013	0000	S			
98897	DS30000	/	R	0009	0000	S			
98897	DS30004	/		0000	0000				USE STP51-302
98897	STP51-302	/	W	0043	0000	S	D		
98897	4R24000	/	C	0189	0000	S			REFERENCE ONLY
98897	4J23044	/		0001	0000	M			MYLAR AVAILABLE
98897	4J23045	/	B	0001	0000	M			MYLAR AVAILABLE
98897	4J20109	/	E	0002	0000	S			
98897	4J23046	/	A	0001	0000	S			
98897	4J23048	/	A	0001	0000	S			
98897	4J23047	/	A	0001	0000	S			
98897	STSUD000 & ECO	/	A	0004	0000	S			88C0001
98897	STSAC003	/	K	0001	0000	S			
98897	4J00002	/	AC	0002	0000	S			REFERENCE ONLY
98897	DS5210	/	E	0003	0000	S			
98897	STP51-402	/	G	0008	0000	S			
98897	DS5025	/	AB	0025	0000	S	C		
98897	DS30003	/		0000	0000				USE STP51-400
98897	DS925	/	M	0003	0000	S			

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 09JAN03	DATA TECH : AG	ORGN SYMBOL : LGECA	PR NR :	APPLICATION: C-5	PAGE 2 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J20100-102A	NOUN : TRAILING EDGE,AIRCR	NSN : 1560001452906UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP54 101 & V28	/	W	0023	0000	S	D		
98897	0581	/	AD	0063	0000	S	D		
98897	STP52 727	/		0017	0000	S	C		
98897	LS6262	/	D	0003	0000	S			
98897	STP56 105	/	M	0009	0000	S			
98897	STP60 505	/	T	0018	0000	S	C		
98897	STM40-111	/	E	0018	0000	S	C		
98897	4E79050	/	C	0002	0000	S			
98897	STP51-400	/	D	0036	0000	S			
98897	4E79051	/	A	0019	0000	S			REFERENCE ONLY
98897	STP59-007	/	E	0015	0000	S			
98897	STP58-208	/	U	0019	0000	S			
98897	STP59 201	/		0004	0000	S			
98897	STP58-405 & V2	/	F	0012	0000	S			
98897	FINISH	/		0000	0000				"AA" USE STP58-208
									"1" USE STP59-201
									"F" USE STP58-405

CD ROM

EXPORT CONTROL

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697 1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.
THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.
WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 17MAY01	DATA TECH : DD	ORGN SYMBOL : TILCB	PR NR :	APPLICATION: C5 A,B	PAGE 1 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4F75184-171A	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560007627642UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	STM28-102 /		0000	0000				CANCELLED - USE MIL-C-7438F
98897	DS30004 /		0000	0000				CANCELLED - USE STP51-302
98897	FINISH CODE A /		0000	0000				USE STP58-209
98897	SPARES CONFIGURATION /		0000	0000				PER B/P EXCEPT ALL EDGES TO HAVE 1/4 INCH EXCESS SKIN. HOLES POTTED ONLY
								NOT DRILLED
00000	MIL-C-7438 /	H	0000	0000	O		1 FEB 77	USE IN LIEU OF STM28-102
97	4F75184 /	E	0001	0000	S		PANEL, MLG	-171A
98897	4F75405 /	A	0003	0000	S		DIMENSIONS	
98897	4R13101 /	J	0376	0000	S		MLG LOFT DATA	
98897	ER8296 & APPEND A /	K	0075	0000	S			
98897	STM30-102 & ECO /	F	0027	0000	S			ECO 98C0001
98897	STP60-102 & V05H & ECO /	J	0058	0000	S			V05H FOR C-5 SECOND STRUCT ECO 96C0005
98897	STM22-506 /	B	0016	0000	S			
98897	STP60-401 /	J	0009	0000	S			
98897	STM22-602 /	F	0013	0000	S			
98897	4F75002 /	F	0002	0000	S		REFERENCE DWG	
98897	DS5025 /	AB	0025	0000	S			
98897	DS30000 /	R	0009	0000	S		FINISH CODES	
98897	STP54-101 & VARIANT /	R	0021	0000	S			
97	STP51-302 /	U	0043	0000	S			
98897	STP63-001 & V01J /	N	0009	0000	S			V01J FOR C-5B
98897	STP58-209 & VARIANT /	L	0015	0000	S		FINISH CODE A	

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
17MAY01	DD	TILCB		C5 A,B	2 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4F75184-171A	PANEL,STRUCTURAL,AI	1560007627642UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED HEREIN."

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

ENGINEERING DATA LIST

DATE 25 Feb 03			PAGE 1 OF 3 PAGE
NSN 1560-00-486-4937	REFERENCE NUMBER 4J31109-128A	CAGE AND NAME 98897/LOCKHEED MARTIN CORPORATION	NOUN PANEL,UPPER SURFACE
APPLICATION C-5	TECHNICIAN / ENGINEER G.SULLIVAN	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WR-ALC/LGECA/468-0644

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4J31109	98897	D	1	S		
DS5025	98897	AB	25	S	C	
4J00002	98897	AC	2	S		REFERENCE ONLY
4R22200	98897	A	260	S		REFERENCE ONLY
STP60-101	98897	J	52	S		
DS30000	98897	R	9	S		
STP63-001	98897	P	19	S		
STP60-401	98897	J	9	S		
STM30-102 & ECO	98897	F	27	S		98C0001
ER8296 & AP	98897	K	75	S		
DS30004	98897					USE STP51-302
STP57-004	98897	J	8	S		
STM28-102	98897					USE MIL-C-7438
MIL-C-7438	81349	G		O		NOT 1, 26 FEB 86
STP51-302	98897	W	43	S	D	
STP58-208	98897	U	19	S		
STP59-204	98897	B	9	S		
STM37-305	98897	A	8	S		
STP59-405	98897		9	S		

CD ROM

JEDMICS CHECK CC
EDRF QUE # 24373
DISTRIBUTION CODE B
OF IMAGES
PR TECHNICIAN CC 2-25-03

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

FINISH: "FA" USE STP58-208
"54" USE STP59-204
"71" USE STM37-305, STP59-405

EXPORT CONTROL

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # 1560-00-486-4937

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # 1560-00-486-4937

☒ **THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.**

☐ **FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.**

☐ **WHERE SPECIFIED, CHEM MILLING IS MANDATORY.**

☐ Digital Loft Data is available as Initial Graphics Exchange Specification (IGES) files for direct input to CAD/CAM Systems. The successful bidder, upon written request to the Procurement Contracting Officer (PCO), may obtain this DATA for manufacturing purposes.

☐ **DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.**

☒ **WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.**

☒ **AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".**

☐ **CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).**

☐ F-15 Loft Data Book provided for reference and inspection purposes only. Use of this book in conjunction with Digital (IGES Format) Loft Data, will provide the necessary information to ensure accurate Loft surface.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 21JUL03	DATA TECH : GS	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60005-201A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560001363084UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J60005 /	M	0004	0000	S			
98897	4J63219 /	B	0001	0000	S			
98897	4J63221 /		0001	0000	S			
98897	4J63220 /		0001	0000	S			
98897	4J63102 /	D	0001	0000	S			
98897	4J63112 /	B	0001	0000	S			
98897	4J63101 /	D	0001	0000	S			
98897	4J63209 /	B	0001	0000	S			
98897	4J63208 /	A	0001	0000	S			
98897	4J63218 /	A	0001	0000	S			
98897	4J00002 /	AC	0002	0000	S			REF.
98897	4R22200 /	A	0260	0000	S			REF.
98897	4E79049 /	C	0002	0000	S			FINISH
98897	4J63205 /	A	0001	0000	S			
98897	4J63002 /	A	0001	0000	S			
98897	4J63001 /	A	0001	0000	S			
98897	4J63206 /	A	0001	0000	S			
98897	STP 54-101 /	W	0022	0000	S			
98897	STP 63-001 & VO. 1 /	P	0020	0000	S			
98897	STP 60-101 /	J	0052	0000	S			
98897	STP 60-401 /	J	0009	0000	S			
98897	STP 56-105 /	M	0009	0000	S			
98897	STP 51-402 & ACC /	G	0009	0000	S			
98897	STP 51-302 /	W	0043	0000	S			
98897	STP 56-107 /	M	0027	0000	S			
98897	STP 63-205 /	C	0004	0000	S			
98897	STP 65-001 /	D	0005	0000	S			
98897	STP 60-505 /	T	0018	0000	S	C		
98897	STP 57-004 & ACC /	J	0010	0000	S			
98897	STP 52-713 /	J	0036	0000	S			

ENGINEERING DATA LIST

REVISION: *01* *** HISTORY ***

DATE : 21JUL03	DATA TECH : GS	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60005-201A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560001363084UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP 53-201 /	L	0007	0000	S			
98897	STP 51-501 & ACC /	K	0013	0000	S			
98897	STP 58-208 & VOL. J /	U	0019	0000	S			
98897	STP 59-204 /	B	0009	0000	S			
98897	STP 59-405 /		0009	0000	S			
98897	STM 28-102 /		0000	0000				USE MIL-C-7438
98897	STM 30-102 & ECO /	F	0027	0000	S			ECO # 98C0001
98897	STM 05-101 & ACC /	D	0005	0000	S			
98897	STM 07-105 /	D	0008	0000	S			
98897	STM 37-305 /	A	0008	0000	S			
98897	LS 37629 /	A	0001	0000	S			
98897	LS 34941 /	B	0001	0000	S			
98897	LS 34516 /	B	0001	0000	S			
98897	LS 5909 /	N	0002	0000	S			
98897	LS 35272 /	F	0002	0000	S			
98897	LS 35271 /	F	0003	0000	S			
98897	LS 35061 /		0000	0000				USE LS 35130
98897	LS 35098 /	B	0001	0000	S			
98897	LS 38584 /	B	0001	0000	S			
98897	LS 4328 /	A	0001	0000	S			
98897	LS 10136 /	B	0004	0000	S			
98897	LS 3859 & ACC /	N	0002	0000	S			
98897	LS 35130 (INACTIVE) /		0000	0000				USE LS 35259 & LS 35265
98897	LS 35259 /	B	0003	0000	S			
98897	LS 35265 /		0000	0000				FOR C-5 ACFT. USE LS 35292
98897	LS 35292 /		0004	0000	S			
98897	LS 38539 /		0001	0000	S			
98897	DS 5025 /	AB	0025	0000	S	C		
98897	DS 30004 /		0000	0000				USE STP 51-302
98897	DS 30000 /	R	0009	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
21JUL03	GS	LGECB		C-5	3 OF 3

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J60005-201A	SPOILER,WING,AIRCRA	1560001363084UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	DS 5055	/		0000	0000			CANCEL USE STP52-726	
98897	STP52-726	/	F	0016	0000	S			
98897	DS 30002 (CANCELLED)	/		0000	0000				USE 0581
98897	DS 30003	/		0000	0000			USE STP51-400	
98897	STP51-400	/	D	0036	0000	S			
98897	DS 30001	/	F	0018	0000	S			
98897	DS 315	/	A	0001	0000	S			
98897	0581	/	AD	0063	0000	S			
98897	ER 8296 & ACC	/	K	0075	0000	S			
98897	ER 8203	/		0032	0000	S	C		
81349	MIL-C-7438	/	G	0001	0000		A		
98897	FINISH:	/		0000	0000				
98897	"54" STP 59-204	/	B	0009	0000	S			
98897	"71" STP 59-405	/		0009	0000	S			
98897	"1" STP 59-201	/		0004	0000	S			
98897	"AA" STP 58-208 & ACC	/	U	0019	0000	S			
98897	"A" STP 58-209 & ACC	/	L	0018	0000	S			
98897	"F" STP 58-405 & ACC	/	F	0016	0000	S			

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED HEREIN."

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 22JUL03	DATA TECH : CC	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60005-202A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560001363085UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J60005 /	M	0004	0000	S		SPOILER ASSY.	-202A
98897	4J63101 /	D	0001	0000	S			C/O 4J60005
98897	4J63112 /	B	0001	0000	S			C/O 4J60005
98897	4J63102 /	D	0001	0000	S			C/O 4J60005
98897	4J63208 /	A	0001	0000	S			C/O 4J60005
98897	4J63209 /	B	0001	0000	S			C/O 4J60005
98897	4J63219 /	B	0001	0000	S			C/O 4J60005
98897	4J63218 /	A	0001	0000	S			C/O 4J60005
98897	4J63221 /		0001	0000	S			C/O 4J60005
98897	4J63220 /		0001	0000	S			C/O 4J60005
98897	4J63206 /	A	0001	0000	S			C/O 4J63112
98897	4J63001 /	A	0001	0000	S			
98897	4E79049 /	C	0002	0000	S			
98897	LS35130 /		0000	0000				INACTIVE USE LS35259 & LS35265_IN LIEU OF LS35130
98897	LS38584 /	B	0001	0000	S			
98897	LS35061H14BB2 /		0000	0000				USE LS35130 IN LIEU OF LS35061
98897	LS35098-05-2 /	B	0001	0000	S			
98897	LS5909L013-0200 /	N	0002	0000	S			
98897	LS35272-06 /	F	0002	0000	S			
98897	LS37629-1 /	A	0001	0000	S			
98897	LS4328 /	A	0001	0000	S			
98897	LS10136 /	B	0004	0000	S			
98897	LS35259 /	B	0003	0000	S			
98897	LS35265 /		0000	0000				FOR C-5 ACFT USE LS35292
98897	LS35292 /		0004	0000	S			
98897	DS5025 /	AB	0025	0000	S	C		
98897	DS30002 & VO7 /		0000	0000				CANCELLED USE 0581
98897	0581 /	AD	0063	0000	S			
98897	DS30000 /	R	0009	0000	S			
98897	DS30004 /		0000	0000				USE STP51-302 IN LIEU OF DS30004

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 22JUL03	DATA TECH : CC	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60005-202A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560001363085UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	DS5055 /		0000	0000				CANCELLED USE STP52-726
98897	STP52-726 /	F	0016	0000	S			
98897	DS30001 /	F	0018	0000	S			
98897	DS30003 /		0000	0000				CANCELLED USE STP51-400
98897	STP51-400 /	D	0036	0000	S			
98897	STP52-713T /	J	0036	0000	S			
98897	STP57-004 & ACC /	J	0010	0000	S			
98897	STP60-101 /	J	0052	0000	S			
98897	STP60-505 /	T	0018	0000	S	C		
98897	STP65-001 /	E	0005	0000	S			
98897	STP63-205 /	C	0004	0000	S			
98897	STP54-101 /	W	0022	0000	S			
98897	STP56-107 /	M	0027	0000	S			
98897	STP51-302 /	W	0043	0000	S			
98897	STP56-105 /	M	0009	0000	S			
98897	STP60-401 /	J	0009	0000	S			
98897	STP63-001 & V0 1 /	P	0020	0000	S			
98897	STP53-201 /	L	0007	0000	S			
98897	STP58-208 & VO1J /	U	0022	0000	S			
98897	STP59-204 /	B	0009	0000	S			
98897	STP59-405 /		0009	0000	S			
98897	STP51-501 & ACC /	K	0016	0000	S			
98897	STM30-102 & ECO /	F	0028	0000	S			ECO # 98C0001
98897	STM37-305 /	A	0008	0000	S			
98897	FINISH /		0000	0000				USE TT-P-1757 & MIL-P-23377 TYP.1,CLS C

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 22JUL03	DATA TECH : CC	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 3 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60005-202A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560001363085UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED HEREIN."

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 22JUL03	DATA TECH : GS	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60008-203A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560001363086UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J60008	/	M	0004	0000	S			-203A
98897	4J63109	/	C	0001	0000	S			C/O 4J60008
98897	4J63106	/	D	0001	0000	S			C/O 4J60008
98897	4J63103	/	B	0001	0000	S			C/O 4J60008
98897	4J63221	/		0001	0000	S			C/O 4J60008
98897	4J63209	/	B	0001	0000	S			C/O 4J60008
98897	4J63005	/	B	0001	0000	S			C/O 4J63109
98897	4J00002	/	AC	0002	0000	S			RFF.ONLY
98897	4J63004	/	A	0001	0000	S			C/O 4J63103
98897	4E79049	/	C	0002	0000	S			REF. ONLY
98897	4R23200	/		0185	0000	S			REF. ONLY
98897	4E79051	/	A	0019	0000	S			REF. ONLY C/O 4E79049
98897	LS37629	/	A	0001	0000	S			
98897	LS34941	/	B	0001	0000	S			
98897	LS34516	/	B	0001	0000	S			
98897	LS5909	/	N	0002	0000	S			
98897	LS35272	/	F	0002	0000	S			
98897	LS35271	/	F	0003	0000	S			
98897	LS35061	/		0000	0000				USE LS35130 IN LIEU OF LS35061
98897	LS35098	/	B	0001	0000	S			
98897	LS3859	/	N	0002	0000	S			
98897	LS35130	/	H	0004	0000	S			
98897	STM28-102	/		0000	0000				USE MIL-C-7438 IN LIEU OF STM28-102
98897	STM22-506	/	B	0016	0000	S			TYP.1
98897	STM30-102 & ACC	/	F	0027	0000	S			TYP.1
98897	STM07-105	/	D	0008	0000	S			TYP.III
98897	STM05-101 & ACC	/	D	0005	0000	S			
98897	STP54-101	/	W	0022	0000	S			
98897	STP57-004 & ACC	/	J	0010	0000	S			
98897	STP56-107	/	M	0027	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 22JUL03	DATA TECH : GS	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60008-203A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560001363086UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP60-101 /	J	0052	0000	S	C		
98897	STP59-511 /	A	0006	0000	S			
98897	STP60-505 /	T	0018	0000	S	C		TYP.5
98897	STP63-205 /	C	0004	0000	S			
98897	STP51-402 & ACC /	G	0009	0000	S			
98897	STP56-105 /	M	0009	0000	S			
98897	STP51-302 /	W	0043	0000	S			
98897	STP63-001 & ACC /	P	0020	0000	S	D		
98897	STP52-713 /	J	0036	0000	S			
98897	STP51-501 & ACC /	K	0016	0000	S			
98897	STP53-201 & ACC /	L	0009	0000	S			
98897	STP51-400 & ACC /	D	0036	0000	S			
98897	STP58-408 /	G	0005	0000	S			
98897	STP58-209 /	L	0012	0000	S			
98897	STP59-204 /	B	0009	0000	S			
98897	STP58-208 & ACC /	U	0022	0000	S			
98897	STP59-405 /		0009	0000	S			
98897	STP59-201 /		0004	0000	S			
98897	STP52-726 /	F	0016	0000	S			
98897	DS5025 /	AB	0025	0000	S	C		
98897	DS30002 /		0000	0000				USE 0581 IN LIEU OF DS30002
98897	DS30000 /	R	0009	0000	S	C		
98897	DS30004 /		0000	0000				USE STP51-302 IN LIEU OF DS30004
98897	DS5055 /		0000	0000				USE STP52-726
98897	DS5064 /	J	0003	0000	S			
98897	DS30001 /	F	0018	0000	S			
98897	DS30003 /		0000	0000				USE STP51-400 IN LIEU OF DS30003
98897	0581 /	AD	0063	0000	S			
98897	ER8203 /		0032	0000	S	C		
81349	MIL-C-7438 /	G	0000	0000		A		26 FEB 86

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
22JUL03	GS	LGECB		C-5	3 OF 3

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J60008-203A	SPOILER,WING,AIRCRA	1560001363086UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98752	FINISH /		0000	0000				"FA"USE STP58-408)("A"USE STP58-204)("54"USE STP59-204)("AA"USE STP58-208)
								("71"USE STP59-405).

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED HEREIN."
WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.
WHERE SPECIFIED, CHEM MILLING IS MANDATORY.

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 24JUL03	DATA TECH : RL	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60008-204A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560001366046UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J60008 /	M	0004	0000	S			-204A
98897	4J63109 /	C	0001	0000	S			C/O 4J60008
98897	4J63106 /	D	0001	0000	S			C/O 4J60008
98897	4J63103 /	B	0001	0000	S			C/O 4J60008
98897	4J63221 /		0001	0000	S			C/O 4J60008
98897	4J63209 /	B	0001	0000	S			C/O 4J60008
98897	4J63005 /	B	0001	0000	S			C/O 4J63109
98897	4J00002 /	AC	0002	0000	S			REF.ONLY
98897	4J63004 /	A	0001	0000	S			C/O 4J63103
98897	4E79049 /	C	0002	0000	S			REF.ONLY
98897	4R23200 L/B /		0185	0000	S			REF.ONLY
98897	4E79051 /	A	0019	0000	S			REF.ONLY C/O 4E79049
98897	LS37629 /	A	0001	0000	S			
98897	LS34941 /	B	0001	0000	S			
98897	LS34516 /	B	0001	0000	S			
98897	LS5909 /	N	0002	0000	S			
98897	LS35272 /	F	0002	0000	S			
98897	LS35271 /	F	0003	0000	S			
98897	LS35061 /		0000	0000				USE LS35130 IN LIEU OF LS35061
98897	LS35098 /	B	0001	0000	S			
98897	LS3859F8-9 /	N	0002	0000	S			
98897	LS35130 /	H	0004	0000	S			
98897	STM28-102 /		0000	0000				USE MIL-C-7438 IN LIEU OF STM28-102
98897	STM22-506 /	B	0016	0000	S			TYP.1
98897	STM30-102 /	F	0026	0000	S			TYP.1
98897	STM07-105 /	D	0006	0000	S			TYP.III
98897	STM05-101 /	D	0004	0000	S			
98897	STP54-101 /	W	0022	0000	S			
98897	STP57-004 /	J	0008	0000	S			
98897	STP56-107 /	M	0027	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 24JUL03	DATA TECH : RL	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60008-204A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560001366046UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP60-101	/	J	0052	0000	S			
98897	STP59-511	/	A	0006	0000	S			
98897	STP60-505	/	T	0018	0000	S	C		TYP.5
98897	STP63-205	/	C	0004	0000	S			
98897	STP51-402	/	G	0008	0000	S			
98897	STP56-105	/	M	0009	0000	S			
98897	STP51-302	/	W	0043	0000	S			
98897	STP63-001	/	P	0019	0000	S	D		
98897	STP52-713	/	J	0036	0000	S			
98897	STP51-501	/	K	0013	0000	S			
98897	STP53-201	/	L	0007	0000	S			
98897	STP51-400	/	D	0036	0000	S			
98897	STP58-408	/	G	0005	0000	S			
98897	STP58-209	/	L	0012	0000	S			
98897	STP59-204	/	B	0009	0000	S			
98897	STP58-208	/	U	0019	0000	S			
98897	STP59-405	/		0009	0000	S			
98897	STP59-201	/		0004	0000	S			
98897	DS5025	/	AB	0025	0000	S	C		
98897	DS30002	/		0000	0000				USE 0581 IN LIEU OF DS30002
98897	DS30000	/	R	0009	0000	S	C		
98897	DS30004	/		0000	0000				USE STP51-302 IN LIEU OF DS30004
98897	DS5055	/		0000	0000				USE STP52-726
98897	STP52-726	/	F	0016	0000	S			
98897	DS5064	/	J	0003	0000	S			
98897	DS30001	/	F	0018	0000	S			
98897	DS30003	/		0000	0000				USE STP51-400 IN LIEU OF DS30003
98897	0581	/	AD	0063	0000	S			
98897	ER8203	/		0032	0000	S	C		
81350	MIL-C-7438	/	G	0000	0000		A		26 FEB 86

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
24JUL03	RL	LGECB		C-5	3 OF 3

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J60008-204A	SPOILER,WING,AIRCRA	1560001366046UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98752	FINISH /		0000	0000				"FA"USE STP58-408)("A"USE STP58-----204)("54"USE STP59-204)("AA"USE STP58-2
								08)("71"USE STP59-405).

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED HEREIN."

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.
WHERE SPECIFIED, CHEM MILLING IS MANDATORY.

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
28JUL03	CC	LGECB		'-5	1 OF 3

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J60009-204A	SPOILER,WING,AIRCRA	1560001366047UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J60009 /	K	0004	0000	S			
98897	4J63103 /	B	0001	0000	S			
98897	4J63109 /	C	0001	0000	S			
98897	4J63208 /	A	0001	0000	S			
98897	4J63005 /	B	0001	0000	S			
98897	4J63210 /		0001	0000	S			
98897	4J63213 /		0001	0000	S			
98897	4J63209 /	B	0001	0000	S			
98897	4J63218 /	A	0001	0000	S			
98897	4J63106 /	D	0001	0000	S			
98897	4J63204 /	A	0001	0000	S			
98897	4R23200 /		0185	0000	S			REF
98897	4J00002 /	AC	0002	0000	S			REF
98897	4E79049 /	C	0002	0000	S	C		REF
98897	4E79050 /	C	0002	0000	S	C		REF
98897	4J63221 /		0001	0000	S			
98897	DS5064 /	J	0003	0000	S			
98897	DS5055 & ACC /		0000	0000				CANCELLED USE STP 52-726
98897	STP52-726 /	F	0016	0000	S			
98897	STP63-001 & ACC /	P	0020	0000	S			ACC VO1
98897	DS30001 /	F	0018	0000	S	D		
98897	STP51-501 /	K	0013	0000	S	C		ACC 02
98897	DS30003 /		0000	0000				USE STP51-400
98897	DS30000 /	R	0009	0000	S	C		
98897	LS3859 /	N	0003	0000	S			ACC 80C0001
98897	DS30004 /		0000	0000				USE STP51-302
98897	LS10136 /	B	0004	0000	S			
98897	STP53-201 /	L	0007	0000	S	C		ACC VO1
98897	STP51-302 /	W	0043	0000	S	C		ACC VO5
98897	STP54-101 /	W	0022	0000	S	C		ACC VO4,V28

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 28JUL03	DATA TECH : CC	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: '-5	PAGE 2 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60009-204A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560001366047UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	LS35061 /		0000	0000				USE LS35130
98897	LS35130 /		0000	0000				USE LS35265 & LS35259
98897	LS35098 /	B	0001	0000	S			
98897	LS5909 /	N	0002	0000	S	C		
98897	STM22-506 /	B	0016	0000	S			
98897	ER8296 & ACC /	K	0075	0000	S			ACC A
98897	STP60-101 /	J	0052	0000	S			
98897	STM30-102 & ACC /	F	0027	0000	S			ACC 98C0001
98897	STP60-401 /	J	0009	0000	S			ACC VO3
98897	DS30002 /		0000	0000				CANCELLED USE 0581
98897	0581 /	AD	0063	0000	S			
98897	STP56-105 /	M	0009	0000	S	C		
98897	STP56-107 /	M	0027	0000	S			
98897	STP51-402 /	G	0008	0000	S			ACC V01
98897	STP63-205 /	C	0004	0000	S			
98897	STP60-505 /	T	0018	0000	S	C		
98897	STP59-511 /	A	0006	0000	S			
98897	STP65-001 /	E	0005	0000	S			
98897	STP57-004 /	J	0008	0000	S			ACC 2
98897	STP51-400 /	D	0036	0000	S	C		
98897	LS35265 /	A	0003	0000	S			
98897	LS35259 /	B	0003	0000	S			
98897	STP58-208 /	U	0019	0000	S			
98897	STP58-408 /	G	0005	0000	S			
98897	STP59-201 /		0004	0000	S			
98897	STP59-204 /	B	0009	0000	S			
98897	STP59-405 /		0009	0000	S			
98897	STP58-209 /	L	0012	0000	S			
98752	FINISHES /		0000	0000				"AA" USE STP58-208,"FA" USE STP58-408, "1" USE STP59-201,"54" USE STP59-204
								"71" USE STP59-405,"A" USE STP58-209

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
28JUL03	CC	LGECB		'-5	3 OF 3

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J60009-204A	SPOILER,WING,AIRCRA	1560001366047UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED HEREIN."

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 23JUL03	DATA TECH : CC	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60010-205A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560001366048UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J60010 /	N	0004	0000	S			
98897	4E79050 /	C	0002	0000	S	C		FINISH
98897	4J63221 /		0001	0000	S			
98897	4J63209 /	B	0001	0000	S			
98897	4J63104 /	B	0001	0000	S			
98897	4J63107 /	C	0001	0000	S			
98897	4J63110 /	C	0001	0000	S			
98897	4J63208 /	A	0001	0000	S			
98897	4J63211 /		0001	0000	S			
98897	4J63213 /		0001	0000	S			
98897	4R23200 /		0185	0000	S	C		REFERENCE
98897	4J00002 /	AC	0002	0000	S			REFERENCE
98897	4J63004 /	A	0001	0000	S			
98897	4J63204 /	A	0001	0000	S			
98897	4J63003 /	A	0001	0000	S			
98897	4J63005 /	B	0001	0000	S			
98897	4J63108 /	D	0001	0000	S			
98897	4J63111 /	B	0001	0000	S			
98897	STP 56-105 /	M	0009	0000	S			
98897	STP 52-713 /	J	0036	0000	S			
98897	STP 63-001 & VO.1 /	P	0020	0000	S			
98897	STP 60-101 /	J	0052	0000	S			
98897	STP 60-401 /	J	0009	0000	S			
98897	STP 56-107 /	M	0027	0000	S			
98897	STP 51-302 /	W	0043	0000	S	D		
98897	STP 51-402 & ACC /	G	0009	0000	S			
98897	STP 54-101 /	W	0022	0000	S	D		
98897	STP 57-004 /	J	0008	0000	S			
98897	STP 60-505 /	T	0018	0000	S	C		
98897	STP 59-511 /	A	0006	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 23JUL03	DATA TECH : CC	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60010-205A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560001366048UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP 65-001 /	E	0005	0000	S			
98897	STP 51-501 & ACC /	K	0016	0000	S			
98897	STP 53-201 /	L	0007	0000	S			
98897	STM 30-102 & ECO /	F	0027	0000	S			ECO# 98C0001
98897	STM 22-506 /	B	0016	0000	S			
98897	STM 28-102 /		0000	0000				USE MIL-C-7438
98897	STM 07-105 /	D	0008	0000	S			
98897	LS 3859 & ACC /	N	0003	0000	S			
98897	LS 38584 /	B	0001	0000	S			
98897	LS 34941 /	B	0001	0000	S			
98897	LS 35271 /	F	0003	0000	S			
98897	LS 35272 /	F	0002	0000	S			
98897	LS 5909 /	N	0002	0000	S			
98897	LS 37629 /	A	0001	0000	S			
98897	LS 35061 /		0000	0000				USE LS 35130
98897	LS 5642 /	A	0001	0000	S			
98897	LS 10136 /	B	0004	0000	S			
98897	LS 35130 (INACTIVE) /		0000	0000				USE LS 35259 & LS 35265
98897	LS 35259 /	B	0003	0000	S			
98897	LS 35265 /		0000	0000				FOR C-5 ACFT. USE LS 35292
98897	LS 35292 /		0004	0000	S			
98897	DS 30001 /	F	0018	0000	S			
98897	DS 5025 /	AB	0025	0000	S	C		
98897	DS 30004 /		0000	0000				USE STP 51-302
98897	DS 30000 /	R	0009	0000	S			
98897	DS 30002 (CANCELLED) /		0000	0000				USE 0581
98897	DS 5055 /		0000	0000				CANCELLED USE STP52-726
98897	STP52-726 /	F	0016	0000	S			
98897	DS 5064 /	J	0003	0000	S			
98897	DS 30003 /		0000	0000				CANCELLED USE STP51-400

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
23JUL03	CC	LGECB		C-5	3 OF 3

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J60010-205A	SPOILER,WING,AIRCRA	1560001366048UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP51-400 /	D	0036	0000	S			
98897	ER 8296 & ACC /	K	0075	0000	S			
98897	ER 8203 /		0032	0000	S	C		
98897	0581 /	AD	0063	0000	S			
81349	MIL-C-7438 /	G	0001	0000		A		
98897	FINISH: /		0000	0000				
98897	"A" STP 58-209 /	L	0012	0000	S			
98897	"C" STP 58-001 /	L	0007	0000	S			
98897	"AA" STP 58-208 /	U	0019	0000	S			
98897	"FA" STP 58-408 /	G	0005	0000	S			
98897	"1" STP 59-201 /		0004	0000	S			
98897	"54" STP 59-204 /	B	0009	0000	S			
98897	"71" STP 59-405 /		0009	0000	S			

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED HEREIN."

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 25JUL03	DATA TECH : CC	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60010-206A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560002497483UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J60010 /	N	0004	0000	S			
98897	4E79050 /	C	0002	0000	S	C		FINISH
98897	4J63221 /		0001	0000	S			
98897	4J63209 /	B	0001	0000	S			
98897	4J63104 /	B	0001	0000	S			
98897	4J63107 /	C	0001	0000	S			
98897	4J63110 /	C	0001	0000	S			
98897	4J63208 /	A	0001	0000	S			
98897	4J63211 /		0001	0000	S			
98897	4J63213 /		0001	0000	S			
98897	4R23200 /		0007	0000	S	C		REFERENCE
98897	4J00002 /	AC	0002	0000	S			REFERENCE
98897	4J63004 /	A	0001	0000	S			
98897	4J63204 /	A	0001	0000	S			
98897	4J63003 /	A	0001	0000	S			
98897	4J63005 /	B	0001	0000	S			
98897	4J63108 /	D	0001	0000	S			
98897	4J63111 /	B	0001	0000	S			
98897	STP 56-105 /	M	0009	0000	S			
98897	STP 52-713 /	J	0036	0000	S			
98897	STP 63-001 /	P	0019	0000	S			
98897	STP 60-101 /	J	0052	0000	S			
98897	STP 60-401 /	J	0009	0000	S			
98897	STP 56-107 /	M	0027	0000	S			
98897	STP 51-302 /	W	0043	0000	S	D		
98897	STP 51-402 /	G	0008	0000	S			
98897	STP 54-101 /	W	0022	0000	S	D		
98897	STP 57-004 /	J	0008	0000	S			
98897	STP 60-505 /	T	0018	0000	S	C		
98897	STP 59-511 /	A	0006	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 25JUL03	DATA TECH : CC	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60010-206A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560002497483UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP 65-001 /	E	0005	0000	S			
98897	STP 51-501 /	K	0013	0000	S			
98897	STP 53-201 /	L	0007	0000	S			
98897	STM 30-102 /	F	0027	0000	S			ECO# 98C0001
98897	STM 22-506 /	B	0016	0000	S			
98897	STM 28-102 /		0000	0000				USE MIL-C-7438
98897	STM 07-105 /	D	0008	0000	S			
98897	LS 3859 /	N	0002	0000	S			
98897	LS 38584 /	B	0001	0000	S			
98897	LS 34941 /	B	0001	0000	S			
98897	LS 35271 /	F	0003	0000	S			
98897	LS 35272 /	F	0002	0000	S			
98897	LS 5909 /	N	0002	0000	S			
98897	LS 37629 /	A	0001	0000	S			
98897	LS 35061 /		0000	0000				USE LS 35130
98897	LS 5642 /	A	0001	0000	S			
98897	LS 10136 /	B	0004	0000	S			
98897	LS 35130 (INACTIVE) /		0000	0000				USE LS 35259 & LS 35265
98897	LS 35259 /	B	0003	0000	S			
98897	LS 35265 /		0000	0000				FOR C-5 ACFT. USE LS 35292
98897	LS 35292 /		0004	0000	S			
98897	DS 30001 /	F	0018	0000	S			
98897	DS 5025 /	AB	0025	0000	S	C		
98897	DS 30004 /		0000	0000				USE STP 51-302
98897	DS 30000 /	R	0009	0000	S			
98897	DS 30002 (CANCELLED) /		0000	0000				USE 0581
98897	DS 5055 /		0000	0000				USE STP52-726
98897	STP52-726 /	F	0016	0000	S			
98897	DS 5064 /	J	0003	0000	S			
98897	DS 30003 /		0000	0000				USE STP51-400

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
25JUL03	CC	LGECB		C-5	3 OF 3

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J60010-206A	SPOILER,WING,AIRCRA	1560002497483UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP51-400	/	D	0036	0000	S			
98897	ER 8296 & ACC	/	K	0075	0000	S			
98897	ER 8203	/		0032	0000	S	C		
98897	0581	/	AD	0063	0000	S			
81349	MIL-C-7438	/	G	0001	0000		A		
98897	FINISH:	/		0000	0000				
98897	"A" STP 58-209	/	L	0012	0000	S			
98897	"C" STP 58-001	/	J	0009	0000	S			
98897	"AA" STP 58-208	/	U	0019	0000	S			
98897	"FA" STP 58-408	/	G	0005	0000	S			
98897	"1" STP 59-201	/		0004	0000	S			
98897	"54" STP 59-204	/	B	0009	0000	S			
98897	"71" STP 59-405	/		0009	0000	S			

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED HEREIN."

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 24JUL03	DATA TECH : GS	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60012-203B	NOUN : SPOILER,WING,AIRCRA	NSN : 1560004000573UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J60012 /	M	0004	0000	S			
98897	4J63209 /	B	0001	0000	S			
98897	4J63105 /	D	0001	0000	S			
98897	4J63108 /	D	0001	0000	S			
98897	4J63111 /	B	0001	0000	S			
98897	4J63221 /		0001	0000	S			
98897	4J63208 /	A	0001	0000	S			
98897	4J63212 /	A	0001	0000	S			
98897	4J63213 /		0001	0000	S			
98897	4J00002 /	AC	0002	0000	S			REFERENCE
98897	4R23200 /		0185	0000	S	C		REFERENCE
98897	4E79050 /	C	0002	0000	S	C		FINISH
98897	4J63004 /	A	0001	0000	S			
98897	4J63003 /	A	0001	0000	S			
98897	4J63204 /	A	0001	0000	S			
98897	4J63005 /	B	0001	0000	S			
98897	4J63107 /	C	0001	0000	S			
98897	4J63110 /	C	0001	0000	S			
98897	STP 60-101 /	J	0052	0000	S			
98897	STP 56-105 /	M	0009	0000	S			
98897	STP 52-713 /	J	0036	0000	S			
98897	STP 63-001 & VO. 1 /	P	0019	0000	S			
98897	STP 60-401 /	J	0009	0000	S			
98897	STP 51-302 /	W	0043	0000	S	D		
98897	STP 56-107 /	M	0027	0000	S			
98897	STP 51-402 & ACC /	G	0009	0000	S			
98897	STP 54-101 /	W	0022	0000	S	D		
98897	STP 63-205 /	C	0004	0000	S			
98897	STP 60-505 /	T	0018	0000	S	C		
98897	STP 59-511 /	A	0006	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 24JUL03	DATA TECH : GS	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60012-203B	NOUN : SPOILER,WING,AIRCRA	NSN : 1560004000573UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP 65-001 /	E	0005	0000	S			
98897	STP 57-004 & ACC /	J	0008	0000	S			
98897	STP 51-501 & ACC /	K	0013	0000	S			
98897	STP 53-201 /	L	0007	0000	S			
98897	STM 30-102 & ECO /	F	0027	0000	S			ECO # 98C0001
98897	STM 28-102 /		0000	0000				USE MIL-C-7438
98897	STM 07-105 /	D	0008	0000	S			
98897	STP52-726 /	F	0016	0000	S			
98897	STP51-400 /	D	0036	0000	S			
98897	LS 37629 /	A	0001	0000	S			
98897	LS 5909 /	N	0002	0000	S			
98897	LS 35061 /		0000	0000				USE LS 35130
98897	LS 35271 /	F	0003	0000	S			
98897	LS 35272 /	F	0002	0000	S			
98897	LS 34941 /	B	0001	0000	S			
98897	LS 38584 /	B	0001	0000	S			
98897	LS 34516 /	B	0001	0000	S			
98897	LS 3859 & ACC /	N	0002	0000	S			
98897	LS 5642 /	A	0001	0000	S			
98897	LS 10136 /	B	0004	0000	S			
98897	LS 35130 (INACTIVE) /		0000	0000				USE LS 35259 & LS 35265
98897	LS 35259 /	B	0003	0000	S			
98897	LS 35265 /		0000	0000				FOR C-5 ACFT. USE LS 35292
98897	LS 35292 /		0004	0000	S			
98897	DS 5025 /	AB	0025	0000	S	C		
98897	DS 30004 /		0000	0000				USE STP 51-302
98897	DS 30000 /	R	0009	0000	S			
98897	DS 30002 (CANCELLED) /		0000	0000				USE 0581
98897	DS 5055 /		0000	0000				USE STP52-726
98897	DS 5064 /	J	0003	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 24JUL03	DATA TECH : GS	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 3 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60012-203B	NOUN : SPOILER,WING,AIRCRA	NSN : 1560004000573UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	DS 30001 /	F	0018	0000	S			
98897	DS 30003 /		0000	0000				USE STP51-400
98897	ER 8296 & ACC /	K	0075	0000	S			
98897	ER 8203 /		0032	0000	S	C		
98897	0581 /	AD	0063	0000	S			
81349	MIL-C-7438 /	G	0001	0000		A		
98897	FINISH: /		0000	0000				
98897	"A" STP 58-209 /	L	0012	0000	S			
98897	"C" STP 58-001 /	J	0007	0000	S			
98897	"AA" STP 58-208 & ACC /	U	0022	0000	S			
98897	"FA" STP 58-408 /	G	0005	0000	S			
98897	"54" STP 59-204 /	B	0009	0000	S			
98897	"71" STP 59-405 /		0009	0000	S			
98897	"1" STP 59-201 /		0004	0000	S			

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED HEREIN."

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 16JAN02	DATA TECH : BF	ORGN SYMBOL : TILCA	PR NR :	APPLICATION: C-5	PAGE 1 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60012-204B	NOUN : SPOILER,WING,AIRCRA	NSN : 1560004000574UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J60012 /	M	0004	0000	S			
98897	4J63209 /	B	0001	0000	S			
98897	4J63105 /	D	0001	0000	S			
98897	4J63108 /	D	0001	0000	S			
98897	4J63111 /	B	0001	0000	S			
98897	4J63221 /		0001	0000	S			
98897	4J63208 /	A	0001	0000	S			
98897	4J63212 /	A	0001	0000	S			
98897	4J63213 /		0001	0000	S			
98897	4J00002 /	AC	0002	0000	S			REFERENCE
98897	4R23200 /		0185	0000	S	C		REFERENCE
98897	4E79050 /	C	0002	0000	S	C		FINISH
98897	4J63004 /	A	0001	0000	S			
98897	4J63003 /	A	0001	0000	S			
98897	4J63204 /	A	0001	0000	S			
98897	4J63005 /	B	0001	0000	S			
98897	4J63107 /	C	0001	0000	S			
98897	4J63110 /	C	0001	0000	S			
98897	STP 60-101 /	J	0052	0000	S			
98897	STP 56-105 /	M	0009	0000	S			
98897	STP 52-713 /	J	0036	0000	S			
98897	STP 63-001 /	P	0019	0000	S			
98897	STP 60-401 /	J	0009	0000	S			
98897	STP 51-302 /	W	0043	0000	S	D		
98897	STP 56-107 /	M	0027	0000	S			
98897	STP 51-402 /	G	0008	0000	S			
98897	STP 54-101 /	W	0022	0000	S	D		
98897	STP 63-205 /	C	0004	0000	S			
98897	STP 60-505 /	T	0018	0000	S	C		
98897	STP 59-511 /	A	0006	0000	S			

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 16JAN02	DATA TECH : BF	ORGN SYMBOL : TILCA	PR NR :	APPLICATION: C-5	PAGE 2 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60012-204B	NOUN : SPOILER,WING,AIRCRA	NSN : 1560004000574UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP 65-001 /	E	0005	0000	S			
98897	STP 57-004 /	J	0008	0000	S			
98897	STP 51-501 /	K	0013	0000	S			
98897	STP 53-201 /	L	0007	0000	S			
98897	STM 30-102 /	F	0026	0000	S			ECO# 98C0001
98897	STM 28-102 /		0000	0000				USE MIL-C-7438
98897	STM 07-105 /	D	0008	0000	S			
98897	LS 37629 /	A	0001	0000	S			
98897	LS 5909 /	N	0002	0000	S			
98897	LS 35061 /		0000	0000				USE LS 35130
98897	LS 35271 /	F	0003	0000	S			
98897	LS 35272 /	F	0002	0000	S			
98897	LS 34941 /	B	0001	0000	S			
98897	LS 38584 /	B	0001	0000	S			
98897	LS 34516 /	B	0001	0000	S			
98897	LS 3859 & ACC /	N	0002	0000	S			
98897	LS 5642 /	A	0001	0000	S			
98897	LS 10136 /	B	0004	0000	S			
98897	LS 35130 (INACTIVE) /		0000	0000				USE LS 35259 & LS 35265
98897	LS 35259 /	B	0003	0000	S			
98897	LS 35265 /		0000	0000				FOR C-5 ACFT. USE LS 35292
98897	LS 35292 /		0004	0000	S			
98897	DS 5025 /	AB	0025	0000	S	C		
98897	DS 30004 /		0000	0000				USE STP 51-302
98897	DS 30000 /	R	0009	0000	S			
98897	DS 30002 (CANCELLED) /		0000	0000				USE 0581
98897	DS 5055 (CANCELLED) /		0000	0000				USE STP 52-726 F-16
98897	DS 5064 /	J	0003	0000	S			
98897	DS 30001 /	F	0018	0000	S			
98897	DS 30003 (CANCELLED) /		0000	0000				USE STP 51-400 D-36

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 16JAN02	DATA TECH : BF	ORGN SYMBOL : TILCA	PR NR :	APPLICATION: C-5	PAGE 3 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60012-204B	NOUN : SPOILER,WING,AIRCRA	NSN : 1560004000574UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	ER 8296 & ACC	/	K	0075	0000	S			
98897	ER 8203	/		0032	0000	S	C		
98897	0581	/	AD	0063	0000	S			
81349	MIL-C-7438	/	G	0001	0000		A		
98897	FINISH:	/		0000	0000				
98897	"A" STP 58-209	/	L	0012	0000	S			
98897	"C" STP 58-001	/	J	0009	0000	S			
98897	"AA" STP 58-208	/	U	0019	0000	S			
98897	"FA" STP 58-408	/	G	0005	0000	S			
98897	"54" STP 59-204	/	B	0009	0000	S			
98897	"71" STP 59-405	/		0009	0000	S			
98897	"1" STP 59-201	/		0004	0000	S			

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED HEREIN."

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 25JUL03	DATA TECH : RL	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60011-206B	NOUN : SPOILER,WING,AIRCRA	NSN : 1560004003903UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J60011 /	N	0004	0000	S		SPOILER, WING	-206B, -180A, -198A
98897	STM30-102 /	F	0026	0000	S			
98897	LS34516 /	B	0001	0000	S			-1
98897	STP63-001 /	P	0019	0000	S	D		EXPORT CONTROL
98897	DS30004 /		0000	0000				CANCELLED. USE STP51-302
98897	STP60-101 /	J	0052	0000	S			
98897	STP60-401 /	J	0009	0000	S			
98897	STP56-105 /	M	0009	0000	S			
98897	STP56-107 /	M	0027	0000	S			
98897	STP54-101 /	W	0022	0000	S			
98897	FINISH AA-54-71 /	R	0009	0000	O			AA-2 COATS MIL-A-8625,TYPE I, CLASS 1; -54 ONE COAT MIL-PRF-23377, TYPE I
								CLASS C; -71, ONE COAT STM37-305
98897	STP51-302 /	W	0043	0000	S			USE IN LIEU OF DS30004
98897	DS30002 (CANCELLED) /	0	0000	0000				USE 0581 AD-63
98897	4J00002 /	AC	0002	0000	S			RELATED DRAWING
98897	STP56-505 /	F	0013	0000	S			
98897	4R23200 /		0185	0000	S			RELATED DRAWING
98897	4J63104 /	B	0001	0000	S			-101A
98897	STP53-201 /	L	0007	0000	S			
98897	STP51-501 /	K	0013	0000	S			
98897	4J63107 /	C	0001	0000	S			-102A, -103A, -108A, -109A
98897	4J63209 /	B	0001	0000	S			-141A, -145A, -147A, -149A, -151A, -153A, -155A, -157A, -159A, -161A, -163A
								, -713A, -715A, -717A, -719A, -721A, -723A, -725A, -727A, -729A, -731A,
								733A, -735A.
98897	4J63110 /	C	0001	0000	S			-101A, -105A.
98897	4J63213 /		0001	0000	S			-103A
98897	LS35061H14BB2 /		0000	0000	O			INACTIVE. USE LS35265
98897	LS35265 /	A	0003	0000	S			USE IN LIEU OF LS35061H14BB2.
98897	STSAF009... /	J	0007	0000	S			
98897	STSAE015... /	G	0006	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 25JUL03	DATA TECH : RL	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60011-206B	NOUN : SPOILER,WING,AIRCRA	NSN : 1560004003903UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STSAE007... /	E	0002	0000	S			
98897	LS5909... /	N	0002	0000	S			
98897	4J63221 /		0001	0000	S			-103A
98897	STM07-105 /	D	0008	0000	S			
98897	ER8203 /		0032	0000	S			

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED HEREIN."

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACT AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 23JUN03	DATA TECH : DR	ORGN SYMBOL : LGECC	PR NR :	APPLICATION: C-5	PAGE 1 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60004-211A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560006778572UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J60004 /	M	0005	0000	S		SPOILER	-211A
98897	4J63219 /	B	0001	0000	S		SHIM	-109A C/O 4J60004
98897	4J63220 /		0001	0000	S		SHIM	-101A C/O 4J60004
98897	4J63101 /	D	0001	0000	S		HINGE	-105A " " "
98897	4J63112 /	B	0001	0000	S		HINGE	-101A " " "
98897	4J63102 /	D	0001	0000	S		HINGE HALF ACTUATOR	-603A " " "
98897	4J63209 /	B	0001	0000	S		SHIM	-101A " " "
98897	4J63218 /	A	0001	0000	S		SIDE SEAL	-101B " " "
98897	LS5909 /	N	0002	0000	S		SHIM	L013-0200 " " "
98897	LS5061 /		0000	0000				CANCELLED SUPERCEDED BY LS35130
98897	LS35130 /		0000	0000				CANCELLED SUPERCEEDED BY LS35259G2C2
98897	LS35259 /	B	0003	0000	S		PROCESS	G2C2 C/O 4J60004
98897	LS35265 /	A	0003	0000	S		PROCESS	/ C/O 4J0004
98897	4E79049 /	C	0002	0000	S		FINISH & MARKING	/ " " "
98897	STSAF009 /		0000	0000				CANCELLED SUPERCEDED BY LS35271
98897	STSAE015 /	G	0006	0000	S		PIN RIVET	D06LN06 C/O 4J0004
98897	LS35098 /	B	0001	0000	S		SCREW	-05-2 C/O 4J60004
98897	4J63221 /		0001	0000	S		SHIM	-107A C/O 4J60004
98897	STSAE007 /	E	0002	0000	S		COLLAR	-12 " " "
98897	4R22200 /	A	0260	0000	S		LOFT DATA	/ " " "
98897	4J00002 /	AC	0002	0000	S		SMOOTHNESS REQ	/ " " "
98897	STP63-001 /	P	0019	0000	S		PROCESS	/ " " "
98897	DS30000 /	R	0009	0000	S		FINISH	/ " " "
98897	STP60-101 /	J	0052	0000	S		PROCESS	/ " " "
98897	STP60-401 /	J	0009	0000	S		PROCESS	/ " " "
98897	STP56-105 /	M	0009	0000	S		PROCESS	/ " " "
98897	STM30-301 /	C	0014	0000	S		PROCESS	/ " " "
98897	STM22-506 /	B	0016	0000	S		PROCESS	/ " " "
98897	LS35271 /	F	0003	0000	S		PIN RIVET	/ C/O 450004
98897	DS30003 /		0000	0000				CANCELLED SUPERCEDED BY STP51-400

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 23JUN03	DATA TECH : DR	ORGN SYMBOL : LGECC	PR NR :	APPLICATION: C-5	PAGE 2 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60004-211A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560006778572UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP53-201 /	L	0007	0000	S		PROCESS	/ C/O 450004
98897	STP51-501 /	K	0013	0000	S		PROCESS	/ " " "
98897	DS30001 /	F	0018	0000	S		STANDARDS	/ " " "
98897	DS5055 /		0000	0000				CANCELLED SUPERCEDED BY STP52-726
98897	4J63001 /	A	0001	0000	S		HINGE HALF END SPOILER	-991A C/O 4J63101
98897	4J63206 /	A	0001	0000	S		BUSHING	-101B C/O 4J63102
98897	LS3859 /	N	0002	0000	S		BUSHING	F16 " " "
98897	4J63205 /	A	0001	0000	S		BUSHING	-101B " " "
98897	4J63002 /	A	0001	0000	S		HINGE HALF ACTUATOR	-991 C/O 4J63102
98897	DS30004 /		0000	0000				CANCELLED SUPERCEDED BY STP51-302
98897	DS315 /	A	0001	0000	S		PROCESS	-6 C/O 4J63218
98897	STP63-203 /	D	0009	0000	S		PROCESS	/ C/O LS35061
98897	DS2265 /	E	0002	0000	S		SPEC	/ C/O LS35061
98897	STM24-906 /	D	0008	0000	S		SPEC	/ C/O LS35061
98897	STP58-209 /	L	0012	0000	S		FINISH	/ C/O DS30000
98897	STP59-204 /	B	0009	0000	S		FINISH	/ C/O DS30000
98897	STP59-405 /		0009	0000	S		FINISH	/ C/O DS30000
98897	STP52-713 /	J	0036	0000	S		INSTALL PROCESS	/ C/O 4J0004
98897	STM40-601 /	H	0011	0000	S		PROCESS	/ C/O STP60-401
98897	STP51-400 /	D	0036	0000	S		PROCESS	/ C/O DS30003
98897	STP52-726 /	F	0016	0000	S		PROCESS	/ C/O DS5055
98897	STP51-302 /	W	0043	0000	S		PROCESS	/ C/O DS30004

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 23JUN03	DATA TECH : DR	ORGN SYMBOL : LGECC	PR NR :	APPLICATION: C-5	PAGE 3 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60004-211A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560006778572UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 21JUL03	DATA TECH : GS	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 3

CAGE: 29183	MANUFACTURER NAME: G S E DYNAMICS INC	REFERENCE NR: 4J60004-212A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560006778583UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J60004	/	M	0005	0000	S		SPOILER, WING, AC	-212A
98897	4J63219	/	B	0001	0000	S			-109A, -101A, -107A
98897	4J63220	/		0001	0000	S			-101A
98897	4J63101	/	D	0001	0000	S			-105A
98897	4J63112	/	B	0001	0000	S			-102A
98897	4J63102	/	D	0001	0000	S			-604A
98897	4J63209	/	B	0001	0000	S			-101A, -115A
98897	4J63218	/	A	0001	0000	S			-101B
29183	LS5909	/	N	0002	0000	S			
98897	LS35061	/		0000	0000				INACTIVE - USE LS35130
98897	4E79049	/	C	0002	0000	S		REFERENCE - EUROPEAN FINISH	
98897	STSAF009	/	J	0007	0000	S			
98897	STSAE015	/	G	0006	0000	S			
98897	LS35098	/	B	0001	0000	S			
98897	4J63221	/		0001	0000	S			-107A, -109A
98897	STSAE007	/	E	0002	0000	S			
98897	4R22200	/	A	0260	0000	S		LOFT DATA	
98897	4J00002	/	AC	0002	0000	S		SMOOTHNESS REQUIREMENTS	
98897	STP60-505	/	T	0018	0000	S	C	ELECTRICAL BOND	
98897	LS35130	/		0000	0000				SUPERSEDED BY LS35259 & LS35265
98897	LS35259	/	B	0003	0000	S			
98897	LS35265	/	A	0003	0000	S			
98897	STP63-001 & ACC	/	P	0020	0000	S			
98897	STM07-105	/	D	0008	0000	S			
98897	LS38539	/		0001	0000	S			
98897	DS315	/	A	0001	0000	S			-6
98897	DS30004	/		0000	0000				CANCELLED - USE STP51-302
98897	DS30000	/	R	0009	0000	S		LOCKHEED FINISH SPEC	
98897	4J63002	/	A	0001	0000	S		FORGING - MAKE FROM	-991A
98897	LS3859	/	N	0002	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 21JUL03	DATA TECH : GS	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 3

CAGE: 29183	MANUFACTURER NAME: G S E DYNAMICS INC	REFERENCE NR: 4J60004-212A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560006778583UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J63205 /	A	0001	0000	S			-101B
98897	DS30003 /		0000	0000				CANCELLED - USE STP41-400
98897	STP53-201 & ACC /	L	0009	0000	S			
98897	STP51-501 & ACC /	K	0015	0000	S			
98897	DS30001 /	F	0018	0000	S			
98897	DS5055 /		0000	0000				CANCELLED - USE STP52-726
98897	STP52-726 /	F	0016	0000	S			
98897	4J63206 /	A	0001	0000	S			-101B
98897	4J63001 /	A	0001	0000	S		FORGING - MAKE FROM	-991
98897	STP51-302 /	W	0043	0000	S			
98897	STP51-400 /	D	0036	0000	S			
98897	STP58-208 & ACC /	U	0022	0000	S		FINISH -AA	
98897	STP59-204 /	B	0009	0000	S		FINISH -54	
98897	STP59-405 /		0009	0000	S		FINISH -71	
98897	STM05-101 & SRN /	D	0005	0000	S			
98897	STP58-001 /	L	0007	0000	S		FINISH -C	
98897	4J63208 /	A	0001	0000	S			-101A, -103A
98897	LS37629 /	A	0001	0000	S			
98897	LS34516 /	B	0001	0000	S			
98897	STP60-101 /	J	0052	0000	S			
98897	STP56-105 /	M	0009	0000	S			
98897	STM22-506 /	B	0016	0000	S			
98897	STM30-102 & ECO /	F	0027	0000	S			
98897	LS35272 /	F	0002	0000	S			
98897	STP60-102 & ECO /	J	0053	0000	S			
98897	LS10136 /	B	0004	0000	S			
98897	LS5642 /	A	0001	0000	S			
98897	LS4328 /	A	0001	0000	S			
98897	STP58-209 & ACC /	L	0015	0000	S		FINISH -A	
98897	STP59-201 /		0004	0000	S		FINISH -1	

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
21JUL03	GS	LGECB		C-5	3 OF 3

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
29183	G S E DYNAMICS INC	4J60004-212A	SPOILER,WING,AIRCRA	1560006778583UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP58-408 /	G	0005	0000	S		FINISH -FA	
98897	ER8296 /	K	0075	0000	S			
98897	0581 /	AD	0063	0000	S			

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED HEREIN."

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *02*

ENGINEERING DATA LIST

* HISTORY *

DATE : 25JUL03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60006-197A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560008813044UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J60006 /	M	0003	0000	S		SPOLIER, WING, AC	--197A THIS DRAWING PACKAGE EXPORT CONTROLLED
98897	4J63102 /	D	0001	0000	S			
98897	4J63112 /	B	0001	0000	S			
98897	4J63101 /	D	0002	0000	S			
98897	LS5909 /	N	0002	0000	S			
98897	4J63221 /		0001	0000	S			
98897	4J63220 /		0001	0000	S			
98897	4J63219 /	B	0001	0000	S			
98897	4R22200 /	A	0260	0000	S		LOFT DATA	
98897	4J00002 /	AC	0002	0000	S		SMOOTHNESS	
98897	STSAE007 /	E	0002	0000	S			
98897	LS35098 /	B	0001	0000	S			
98897	STSAE015 /	G	0006	0000	S			
98897	4E79049 /	C	0002	0000	S	D		
98897	STSAF009 /		0000	0000				USE LS35271
98897	STS35061 /		0000	0000				CANCELLED - USE LS35130
98897	4J63218 /	A	0001	0000	S			
98897	4J63209 /	B	0001	0000	S			
98897	LS38591 /	C	0001	0000	S			
98897	LS34516 /	B	0001	0000	S			
98897	LS38584 /	B	0001	0000	S			
98897	STP52-713 /	J	0036	0000	S			
98897	STP60-009 /		0000	0000				CANCELLED - USE STP60-007
98897	STP57-004 & ACC /	J	0010	0000	S			
98897	STP60-101 /	J	0052	0000	S			
98897	STP56-107 /	M	0027	0000	S			
98897	STP60-505 /	T	0018	0000	S	C		
98897	STP65-001 /	E	0005	0000	S			
98897	STP63-205 /	C	0004	0000	S			
98897	STP52-726 /	F	0016	0000	S			

REVISION: *02*

ENGINEERING DATA LIST

* HISTORY *

DATE : 25JUL03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60006-197A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560008813044UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	DS30002 /		0000	0000				CANCELLED - USE 0581
98897	STP54-101 /	W	0022	0000	S			
98897	STP51-302 /	W	0043	0000	S			
98897	STP51-402 /	G	0008	0000	S			
98897	STP56-105 /	M	0009	0000	S			
98897	DS5055 /		0000	0000				CANCELLED -USE STP52-726
98897	DS30000 /	R	0009	0000	S		LOCKHEED FINISH SPEC	
98897	STP60-401 /	J	0009	0000	S			
98897	STM30-102 & ECO /	F	0028	0000	S			
98897	ER8296 /	K	0075	0000	S			
98897	DS30004 /		0000	0000				CANCELLED -USE STP51-302
98897	STP63-001 & ACC /	P	0020	0000	S			
98897	4J63001 /	A	0001	0000	S			
98897	4J63206 /	A	0001	0000	S			
98897	4J63205 /	A	0001	0000	S			
98897	STM28-102 /		0000	0000				CANCELLED - USE MIL-C-7438
98897	MIL-C-7438 /		0000	0000	O			USE IN LIEU OF STM28-102
98897	STM07-105 /	D	0008	0000	S			
98897	LS3859 /	N	0002	0000	S			
98897	LS38539 /		0001	0000	S			
98897	LS37629 /	A	0001	0000	S			
98897	LS35061 /		0000	0000				USE LS35130
98897	LS34941 /	B	0001	0000	S			
98897	LS35271 /	F	0003	0000	S			USE IN LIEU OF STSAF009
98897	DS5025 /	AB	0025	0000	S			
98897	DS315 /	A	0001	0000	S			
98897	DS30003 /		0000	0000				USE STP51-400
98897	STP53-201 & ACC /	L	0009	0000	S			
98897	STP51-501 /	K	0013	0000	S			
98897	4J63002 /	A	0001	0000	S			

REVISION: 02

ENGINEERING DATA LIST

* HISTORY *

DATE : 25JUL03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 3 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60006-197A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560008813044UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	LS35130 /		0000	0000				USE LS35259 & LS35265
98897	LS35259 /	B	0003	0000	S			
98897	LS35265 /	A	0003	0000	S			
98897	STM05-101 & SRN /	D	0005	0000	S			
98897	STP51-400 /	D	0036	0000	S			
98897	STP58-208 & ACC /	U	0022	0000	S		FINISH -AA	
98897	STP59-204 /	B	0009	0000	S		FINISH -54	
98897	STP59-405 /		0009	0000	S		FINISH -71	
98897	STP58-408 /	G	0005	0000	S		FINISH -FA	
98897	STP58-209 & ACC /	L	0015	0000	S		FINISH -A	
98897	STP58-001 /	L	0007	0000	S		FINISH -C	
98897	STP59-201 /		0004	0000	S		FINISH -1	
98897	STP60-102 & ECO /	J	0053	0000	S			
98897	STP60-007 /	N	0019	0000	S			
98897	0581 /	AD	0063	0000	S			

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.
THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: 05

ENGINEERING DATA LIST

* HISTORY *

DATE : 28JUL03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60006-198A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560008813045UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J60006 /	M	0003	0000	S		SPOILER, WING, AC	-198A THIS DATA PACKAGE IS EXPORT CONTROLLED
98897	4J63102 /	D	0001	0000	S			
98897	4J63112 /	B	0001	0000	S			
98897	4J63101 /	D	0001	0000	S			
98897	LS5909 /	N	0002	0000	S			
98897	4J63221 /		0001	0000	S			
98897	4J63220 /		0001	0000	S			
98897	4J63219 /	B	0001	0000	S			
98897	4R22200 /	A	0260	0000	S		LOFT DATA	
98897	4J00002 /	AC	0002	0000	S		SMOOTHNESS	
98897	STSAE007 /	E	0002	0000	S			
98897	LS35098 /	B	0001	0000	S			
98897	STSAE015 /	G	0006	0000	S			
98897	4E79049 /	C	0002	0000	S	D		
98897	STSAF009 /		0000	0000				USE LS35271
98897	STS35061 /		0000	0000				USE LS35130
98897	4J63218 /	A	0001	0000	S			
98897	4J63209 /	B	0001	0000	S			
98897	LS38591 /	C	0001	0000	S			
98897	LS34516 /	B	0001	0000	S			
98897	LS38584 /	B	0001	0000	S			
98897	STP52-713 /	J	0036	0000	S			
98897	STP60-009 /		0000	0000				CANCELLED - USE STP60-007
98897	STP57-004 & ACC /	J	0010	0000	S			
98897	STP60-101 /	J	0052	0000	S			
98897	STP56-107 /	M	0027	0000	S			
98897	STP60-505 /	T	0018	0000	S	C		
98897	STP65-001 /	E	0005	0000	S			
98897	STP63-205 /	C	0004	0000	S			
98897	DS30002 /		0000	0000				CANCELLED - USE 0581

REVISION: 05

ENGINEERING DATA LIST

* HISTORY *

DATE : 28JUL03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60006-198A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560008813045UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	STP54-101 /	W	0022	0000	S			
98897	STP51-302 /	W	0043	0000	S			
98897	STP51-402 /	G	0008	0000	S			
98897	STP56-105 /	M	0009	0000	S			
98897	DS5055 /		0000	0000				CANCELLED USE STP52-726
98897	DS30000 /	R	0009	0000	S		FINISH SPEC	
98897	STP60-401 /	J	0009	0000	S			
98897	STM30-102 & ECO /	F	0028	0000	S			
98897	ER8296 /	K	0075	0000	S			
98897	DS30004 /		0000	0000				CANCELLED - USE STP51-302
98897	STP63-001 & ACC /	P	0020	0000	S			
98897	4J63001 /	A	0001	0000	S			
98897	4J63206 /	A	0001	0000	S			
98897	4J63205 /	A	0001	0000	S			
98897	STM28-102 /		0000	0000				CANCELLED - USE MIL-C-7438
98897	MIL-C-7438 /		0000	0000	O			USE IN LIEU OF STM28-102
98897	STM07-105 /	D	0008	0000	S			
98897	LS3859 /	N	0002	0000	S			
98897	LS38539 /		0001	0000	S			
98897	LS37629 /	A	0001	0000	S			
98897	LS35061 /		0000	0000				USE LS35130
98897	LS34941 /	B	0001	0000	S			
98897	DS5025 /	AB	0025	0000	S			
98897	DS315 /	A	0001	0000	S			
98897	DS30003 /		0000	0000				USE STP51-400
98897	STP53-201 & ACC /	L	0009	0000	S			
98897	STP51-501 /	K	0013	0000	S			
98897	4J63002 /	A	0001	0000	S			
98897	LS35130 /		0000	0000				USE LS35259 & LS35265
98897	LS35259 /	B	0003	0000	S			

REVISION: 05

ENGINEERING DATA LIST

* HISTORY *

DATE : 28JUL03	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 3 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60006-198A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560008813045UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	LS35265 /	A	0003	0000	S			
98897	LS35271 /	F	0003	0000	S			USE IN LIEU OF STSAF009
98897	STM05-101 & SRN /	D	0005	0000	S			
98897	STP51-400 /	D	0036	0000	S			
98897	STP58-208 & ACC /	U	0022	0000	S		FINISH -AA	
98897	STP59-204 /	B	0009	0000	S		FINISH -54	
98897	STP59-405 /		0009	0000	S		FINISH -71	
98897	STP58-408 /	G	0005	0000	S		FINISH -FA	
98897	STP58-209 & ACC /	L	0015	0000	S		FINISH -A	
98897	STP58-001 /	L	0007	0000	S		FINISH -C	
98897	STP59-201 /		0004	0000	S		FINISH -1	
98897	STP60-102 & ECO /	J	0053	0000	S			
98897	STP60-007 /	N	0019	0000	S			
98897	STP52-726 /	F	0016	0000	S			USE IN LIEU OF DS5055
98897	0581 /	AD	0063	0000	S			

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.
DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.
THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 25JUL03	DATA TECH : CC	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 4

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60007-195A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560008821615UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J60007-195A /	M	0004	0000	S			
98897	4J63101 /	D	0001	0000	S			
98897	4J63102 /	D	0001	0000	S			
98897	4J63112 /	B	0001	0000	S			
98897	4J63219 /	B	0001	0000	S			
98897	4J63220 /		0001	0000	S			
98897	4J63221 /		0001	0000	S			
98897	4J63209 /	B	0001	0000	S			
98897	4J63218 /	A	0001	0000	S			
98897	LS35061 /		0000	0000				INACTIVE, SUPERSEDED BY LS35130
98897	LS35130 /		0000	0000				INACTIVE, SUPERSEDED BY LS35259 & LS35265
98897	LS35259 /	B	0003	0000	S			
98897	LS35265 /	A	0003	0000	S			
98897	STSAF009 /		0000	0000				CANCELLED USE LS35271
98897	LS35271 /	F	0003	0000	S			
98897	STSAE015 /	G	0006	0000	S			
98897	LS35098 /	B	0001	0000	S			
98897	STSAE007 /	E	0002	0000	S			
98897	LS5909 /	N	0002	0000	S			
98897	LS38584 /	B	0001	0000	S			
98897	LS34941 /	B	0001	0000	S			
98897	LS37629 /	A	0001	0000	S			
98897	STP63-001 /	P	0019	0000	S	D		*EXPORT CONTROL
98897	DS30004 /		0000	0000				CANCELLED, USE STP51-302
98897	STP51-302 /	W	0043	0000	S			
98897	STP60-101 /	J	0052	0000	S			
98897	STM30-102 /	F	0026	0000	S			
98897	ER8296 & (ACC)A /	K	0075	0000	S			
98897	STP60-401 /	J	0009	0000	S			
98897	DS30000 /	R	0009	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 25JUL03	DATA TECH : CC	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 4

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60007-195A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560008821615UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	DS5055 /		0000	0000				CANCELLED USE STP52-726
98897	STP52-726 /	F	0016	0000	S			
98897	STP56-105 /	M	0009	0000	S			
98897	FINISH H -54 -71 /		0000	0000				FINISH H - STP59-701
								FINISH 54 - STP59-204
								FINISH 71 - STP59-405
98897	STP59-701 /	B	0006	0000	S			
98897	STP59-204 /	B	0009	0000	S			
98897	STP59-405 /		0009	0000	S			
98897	4E79049 /	C	0002	0000	S			
98897	STP51-402 /	G	0008	0000	S			
98897	FINISH A /		0000	0000				FINISH A - STP58-209
98897	STP58-209 /	L	0012	0000	S			
98897	STP57-004 /	J	0008	0000	S			
98897	STP56-107 /	M	0027	0000	S			
98897	STP54-101 /	W	0022	0000	S			
98897	DS30002 /		0000	0000				CANCELLED, USE 0581
98897	0581 /	AD	0063	0000	S			
98897	STP63-205 /	C	0004	0000	S			
98897	STP65-001 /	E	0005	0000	S			
98897	STP60-505 /	T	0018	0000	S	C		*EXPORT CONTROL
98897	FINISH FA -1 /		0000	0000				FINISH FA - STP58-408
								FINISH 1 - STP59-201
98897	STP58-408 /	G	0005	0000	S			
98897	STP59-201 /		0004	0000	S			
98897	STP52-713 /	J	0036	0000	S			
98897	STM28-102 /		0000	0000				CANCELLED, USE MIL-C-7438G
98897	MIL-C-7438G /		0000	0000	O			PUBLICATION DATE: 26 FEBRUARY 1986
98897	4J00002 /	AC	0002	0000	S			REF
98897	4R22200 /	A	0260	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 25JUL03	DATA TECH : CC	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 3 OF 4

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60007-195A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560008821615UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	LS34516 /	B	0001	0000	S			
98897	DS5025 /	AB	0025	0000	S	C		*EXPORT CONTROL
98897	4J63001-991A /	A	0001	0000	S			
98897	LS3859 /	N	0002	0000	S			
98897	FINISH AA /		0000	0000				FINISH AA - STP58-208
98897	STP58-208 /	U	0019	0000	S			
98897	DS30003 /		0000	0000				CANCELLED, USE STP51-400
98897	STP51-400 /	D	0036	0000	S			
98897	STP53-201 /	L	0007	0000	S			
98897	STP51-501 /	K	0013	0000	S			
98897	DS30001 /	F	0018	0000	S			
98897	4J63205-101B /	A	0001	0000	S			
98897	4J63002-991A /	A	0001	0000	S			
98897	4J63206-101B /	A	0001	0000	S			
98897	STM07-105 /	D	0008	0000	S			
98897	LS38539 /		0001	0000	S			
98897	DS315 /	A	0001	0000	S			
98897	STM05-101 /	D	0004	0000	S			
98897	FINISH C /		0000	0000				FINISH C - STP58-001
98897	STP58-001 /	L	0007	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 25JUL03	DATA TECH : CC	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 4 OF 4

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60007-195A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560008821615UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED HEREIN."

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
22JUL03	CC	LGECB		C-5	1 OF 3

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J60007-196A	SPOILER,WING,AIRCRA	1560008821622UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J60007-196A /	M	0004	0000	S			SPOILER-NO. 4
98897	4J63101 /	D	0001	0000	S			-109A, -101A, HINGE
98897	4J63102 /	D	0001	0000	S			-110A, -604A, HINGE
98897	4J63112 /	B	0001	0000	S			-106A, -102A, HINGE
98897	4J63219 /	B	0001	0000	S			-109A, -101A, -103A, 105A, 107A, -701A, -703A, -705A, -707A, SHIM
98897	4J63220 /		0001	0000	S			-101A, SHIM
98897	4J63221 /		0001	0000	S			-107A, -109A, SHIM
98897	4J63208 /	A	0001	0000	S			-101A, -103A, BRACKET
98897	4J63209 /	B	0001	0000	S			-109A, -111A, -113A, -115A, -101A, -103A, -105A, -705A, -707A, -709A,
								-711A, SHIM
98897	4J63218 /	A	0001	0000	S			-101B, SIDE SEAL
98897	4R22200 /	A	0260	0000	S			REFERENCE, LOFT DATA
98897	4J00002 /	AC	0002	0000	S			REFERENCE, SMOOTHNESS REQUIREMENTS
98897	4J60003 /	M	0003	0000	S			
98897	LS35061 /		0000	0000	O			INACTIVE SUPERCEDED BY LS35130
98897	LS35130 /		0000	0000	O			INACTIVE SUPERCEDED BY LS35259
98897	LS35259 /	B	0003	0000	S			
98897	STSAF009 /	J	0007	0000	S			SPEC CONTROL
98897	STSAE015 /	G	0006	0000	S			SPEC CONTROL
98897	LS35098 /	B	0001	0000	S			
98897	STSAE007 /	E	0002	0000	S			SPEC CONTROL
98897	LS5909 /	N	0002	0000	S	C		
98897	LS35272 /	F	0002	0000	S			
98897	LS35271 /	F	0003	0000	S			-05, -06
98897	STP63-001 & (ACC REV V01J) /	P	0020	0000	S	D		*EXPORT CONTROL
98897	DS30004 /		0000	0000				CANCELLED, USE STP51-303
98897	STP51-302 /	W	0043	0000	S	C		
98897	STP60-101 /	J	0052	0000	S	C		
98897	STM30-102 /	F	0026	0000	S			
98897	STM30-301 /	C	0014	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 22JUL03	DATA TECH : CC	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 3

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60007-196A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560008821622UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	ER8296 & (ACC REV J) /	K	0075	0000	S			
98897	STP60-401 /	J	0009	0000	S	C		
98897	DS30000 /	R	0009	0000	S	C		FINISH CODE
98897	DS5055 /		0000	0000				CANCELLED USE STP52-726
98897	STP52-726 /	F	0016	0000	S			
98897	STP56-105 /	M	0009	0000	S			
98897	FINISH -54-71 /		0000	0000				SEE DS30000
98897	4E79049 /	C	0002	0000	S	C		
98897	STP51-402 & (ACC REV V01) /	G	0009	0000	S			
98897	STP51-501 & (ACC REV V02J, V03J)/	K	0016	0000	S			
98897	FINISH A -54-71 /		0000	0000				SEE DS 30000
98897	STP57-004 /	J	0008	0000	S			
98897	STP56-107 /	M	0027	0000	S			
98897	STP54-101 /	W	0022	0000	S	C		ACC REV V28, *EXPORT CONTROL
98897	DS30002 /		0000	0000				CANCELLED, SUPERSEDED BY 0581
98897	0581 /	AD	0063	0000	S			
98897	STP63-205 /	C	0004	0000	S			
98897	STP65-001 /	E	0005	0000	S			
98897	STP60-505 /	T	0018	0000	S	C		*EXPORT CONTROL
98897	FINISH FA-1 /		0000	0000				SEE DS30000
98897	STP52-713T /	J	0036	0000	S			
98897	STM28-102 /		0000	0000				CANCELLED, USE MIL-C-7438F
98897	MIL-C-7438F /		0000	0000	O			
98897	STM22-506 /	B	0016	0000	S			
98897	LS34516 /	B	0001	0000	S			
98897	LS34941 /	B	0001	0000	S			
98897	STM07-105 /	D	0008	0000	S			
98897	LS3859 /	N	0002	0000	S			C/O 4J63101
98897	DS30001 /	F	0018	0000	S	D		
98897	STP53-201 /	L	0007	0000	S	C		

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
22JUL03	CC	LGECB		C-5	1 OF 3

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J60007-196A	SPOILER,WING,AIRCRA	1560008821622UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J60007-196A /	M	0004	0000	S			SPOILER-NO. 4
98897	4J63101 /	D	0001	0000	S			-109A, -101A, HINGE
98897	4J63102 /	D	0001	0000	S			-110A, -604A, HINGE
98897	4J63112 /	B	0001	0000	S			-106A, -102A, HINGE
98897	4J63219 /	B	0001	0000	S			-109A, -101A, -103A, 105A, 107A, -701A, -703A, -705A, -707A, SHIM
98897	4J63220 /		0001	0000	S			-101A, SHIM
98897	4J63221 /		0001	0000	S			-107A, -109A, SHIM
98897	4J63208 /	A	0001	0000	S			-101A, -103A, BRACKET
98897	4J63209 /	B	0001	0000	S			-109A, -111A, -113A, -115A, -101A, -103A, -105A, -705A, -707A, -709A,
								-711A, SHIM
98897	4J63218 /	A	0001	0000	S			-101B, SIDE SEAL
98897	4R22200 /	A	0260	0000	S			REFERENCE, LOFT DATA
98897	4J00002 /	AC	0002	0000	S			REFERENCE, SMOOTHNESS REQUIREMENTS
98897	4J60003 /	M	0003	0000	S			
98897	LS35061 /		0000	0000	O			INACTIVE SUPERCEDED BY LS35130
98897	LS35130 /		0000	0000	O			INACTIVE SUPERCEDED BY LS35259
98897	LS35259 /	B	0003	0000	S			
98897	STSAF009 /	J	0007	0000	S			SPEC CONTROL
98897	STSAE015 /	G	0006	0000	S			SPEC CONTROL
98897	LS35098 /	B	0001	0000	S			
98897	STSAE007 /	E	0002	0000	S			SPEC CONTROL
98897	LS5909 /	N	0002	0000	S	C		
98897	LS35272 /	F	0002	0000	S			
98897	LS35271 /	F	0003	0000	S			-05, -06
98897	STP63-001 & (ACC REV V01J) /	P	0020	0000	S	D		*EXPORT CONTROL
98897	DS30004 /		0000	0000				CANCELLED, USE STP51-303
98897	STP51-302 /	W	0043	0000	S	C		
98897	STP60-101 /	J	0052	0000	S	C		
98897	STM30-102 /	F	0026	0000	S			
98897	STM30-301 /	C	0014	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
22JUL03	CC	LGECB		C-5	3 OF 3

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J60007-196A	SPOILER,WING,AIRCRA	1560008821622UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	DS30003 /		0000	0000				CANCELLED, USE STP51-400 IN LIEU OF DS30003
98897	STP51-400 /	D	0036	0000	S	C		
98897	FINISH AA TYPE II /		0000	0000				SEE DS30000
98897	4J63205-101B /	A	0001	0000	S			
98897	4J63206-101B /	A	0001	0000	S			C/O 4J63112
98897	DS315-6 /	A	0001	0000	S			C/O 4J63218
98897	STP56-505 /	F	0013	0000	S			C/O 4J00002
98897	FINISH C /		0000	0000				SEE DS30000

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED HEREIN."

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
22JUL03	CC	LGECB		C-5	3 OF 3

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J60007-196A	SPOILER,WING,AIRCRA	1560008821622UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	DS30003 /		0000	0000				CANCELLED, USE STP51-400 IN LIEU OF DS30003
98897	STP51-400 /	D	0036	0000	S	C		
98897	FINISH AA TYPE II /		0000	0000				SEE DS30000
98897	4J63205-101B /	A	0001	0000	S			
98897	4J63206-101B /	A	0001	0000	S			C/O 4J63112
98897	DS315-6 /	A	0001	0000	S			C/O 4J63218
98897	STP56-505 /	F	0013	0000	S			C/O 4J00002
98897	FINISH C /		0000	0000				SEE DS30000

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED HEREIN."

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 28JUL03	DATA TECH : CC	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 4

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60009-203A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560008833711UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J60009-203A	/	K	0004	0000	S			
98897	4J63103	/	B	0001	0000	S			
98897	4J63106	/	D	0001	0000	S			
98897	4J63109	/	C	0001	0000	S			
98897	4J63210	/		0001	0000	S			
98897	4J63213	/		0001	0000	S			
98897	4J63209	/	B	0001	0000	S			
98897	4J63218	/	A	0001	0000	S			
98897	LS35098	/	B	0001	0000	S			
98897	LS35061	/		0000	0000				INACTIVE, SUPERSEDED BY LS35130
98897	LS35130	/		0000	0000				INACTIVE, SUPERSEDED BY LS35259 & LS35265
98897	LS35259	/	B	0003	0000	S			
98897	LS35265	/	A	0003	0000	S			
98897	STSAE015	/	G	0006	0000	S			
98897	STSAF009	/	J	0007	0000	S			
98897	STSAE007	/	E	0002	0000	S			
98897	4R23200	/		0185	0000	S			REF LOFT DATA
98897	4J00002	/	AC	0002	0000	S			
98897	LS34941	/	B	0001	0000	S			
98897	4E79049	/	C	0002	0000	S			REF
98897	4E79050	/	C	0002	0000	S			REF
98897	LS35271	/	F	0003	0000	S			
98897	LS35272	/	F	0002	0000	S			
98897	4J63221-101A	/		0001	0000	S			
98897	LS5909	/	N	0002	0000	S			
98897	STP63-001	/	P	0019	0000	S	D		*EXPORT CONTROL
98897	DS30004	/		0000	0000				CANCELLED, USE STP51-302
98897	STP51-302	/	W	0043	0000	S			
98897	STP60-101	/	J	0052	0000	S			
98897	STM30-102	/	F	0026	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 28JUL03	DATA TECH : CC	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 4

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60009-203A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560008833711UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	ER8296 & (ACC)A /	K	0075	0000	S			
98897	STP60-401 /	J	0009	0000	S			
98897	DS30000 /	R	0009	0000	S			
98897	DS30002 /		0000	0000				CANCELLED, USE 0581
98897	0581 /	AD	0063	0000	S			
98897	STP56-105 /	M	0009	0000	S			
98897	STP56-107 /	M	0027	0000	S			
98897	STP51-402 /	G	0008	0000	S			
98897	FINISH A -54 -71 /		0000	0000				FINISH A - STP58-209
								FINISH 54 - STP59-204
								FINISH 71 - STP59-405
98897	STP58-209 /	L	0012	0000	S			
98897	STP59-204 /	B	0009	0000	S			
98897	STP59-405 /		0009	0000	S			
98897	STP54-101 /	W	0022	0000	S			
98897	DS5055 /		0000	0000				CANCELLED USE STP52-726
98897	STP52-726 /	F	0016	0000	S			
98897	DS5064 /	J	0003	0000	S			
98897	STP63-205 /	C	0004	0000	S			
98897	STP60-505 /	T	0018	0000	S	C		*EXPORT CONTROL
98897	STP59-511 /	A	0006	0000	S			
98897	STP65-001 /	E	0005	0000	S			
98897	STP57-004 /	J	0008	0000	S			
98897	FINISH FA -1 /		0000	0000				FINISH FA - STP58-408
								FINISH 1 - STP59-201
98897	STP58-408 /	G	0005	0000	S			
98897	STP59-201 /		0004	0000	S			
98897	STM22-506 /	B	0016	0000	S			
98897	LS34516 /	B	0001	0000	S			
98897	STP52-713 /	J	0036	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 28JUL03	DATA TECH : CC	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 3 OF 4

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60009-203A	NOUN : SPOILER,WING,AIRCRA	NSN : 1560008833711UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	DS5025	/	AB	0025	0000	S	C		*EXPORT CONTROL
98897	4J63004-991A	/	A	0001	0000	S			
98897	LS3859	/	N	0002	0000	S			
98897	FINISH AA	/		0000	0000				FINISH AA - STP58-208
98897	STP58-208	/	U	0019	0000	S			
98897	DS30003	/		0000	0000				CANCELLED, USE STP51-400
98897	STP51-400	/	D	0036	0000	S			
98897	STP53-201	/	L	0007	0000	S			
98897	STP51-501	/	K	0013	0000	S			
98897	DS30001	/	F	0018	0000	S			
98897	4J63003-991A	/	A	0001	0000	S			
98897	4J63204-101B	/	A	0001	0000	S			
98897	4J63005-991A	/	B	0001	0000	S			
98897	LS38539	/		0001	0000	S			
98897	DS315	/	A	0001	0000	S			
98897	STM07-105	/	D	0008	0000	S			
98897	STM05-101	/	D	0004	0000	S			
98897	FINISH C	/		0000	0000				FINISH C - STP58-001
98897	STP58-001 & (ACC)V03	/	J	0008	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
28JUL03	CC	LGECB		C-5	4 OF 4

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J60009-203A	SPOILER,WING,AIRCRA	1560008833711UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED HEREIN."

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
29JUL03	CC	LGECB		C-5	1 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4J60011-205B	SPOILER,WING,AIRCRA	1560008833713UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J60011 /	N	0003	0000	S			-205B
98897	STM30-102 /	F	0026	0000	S			
98897	LS34516 /	B	0001	0000	S			-1
98897	STP63-001 /	P	0019	0000	S	D		EXPORT CONTROL.
98897	DS30004 /		0000	0000				CANCELLED. USE STP51-302
98897	STP60-401 /	J	0009	0000	S			
98897	STP56-105 /	M	0009	0000	S			
98897	STP56-107 /	M	0027	0000	S			
98897	STP54-101 /	W	0022	0000	S			
98897	STP51-302 /	W	0043	0000	S			USE IN LIEU OF DS30004
98897	DS30002 /		0000	0000				CANCELLED USE 0581
98897	0581 /	AD	0063	0000	S			
98897	4J00002 /	AC	0002	0000	S			RELATED DRAWING
98897	STP56-505 /	F	0013	0000	S			
98897	4R23200 /		0185	0000	S			LOFT DATA
98897	4J63104 /	B	0001	0000	S			-101A
98897	STP53-201 /	L	0007	0000	S			
98897	STP51-501 /	K	0013	0000	S			
98897	4J63107 /	C	0001	0000	S			-102A, -103A, -108A, -109A
98897	4J63209 /	B	0001	0000	S			-141A, -145A, -147A, -149A, -151A, -153A, -155A, -157A, -159A, -161A, -163A
								, -713A, -715A, -717A, -719A, -721A, -723A, -725A, -727A, -729A, -731A
								733A, -735A.
98897	4J63110 /	C	0001	0000	S			-101A, -105A.
98897	4J63213 /		0001	0000	S			-103A
98897	LS35061H14BB2 /		0000	0000	O			INACTIVE. USE LS35265
98897	LS35265 /	A	0003	0000	S			USE IN LIEU OF LS35061H14BB2
98897	STSAF009... /	J	0007	0000	S			
98897	STSAE015... /	G	0006	0000	S			
98897	STSAE007... /	E	0002	0000	S			
98897	LS5909... /	N	0002	0000	S			

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 29JUL03	DATA TECH : CC	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 2 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4J60011-205B	NOUN : SPOILER,WING,AIRCRA	NSN : 1560008833713UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4J63221 /		0001	0000	S			-103A
98897	STM07-105 /	C	0007	0000	S			
98897	ER8203 /		0032	0000	S			
98897	DS30000 /	R	0009	0000	S		LOCKHEED FINISH SPEC	
98897	STP58-208 /	U	0019	0000	S		FINISH CODE -AA	
98897	STP59-204 /	B	0009	0000	S		FINISH CODE -54	
98897	STP59-405 /		0009	0000	S		FINISH CODE -71	
98897	STM37-305 /	A	0008	0000	S			FINISH SPEC

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED HEREIN."

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

ENGINEERING DATA LIST		DATE 6 May 03	PAGE 1 OF PAGE
NSN 1560-00-111-1105	REFERENCE NUMBER 4J22068-101D	CAGE AND NAME 98897/LOCKHEED	NOUN SKIN,AIRCRAFT
APPLICATION	TECHNICIAN / ENGINEER T.AVINA	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WR-ACL/LGECA/468-0644

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4J22068	98897	K	1	S		
4J00002	98897	AC	2	S		REF
4R23305	98897		1	M		REF
4R23306	98897		1	M		REF
4R24000	98897	C	189	S		REF
4E79050	98897	C	2	S		REF
STP63-102	98897	B	3	S		
STP55-005	98897	G	41	S		CD ROM Cancel
DS30002	98897					
STP56-505	98897	F	13	S		
STP56-107	98897	M	27	S		
STP51-101	98897	W	22	S		
STP51-302	98897	W	43	S		
DS30004						USE STP51-302
STP63-001	98897	P	19	S		IMPRESSION STAMPING NOT
0581		AD	63			PERMISSIBLE
DS30006	98897	R	9	S		
STP58-209	98897	L	12	S		
STP59-204	98897	B	9	S		
STP59-405	98897		9	S		

JEDMICS CHECK RL
RDRT QUE # 31543
DISTRIBUTION CODE C
OF IMAGES
PR TECHNICIAN RL 5-6-03
CC 5-6-03

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

FINISH: "A" USE STP58-209
"54" USE STP59-204(1)
"71" USE STP59-405

EXPORT CONTROL

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

Printed from WRALC T.O. Repository on 5/5/03 1:30:03 PM

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 19DEC02	DATA TECH : DD	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF [illegible]

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4P41006-107A	NOUN : SKIN,AIRCRAFT	NSN : 1560004981176UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4R40102 /	A	0001	0000	M		LOFT CONTOUR DATA	REQUIRES MYLAR - SEE NOTES
98897	4P41006 /	B	0001	0000	S		SKIN PANEL, EXHAUST	-107A
98897	STM07-306 /	C	0005	0000	S		LOCKHEED SPEC	
98897	DS30009 /	F	0003	0000	S		LOCKHEED SPEC	
98897	STP51-302 /	W	0043	0000	S		LOCKHEED SPEC	
98897	DS30000 /	R	0009	0000	S		LOCKHEED SPEC	
98897	STP51-407 /		0004	0000	S		LOCKHEED SPEC	
98897	STP53-201 & V01 /	L	0009	0000	S		LOCKHEED SPEC	
98897	STP51-304 & V01 /	H	0027	0000	S		LOCKHEED SPEC	
98897	STP55-104 & V01 /	F	0041	0000	S		LOCKHEED SPEC	
98897	STP63-001 /	P	0019	0000	S		LOCKHEED SPEC	
98897	DS5025 /	AB	0025	0000	S		LOCKHEED SPEC	
98897	STP57-401 /	F	0009	0000	S		FINISH -MM	FINISH SPEC -MM

STANDARD ENGINEERING TEXT

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 08JAN03	DATA TECH : CM	ORGN SYMBOL : LGECA	PR NR :	APPLICATION: C-5	PAGE 1 OF 1

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4F75389-223A	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560004896560UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	FINISH A /		0000	0000				USE STP58-209
98897	DS30004 /		0000	0000			PROCESS	USE STP51-302
98897	4F75389 /	E	0001	0000	S		PANEL, STRUCTURAL	-223A
98897	DS5025 /	AB	0025	0000	S	C	REFERENCE	/_____C/O 4F75389
98897	4F75405 /	B	0003	0000	S	D	REFERENCE	
98897	4R13101 /	J	0376	0000	S	C	REFERENCE	
97	STP60-102 /	J	0047	0000	S	C	PROCESS	& ACC
98897	STM30-102 /	F	0027	0000	S		PROCESS	
98897	ER8296 /	K	0031	0000	S		PROCESS	& ACC
98897	STP54-101 /	W	0033	0000	S	C	REFERENCE	& ACC
98897	4F75002 /	N	0002	0000	S	D	REFERENCE	
98897	STP58-209 /	L	0012	0000	S		PROCESS	
98897	DS30000 /	R	0009	0000	S		FINISH CODE	
98897	STP51-302 /	W	0048	0000	S	B	PROCESS	FOR PROCUREMENT ONLY & ACC
98897	STP63-001 /	P	0020	0000	S	C	PROCESS	& ACC

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 27DEC02	DATA TECH : TS	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C5	PAGE 1 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4F75396-209A	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560003581084UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	STM28-102 /		0000	0000				CANX; USE MIL-C-7438
98897	DS30004 /		0000	0000				CANX; USE STP51-302
98897	FINISHES /		0000	0000				
98897	**(-1) /		0000	0000				USE STP59-201
98897	SPARES CONFIF NOTES /		0000	0000				PER B/P, EXCEPT ALLOW 1/2 INCH IN EXCESS SKIN ON ENTIRE PERIPHERY. OMI
								ALL ATTACH HOLES.
98897	**(A) /		0000	0000	O			USE MIL-A-8625
98897	4F75396 /	C	0001	0000	S			-209A; TOP DRAWING
98897	4F75405 /	B	0003	0000	S			ADDITIONAL DRAWING
98897	4R13101 /	J	0376	0000	S			LOFT DATA
98897	4F75560 /	T	0006	0000	S			ADDITIONAL DRAWING
98897	STM30-102 /	F	0026	0000	S			REV NDT 15 JUN 71
98897	STP51-302 /	W	0043	0000	S	D		REV DT 16 AUG 01; EXPORT CONTROL
98897	STP54-101 /	W	0022	0000	S	D		REV DT 30 JUN 01; EXPORT CONTROL
98897	STP58-209 /	L	0012	0000	S			REV DT 22 JUL 88
98897	STP59-201 /		0004	0000	S			PUB DT 1 AUG 86
98897	STP60-102 /	J	0056	0000	S			REV DT 15 DEC 87 + ECO'S
98897	STP60-401 /	J	0009	0000	S			REV DT 15 JUN 90
98897	STP63-001 /	P	0019	0000	S			REV DT 20 MAR 01
98897	DS30000 /	R	0009	0000	S			REV DT 18 FEB 98
98897	ER 8296 /	K	0075	0000	S			PDF FILE

ENGINEERING DATA LIST

REVISION: *01* * HISTORY *

DATE : 27DEC02	DATA TECH : TS	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C5	PAGE 2 OF 2
CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4F75396-209A	NOUN : PANEL,STRUCTURAL,AI		NSN : 1560003581084UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
21FEB03	MW	LGECC		C-5	1 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4W14177-155A	FAIRING,AIRCRAFT	1560008246473UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4W14177	/	F	0001	0000	S			-155A
98897	4R13201	/	B	0259	0000	S			LOFT CONTOUR
98897	DS30004	/		0000	0000				CANCELLED--USE STP51-302
98897	STP63-001	/		0000	0000				USE MIL-STD-130
98897	STP51-302	/	W	0043	0000	S	D		FORM PER
98897	STP60-102 & 96C0006	/	J	0055	0000	S			
98897	STM30 102	/	F	0026	0000	S			
98897	ER8296	/	K	0075	0000	S			
98897	STM22-506	/	B	0016	0000	S			
98897	STM28 102	/		0000	0000				CANCELLED--USE MIL-C-7438
98897	STP60 401	/	J	0009	0000	S			
98897	4J00002	/	AC	0002	0000	S			
98897	DS30002	/		0000	0000				CANCELLED--USE 0581
98897	STP54-101	/	W	0022	0000	S			
98897	DS30000	/	R	0009	0000	S			
98897	STP59-511	/	A	0006	0000	S			
98897	STP56-105	/	M	0009	0000	S			
98897	DS5025	/	AB	0025	0000	S	C		
98897	STP59-201	/		0004	0000	S			USE FOR FINISH -1
98897	0581	/	AD	0063	0000	S	D		
98897	SPARES CONFIGURATION	/		0000	0000				PER BLUEPRINT
98897	STP58-209	/	L	0012	0000	S			USE FOR FINISH A

JEDMICS CHECK GS

RDRT QUE # 25810

DISTRIBUTION CODE B

OF IMAGES

PR TECHNICIAN GS 10MAR03

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 21FEB03	DATA TECH : MW	ORGN SYMBOL : LGECC	PR NR :	APPLICATION: C-5	PAGE 2 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4W14177-155A	NOUN : FAIRING,AIRCRAFT	NSN : 1560008246473UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
								CD ROM

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)
THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

EXPORT CONTROL

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE :	DATA TECH :	ORGN SYMBOL :	PR NR :	APPLICATION:	PAGE
24FEB03	RF	LGECC		C-5	1 OF 2

CAGE:	MANUFACTURER NAME:	REFERENCE NR:	NOUN :	NSN :
98897	LOCKHEED CORP LOCKHEED-GEORGIA CO	4W14175-149A	FAIRING,AIRCRAFT	1560008246425UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4W14175 /	F	0001	0000	S		PANEL, WING FUS. FAIRING	
98897	DS 5025 /	AB	0025	0000	S	C	DRAWING INTERPRETATION	C/O ON 4W14175
98897	STM 22-506 /	B	0016	0000	S		GLASS FABRIC - EPOXY	C/O ON 4W14175
98897	4R13201 /	B	0254	0000	S		MASTER DIM. DATA - WING	C/O ON 4W14175
98897	4J00002 /	AC	0002	0000	S		SMOOTHNESS REQMNTS.	C/O ON 4W14175
98897	DS 30004 /		0000	0000			CANCELLED USE STP 51 302	C/O ON 4W14175
98897	STP 51-302 /	W	0043	0000	S	D	FORM & FAB SPEC.	C/O ON 4W14175
98897	STP 63-001 /		0000	0000			MARKING SPEC.	(NOT REQUIRED) USE MIL-STD-130
98897	MIL-STD-130 /		0000	0000	O	A	MARKING SPEC.	
98897	STP 60-102 & ECO 96C0006 /	J	0055	0000	S		ADHESIVE BONDING	C/O ON 4W14175
98897	STM 30-102 /	F	0026	0000	S		STRUCTURAL ADHESIVE	C/O ON 4W14175
98897	ER 8296 & ACC /	K	0075	0000	S		INSPECTION REQMNTS.	C/O ON 4W14175
98897	STP 60-401 /	J	0009	0000	S		SEALANT SPEC.	C/O ON 4W14175
98897	STP 54-101 /	W	0022	0000	S	D	HEAT TREAT - ALUMINUM	C/O ON 4W14175
98897	STM 28-102 /		0000	0000			CORE MATERIAL - ALUMINUM	(CANCELLED) USE MIL-C-7438
98897	MIL-C-7438 /		0000	0000	O	A	CORE MATERIAL - ALUMINUM	
98897	DS 30000 /	R	0009	0000	S		FINISH CODE	C/O ON 4W14175
98897	STP 58-209 /	L	0012	0000	S		ANODIZE - CHROMIC ACID	C/O ON 4W14175
98897	STP 59-201 /		0004	0000	S		PRIMER - ZINC CHROMATE	C/O ON 4W14175
98897	SPARES CONFIG: /		0000	0000				PER DRAWING EXCEPT OMIT ALL ATTACH HOLES.

CD ROM

ECONOMICS CHECK CC
RDET QUE # 25787
DISTRIBUTION CODE D
OF IMAGES
PR TECHNICIAN CC 3-10-03

EXPORT CONTROL

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 24FEB03	DATA TECH : RF	ORGN SYMBOL : LGECC	PR NR :	APPLICATION: C-5	PAGE 2 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4W14175-149A	NOUN : FAIRING,AIRCRAFT	NSN : 1560008246425UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697 2179, FAX NUMBER (215) 697 1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)
THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 14MAR02	DATA TECH : JL	ORGN SYMBOL : TILCB	PR NR :	APPLICATION: C-5	PAGE 1 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4F75226-134A	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560004981135UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	FINISH MM /		0000	0000				SEE STP57-401
98897	SPARE CONFIGURATION /		0000	0000				PER BLUEPRINT EXCEPT OMIT ALL ATTACH HOLES, ADD 0.060 EXCESS ENTIRE OUTSIDE
								PERIPHERY FOR TRIM ON NEXT ASSY.
98897	4F75226 /	B	0001	0000	S		PANEL, STRUCTURAL, AI	-134A
98897	4R13101 /	J	0376	0000	S		LOFT CONTOUR	
98897	STP60-301 & ACC /	K	0052	0000	S			
98897	STM30-105 TYPEIII /	E	0010	0000	S			
98897	STM07-306 TYPEI /	C	0005	0000	S			
98897	DS30000 /	R	0009	0000	S			
98897	ER8296 & ACC /	K	0075	0000	S			
98897	DS30009 /	F	0003	0000	S			
98897	STP51-304 /	H	0026	0000	S			
98897	STP60-401 /	J	0009	0000	S			
98897	STP54-200 & ACC /	F	0028	0000	S			
98897	STP63-001 & ACC /	P	0019	0000	S			
98897	4F75405 /	B	0003	0000	S		REF. DWG. DIM.	
98897	4F75002 /	J	0002	0000	S		REF. DWG.	
98897	STM22-503 TYPEII /	B	0009	0000	S			
98897	STP57-401 /	F	0009	0000	S		FINISH - MM	

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 14MAR02	DATA TECH : JL	ORGN SYMBOL : TILCB	PR NR :	APPLICATION: C-5	PAGE 2 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4F75226-134A	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560004981135UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.
WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)
THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 20DEC02	DATA TECH : JG	ORGN SYMBOL : LGECC	PR NR :	APPLICATION: C-5	PAGE 1 OF 1

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4F75390-166A	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560002251771UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	4F75390 /	F	0001	0000	S		(-166A) PANEL FAIRING	
98897	4F754-05 /	B	0003	0000	S	D	(REF) FAIRING BASIC DIM	
98897	4R13101 /	J	0376	0000	S		(REF) BASIC LOFT DATA	
98897	DS30000 /	R	0009	0000	S		CODES OF FINISHING	
98897	STP60-102 /	J	0047	0000	S		ADEHISE BONDING OF HONEYCOMB	
98897	96C0006 /	J	0008	0000	S		ECO'S	
98897	STP60-401 /	J	0009	0000	S		CASTING AND BONDING SPEC	
98897	STP63-001 /	P	0019	0000	S		MARKING SPEC.	
98897	DS30004 /		0000	0000			CANCELLED USE STP51-302	
98897	STP51-302 /	W	0043	0000	S		FORM AND FAB SPEC.	
98897	ER8296 /	K	0001	0000	S		INPECTION FOR BONDING	
98897	4F75002 /	N	0003	0000	S	D	AFT-MLG FAIR	
98897	4V41262 /	A	0001	0000	S		INSTL OF MOD	
98897	4F75545 /	G	0001	0000	S		(709A) SPLICE	
98897	STP58-209 /	L	0012	0000	S		ANODIZING OF ALUMINUM	
98897	STP59-201 /		0004	0000	S		PRIMER ZINC CHROMATE	

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.
WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 05FEB01	DATA TECH : RT	ORGN SYMBOL : TILCB	PR NR :	APPLICATION: C-5A/B	PAGE 1 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4F75390-165A	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560002251772UC

CAGE	DRAWING NUMBER		REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
98897	SPARES CONFIGURATION	/		0000	0000				OMIT ATTACH HOLES AND ALLOW 1/4" EXCESS ON ALL EDGES
98897	DS30004 & (ACC)	/		0000	0000	O			CANCELLED, STP51-303
98897	FINISH -1-1	/		0000	0000	O			SEE STP59-201
98897	FINISH -A	/		0000	0000	O			SEE STP58-209
98897	TT-P-1757	/	H	0000	0000	O			REV. H, 14 AUG. '72
98897	4F75390	/	F	0001	0000	S			-165A
98897	4F75545	/	G	0001	0000	S			C/O 4F75390, -709A
98897	4F75405	/	B	0003	0000	S			REF, DIM.
98897	4R13101	/	J	0376	0000	S			REF, LOFT DATA
98897	4V41262	/	A	0001	0000	S			MOD. DRW.
98897	4F75002	/	N	0002	0000	S			
98897	STP60-401	/	J	0009	0000	S			PROCESS SPEC, STM22-602
98897	STM22-602 & (ACC)	/	F	0013	0000	S			MAT'L. SPEC.
98897	STM22-506	/	B	0016	0000	S			MAT'L. SPEC., STM30-102
98897	STM30-102 & (ACC)	/	F	0027	0000	S			MAT'L. SPEC.
98897	STP60-102 & (ACC)	/	J	0075	0000	S			PROCESS SPEC., USE FOR C-5 ALSO
98897	ER8296 & (ACC)	/	K	0075	0000	S			INSPECTION
98897	STP63-001 & (ACC)	/	N	0009	0000	S			PROCESS SPEC.
98897	STP51-302 & (ACC)	/	U	0059	0000	S			PROCESS SPEC.
98897	STP54-101	/	W	0022	0000	S			PROCESS SPEC.
98897	DS30000	/	R	0009	0000	S			DESIGN STD.
98897	STP59-201	/		0004	0000	S			C/O DS30000, TT-P-1757, FINISH -1-1
98897	STP58-209 & (ACC)	/	L	0018	0000	S			FINISH -A

REVISION:

ENGINEERING DATA LIST

* HISTORY *

DATE : 05FEB01	DATA TECH : RT	ORGN SYMBOL : TILCB	PR NR :	APPLICATION: C-5A/B	PAGE 2 OF 2

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4F75390-165A	NOUN : PANEL,STRUCTURAL,AI	NSN : 1560002251772UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE STANDARDIZATION DOCUMENT ORDER DESK, 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA PA 19111-5094. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT SHALL BE CONDUCTED AS IDENTIFIED HEREIN."

THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

ENGINEERING DATA LIST REQUIREMENTS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X - DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

ENGINEERING DATA LIST		DATE 17 Jan 03	PAGE 1 OF 1 PAGE
NSN 1560-01-252-1098	REFERENCE NUMBER 4F75877-103D	CAGE AND NAME 98897 LOCKHEED	NOUN PANEL, STRUCTURAL
APPLICATION C-5	TECHNICIAN / ENGINEER D.DIXON MECHANICAL ENGINEERING TECH	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WR-ALC/LGECB 468-1185

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4F75877-103D	98897	G	1	M		-103D PANEL, STRUCTURAL UNDIMENSIONED - MYLAR AVAILABLE UPON REQUEST
LS5876	98897	D	1	S		LOCKHEED SPEC
LS7237	98897	D	1	S		LOCKHEED SPEC
LS5673	98897	- - - -	1	S		LOCKHEED SPEC
LS33916	98897	- - - -	1	S		LOCKHEED SPEC
LS249	98897	D	1	S		LOCKHEED SPEC
STSAE007	98897	E	2	S		LOCKHEED SPEC
STSAF009						SUPERSEDED BY LS35271
LS35271	98897	F	3	S		LOCKHEED SPEC
4F75847	98897	B	1	S		FITTING
STP56-105	98897	M	9	S		PROCESS SPEC
DS30002						USE 0581
0581	98897	AD	63	S		USE IN LIEU OF DS30002
DS5055						CANCELLED - USE STP52-726
STP52-726	98897	F	16	S		USE IN LIEU OF DS5055
4F20039	98897	C	1	S		REFERENCE DRAWING ONLY
DS30000	98897	R	9	S		LOCKHEED FINISH SPEC
DS30004						USE STP51-302
STP51-302	98897	W	43	S		USE IN LIEU OF DS30004
STP54-101	98897	W	22	S		PROCESS SPEC
STM22-502	98897	A	6	S		SPEC
STP61-202						CANCELLED - USE STM22-502, STM22-301, STP61-212, STP61-202

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

PLEASE NOTE: DRAWING 4F75877 HAS A TYPO ERROR IN THE TITLE BLOCK. THE DRAWING HAS THE CORRECT LOCKHEED NUMBER IN ALL OTHER PLACES WITHIN THE DRAWING. THE TITLE BLOCK HAS 4F76877 AND SHOULD BE 4F758877. LOCKHEED HAS BEEN CONTACTED FOR A CORRECTED COPY. THIS DRAWING IS IN THE PROCESS OF BEING CORRECTED.

PLEASE SEE ADDITIONAL ENGINEERING NOTES ATTACHED.

ENGINEERING DATA LIST *(Continuation)*

DATE	PAGE	OF	NSN	PURCHASE REQUEST NUMBER
17 Jan 03	2	2	1560-01-252-1098	

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
STM22-304 & RN	98897	- - -	13	S		SPEC
STP63-001 & VO1J	98897	P	20	S		PROCESS SPEC
LS35271	98897	F	3	S		USE IN LIEU OF STSAF009
STP59-602	98897	B	5	S		FINISH -R
STP58-208	98897	U	19	S		FINISH -AA
STP59-204	98897	B	9	S		FINISH -54
STP59-604	98897	B	9	S		FINISH -74
STM22-301						CANCELLED - USE STP61-213
STP61-212	98897	B	13	S		PROCESS SPEC
STP61-213 & V01	98897	J	12	S		PROCESS SPEC
DS30003						CANCELLED - USE STP51-400
STP51-501	98897	J	13	S		PROCESS SPEC
STP53-201 & V01J	98897	L	9	S		PROCESS SPEC
STP61-213 & V01	98897	J	12	S		PROCESS SPEC
STP51-400	98897	D	36	S		PROCESS SPEC
SPARE CONFIGURATIION Per B/P except omitt attach holes and leave 1/2 inch trim two sides opposite seal retainers and supports.						

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # 1560-01-252-1098

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

1560-01-252-1098

☐ THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

☐ FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.

☐ WHERE SPECIFIED, CHEM MILLING IS MANDATORY.

☐ DIGITAL LOFT DATA IS AVAILABLE AS INITIAL GRAPHICS EXCHANGE SPECIFICATIONS (IGES) FILES FOR DIRECT INPUT TO CAD/CAM SYSTEMS. THE SUCCESSFUL BIDDER, UPON WRITTEN REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO), MAY OBTAIN THIS DATA FOR MANUFACTURING PURPOSES.

☐ DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.

☒ WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES (SEE ATTACHMENT 1).

☐ AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".

☐ CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).

173

ENGINEERING DATA LIST		DATE 5 Feb 03	PAGE 1 OF 1 PAGE
NSN 1560-00-485-8702UC	REFERENCE NUMBER 4J31108-128A	CAGE AND NAME LOCKHEED// 1WL60/98897	NOUN PANEL, WING
APPLICATION C-5	TECHNICIAN / ENGINEER T. SMILEY	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WR-ALC/LGECB 468-9866

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4J31108	1WL60	C	1	S		-128A; TOP DRAWING
4J00002	1WL60	AC	2	S		ADDITIONAL DRAWING
4J30600	1WL60	K	2	S		ADDITIONAL DRAWING
4R23200	1WL60		185	S		ADDITIONAL DRAWING
DS30000	1WL60	R	9	S		REV DT 18 FEB 98
DS30004	1WL60					CANX; USE STP51-302
ER8296	1WL60	K	59	S		REV DT 1 AUG 87; +ACC
STM22-506	1WL60	B	16	S		REV DT 16 DEC 94
STM28-102	1WL60					CANX; USE MIL-C-7438
STM30-102	1WL60	F	26	S		REV DT 15 JUN 71
STP57-004	1WL60	J	8	S		REV DT 4 APR 89; +ACC
STP60-101	1WL60	J	52	S		REV DT 15 DEC 87
STP60-102	1WL60	J	56	S		REV DT 15 DEC 87; +ECO"s
STP60-401	1WL60	J	9	S		REV DT 15 AUG 90
STP63-001	1WL60	P	19	S		REV DT 29 MAR 01
STP51-302	1WL60	W	43	S		REV DT 16 AUG 01

CD ROM

JEDMICS CHECK GS
RDRT QUE # 24287
DISTRIBUTION CODE D
OF IMAGES
PR TECHNICIAN GS 25 FEB

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

SPARES CONFIG: PER B/P EXCEPT OMIT HOLES. ADD TRIM ALLOWANCE TO FWD PROFILE AND CUTOUTS ALSO ONE CORDWISE PROFILE.

EXPORT CONTROL

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN 1560-00-485-8702UC

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # 1560-00-485-8702UC

☒ **THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.**

☐ **FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.**

☐ **WHERE SPECIFIED, CHEM MILLING IS MANDATORY.**

☐ Digital Loft Data is available as Initial Graphics Exchange Specification (IGES) files for direct input to CAD/CAM Systems. The successful bidder, upon written request to the Procurement Contracting Officer (PCO), may obtain this DATA for manufacturing purposes.

☐ **DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.**

☒ **WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.**

☐ **AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".**

☐ **CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).**

☐ F-15 Loft Data Book provided for reference and inspection purposes only. Use of this book in conjunction with Digital (IGES Format) Loft Data, will provide the necessary information to ensure accurate Loft surface.

ENGINEERING DATA LIST		DATE 26 Feb 03	PAGE 1 OF 2 PAGE
NSN 1560-01-014-8033	REFERENCE NUMBER 4J31118-147A	CAGE AND NAME 98897/MCDONNELL DOUGLAS	NOUN PANEL,ASSY
APPLICATION	TECHNICIAN / ENGINEER T.AVINA	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WR-ACL/LGECA/468-0644

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4J31118-147A	98897	E	1	S		
4R23200	98897		185	S		REF CD ROM
4J00002	98897	AC	2	S		REF
4J30600	98897	K	2	S		REF
STM28-102	98897					USE MIL-C-7438
STP51-302	98897	W	43	S		
STP63-001	98897	P	19	S		
STP59-405	98897		9	S		
DS30004	98897					USE STP51-302
STP60-401	98897	J	9	S		
ER8296	98897	K	75	S		
STM30-102	98897	F	26	S		
STP60-101	98897	J	52	S		
DS30003	98897					USE STP51-400
DS30000	98897	R	9	S		
STM22-602	98897	F	12	S		
DS5055	98897					USE STP52-726
STP57-004	98897	J	8	S		
STM22-506	98897	B	16	S		
STP52-726	98897	F	16	S		
STP51-400	98897	D	36	S		
MIL-C-7438	81349	G		O		REV DATE 26-FEB-1986
STP58-209	98897	L	12	S		
STP58-408	98897	G	5	S		
STP59-204	98897	B	9	S		

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

FINISHES: "A" USE STP58-209
"FA" USE STP58-408
"54" USE STP59-204(1)
"71" USE STP59-405

JEDMICS CHECK GS
RDRT QUE # 24423
DISTRIBUTION CODE B
OF IMAGES
PR TECHNICIAN GS26FEB03

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

ENGINEERING DATA LIST *(Continuation)*

DATE	PAGE	OF	NSN	PURCHASE REQUEST NUMBER
26 Feb 03	2	2	1560-01-014-8033	

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
DS5025	98897	AB	25		C	CD ROM

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

EXPORT CONTROL

WR-ALC/TIL FORM 0-762A, OCT 97 *(EF)*

NSN # 1560-01-014-8033

☐ THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

☐ FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.

☐ WHERE SPECIFIED, CHEM MILLING IS MANDATORY.

☐ DIGITAL LOFT DATA IS AVAILABLE AS INITIAL GRAPHICS EXCHANGE SPECIFICATIONS (IGES) FILES FOR DIRECT INPUT TO CAD/CAM SYSTEMS. THE SUCCESSFUL BIDDER, UPON WRITTEN REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO), MAY OBTAIN THIS DATA FOR MANUFACTURING PURPOSES.

☒ DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.

☐ WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES (SEE ATTACHMENT 1).

☐ AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".

☐ CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # 1560-01-014-8033

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

ENGINEERING DATA LIST		DATE 27 Jan 03	PAGE 1 OF 1 PAGE
NSN 1560-01-116-1921UC	REFERENCE NUMBER 4J31112-162A	CAGE AND NAME 98897 LOCKHEED	NOUN PANEL ASSY, WING
APPLICATION C-5	TECHNICIAN / ENGINEER MWILLS	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WRALC/LGECC/6-1183

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4J31112	98897	E	1	S	-	-162A PANEL ASSY.
DS30004		-		-	-	CANCELLED--USE STP51-302
STP63-001		-		-	-	USE MIL STD 130
STP57-004		J	8	S	N	SURFACE PREP.
LS38491		B	1	S	-	EXTRUSION
LS38496		B	1	S	-	EXTRUSION
STP51-302		W	43	S	D	
DS30003		-		-	-	CANCELLED--USE STP51-400
4J00002		AC	2	S	-	SMOOTHNESS REQUIREMENTS
4R23200		-	185	S	-	LOFT DATA
STP60-101		J	52	S	-	
STM30-102		F	26	S	-	
ER8296		K	78	S	-	
STP60-401		J	9	S	-	SEAL BOND
DS30000		R	9	S	-	
STM22-602		F	12	S	-	
DS5055		-		-	-	CANCELLED--USE STP52-726
STP58-209		L	12	S	-	FINISH A
STP58-408		G	5	S	-	FINISH FA
STP59-204		B	9	S	-	FINISH 54
STM37-305		A	8	S	-	FINISH 71
STP59-405		-	9	S	-	FINISH 71
STP52-726		F	16	S	-	DS5055
STP51-400		D	36	S	-	DS30003

CD ROM

JEDMICS CHECK GS
RQMT QUE # 26220
DISTRIBUTION CODE B
OF IMAGES
PR TECHNICIAN GS 13 MAR 03

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

SEE ATTACHED GENERAL NOTES
IMPRESSION STAMPING NOT PERMITTED
SPARES CONFIGURATION--PER BLUEPRINT EXCEPT OMIT HOLES. ADD TRIM ALLOWANCE ON ALL PROFILES EXCEPT IN AREA OF AFT BONDED CHANNEL.

EXPORT CONTROL

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # 1560-01-116-1921UC

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # 1560-01-116-1921UC

☒ THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

☐ FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.

☐ WHERE SPECIFIED, CHEM MILLING IS MANDATORY.

☐ DIGITAL LOFT DATA IS AVAILABLE AS INITIAL GRAPHICS EXCHANGE SPECIFICATIONS (IGES) FILES FOR DIRECT INPUT TO CAD/CAM SYSTEMS. THE SUCCESSFUL BIDDER, UPON WRITTEN REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO), MAY OBTAIN THIS DATA FOR MANUFACTURING PURPOSES.

☐ DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.

☒ WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE REPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES (SEE ATTACHMENT 1).

☐ AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".

☐ CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).

☐ F-15 LOFT DATA BOOK PROVIDED FOR REFERENCE AND INSPECTION PURPOSES ONLY. USE OF THIS BOOK, IN CONJUNCTION WITH DIGITAL (IGES FORMAT) LOFT DATA, WILL PROVIDE THE NECESSARY INFORMATION TO ENSURE ACCURATE LOFT SURFACE.

ENGINEERING DATA LIST

DATE	PAGE 1 OF 2 PAGE
24 Feb 03	

NSN	REFERENCE NUMBER	CAGE AND NAME	NOUN
1560-00-161-4134	4J52007-238C	LOCKHEED//98897/1WL60	PANEL,TRAILING EDGE,WING
APPLICATION	**TECHNICIAN / ENGINEER**	**PURCHASE REQUEST NUMBER**	**PREPARING ACTIVITY / PHONE**
C-5	T. SMILEY		WR-ALC/LGECB 468-9866

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4J52007	98897	H	3	S		-238C; TOP DRAWING
---	---	---		---	---	---
4J53094	98897	B	1	S		ADDITIONAL DRAWING
4R23300	98897	C	98	S		MASTER DIM DRAWING
4R23305	98897		1	S		ADDITIONAL DRAWING
DS30000	98897	R	9	S		REV DT 18 FEB 98
DS30004						CANX; USE STP51-302
DS5055						CANX; USE ST P52-726
ER8296	98897	K	75	S		ADDITIONAL DRAWING
STM22-506	98897	B	16	S		REV DT 16 DEC 94
STM28-102				O		CANX; USE MIL-C-7438
STM30-102	98897	F	26	S		REV DT 15 JUN 71
STP51-302	98897	W	43	S		REV DT 8 SEPT 99
STP63-001	98897	P	19	S		REV DT 29 MAR 01
STP60-102	98897	J	56	S		REV DT 15 DEC 87; +ECO'S
STP60-401	98897	J	9	S		REV DT 16 AUG 90
STP56-726	98897	F	16	S		REV DT 19 AUG 99
DS3002						CANX; USE 0581
DS30003						CANX; USE STP51-400
DS30006						CANX; USE STP52-708
STP56-107	98897	M	27	S		REV DT 15 OCT 85
0581	98897	AD	63	S	D	REV DT 2 OCT 01; PDF FILE; EXPORT CONTROL
STP51-400	98897	D	36	S		REV DT 7 MAY 99
STP52-708	98897	K	30	S		REV DT 15 MAR 87

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

SPARES CONFIG: PER B/P EXCEPT PROVIDE 1/8 " EXCESS ALL SIDES.

JEDMICS CHECK GS

RDRT QUE # 24184

DISTRIBUTION CODE B

 # OF IMAGES

PR TECHNICIAN GS 24FEB03

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN 1560-01-161-4134

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ *THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES.* MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

ENGINEERING DATA LIST *(Continuation)*

DATE	PAGE	OF	NSN	PURCHASE REQUEST NUMBER
24 Feb 03	2	2	1560-00-161-4134	

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
STP59-405	98897		9	S		PUB DT 30 NOV 66
FINISHES						
F						USE MIL-C-5541, CLS 1A
A						USE MIL-A-8625,TY I, CLS I
AA						USE MIL-A-8625
46						USE SAE AMS-C-27725
54						USE MIL-PRF-23377
71						USE STP59-405
						CD ROM

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

EXPORT CONTROL

NSN # 1560-01-161-4134

☒ **THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.**

☐ **FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.**

☐ **WHERE SPECIFIED, CHEM MILLING IS MANDATORY.**

☐ Digital Loft Data is available as Initial Graphics Exchange Specification (IGES) files for direct input to CAD/CAM Systems. The successful bidder, upon written request to the Procurement Contracting Officer (PCO), may obtain this DATA for manufacturing purposes.

☐ **DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.**

☒ **WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.**

☐ **AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".**

☐ **CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).**

☐ F-15 Loft Data Book provided for reference and inspection purposes only. Use of this book in conjunction with Digital (IGES Format) Loft Data, will provide the necessary information to ensure accurate Loft surface.

ENGINEERING DATA LIST		DATE 24 Feb 03	PAGE 1 OF 2 PAGE
NSN 1560-01-116-2222 UC	REFERENCE NUMBER 4J50012-115C	CAGE AND NAME 98897 LOCKHEED MARTIN CORP.	NOUN PANEL ASSY.
APPLICATION C -5 ACFT	TECHNICIAN / ENGINEER R FOWLER	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WRALC/LGECC (478) 926-1183

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

D ROM

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4J50012 (-115C)	98897	AA	5	S	-	PANEL -FIXED T/E
LS 35504	98897	A	1	S	-	HALF HINGE -EXTRUDED
DS 5025	98897	AB	25	S	C	DRAWING INTERPRETATION
4J52008 (-111C)	98897	G	3	S	-	PANEL -FIXED T/E
DS 30003 (CANCELLED)	98897					USE STP 51 -400
STP 51 -400	98897	D	36	S		MACHINING SPEC.
STP 63 -001	98897	P	19	S	-	MARKING SPEC.
STP 56 -105	98897	M	9	S	-	WET FASTENER INSTL.
DS 30000	98897	R	9	S	-	FINISH CODE
STP 58 -208	98897	U	19	S	-	ANODIZE -SULFURIC ACID
STP 62 -005	98897	E	8	S	-	LUBRICANT -SOLID FILM
STP 59 -204	98897	B	9	S	-	PRIMER, EPOXY
STP 59 -405	98897		9	S	-	ENAMEL, EPOXY
DS 30002 (CANCELLED)	98897					USE SPEC. 0581
DS 5055 (CANCELLED)	98897					USE STP 52 -726
DS 30006 (CANCELLED)	98897					USE STP 52 -713
STP 52 -713	98897	J	36	S	-	FASTENER INSTL.
LS 38488	98897		1	S	-	HINGE SECTION - EXTRUDED
DS 30004 (CANCELLED)	98897					USE STP 51 -302
STP 51 -302	98897	W	43	S	D	FORM & FAB SPEC.
STM 28 -102 (CANCELLED)	98897					USE MIL -C -7438 F
4R23300	98897	C	98	S	-	MASTER DIMENSION DATA
4J50016	98897	A	1	S	-	BASIC DIMENSION - O/WING T/E
STP 60 -102	98897	J	47	S	-	ADHESIVE BONDING - H/COMB
ECO 96C0006	98897		8	S		ENG. CHANGES TO STP 60 -102

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

CONTINUED ON 762A.....

XPORT CONTROL

NSN # **1560-01-116-2222 UC**

[ ] FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III

[ ] WHERE SPECIFIED, CHEM MILLING IS MANDATORY.

[ ] DIGITAL LOFT DATA IS AVAILABLE AS INITIAL GRAPHICS EXCHANGE SPECIFICATIONS (IGES) FILES FOR DIRECT INPUT TO CAD/CAM SYSTEMS. THE SUCCESSFUL BIDDER, UPON WRITTEN REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO), MAY OBTAIN THIS DATA FOR MANUFACTURING PURPOSES.

[ ] DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____

[X] WARNING – THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22 U.S.C. SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES (SEE ATTACHMENT 1).

[X] AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".

ENGINEERING DATA LIST *(Continuation)*

DATE	PAGE	OF	NSN	PURCHASE REQUEST NUMBER
24 Feb 03	2	2	1560-01-116-2222 UC	

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
STM 30 -102	98897	F	26	S	-	STRUCTURAL ADHESIVE
ER 8296 & APPENDIX J	98897	K	75	S	-	INSP. REQMNTS -Bonded Assy.
4R20000	98897	C	187	S	-	MASTER DIM. DATA - WING
DS 5191 (-1B)	98897	C	1	S	-	SCREW INSTL.
STM 22 -506	98897	B	16	S	-	MATERIAL SPEC.
4R23305	98897		1	M	-	LOFT DATA
0581	98897	AD	63	S	D	FASTENER INSTL.
STP 52 -726	98897	F	16	S	-	FASTENER INSTL.
*** END OF LIST ***						

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

*** SPARES CONFIGURATION : PER B/P - MINOR TRIM REQUIRED ON INSTL.

SEE ATTACHED GENERAL NOTES FOR APPLICABLE INFORMATION.

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # 1560-01-116-2222 UC

GENERAL NOTES:

[X] ALL GOVERNMENT DOCUMENTS (I.E., MIL-SPECS, FED SPECS, STANDARDS, ETC.) NOTES, CITED, OR OTHERWISE REFERENCED IN THIS PROCUREMENT PACKAGE ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. CONTRACTOR MAY OBTAIN COPIES OF SPECIFICATIONS AND STANDARDS BY WRITING TO THE *DEPARTMENT OF THE NAVY, STANDARDIZATION DOCUMENT DESK, 700 ROBBINS AVENUE, BUILDING 94, SECTION D, PHILADELPHIA PA 19111-5094.* WHEN A CANCELLED GOVERNMENT DOCUMENT IS SUPERSEDED BY ANOTHER GOVERNMENT DOCUMENT, THE SUPERSEDING GOVERNMENT DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED WITHIN THIS DOCUMENT (AFMC FORM 762).

[X] DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

[X] THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

[ ] THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

[ ] THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED APPROVED SOURCES.

[ ] IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

[ ] THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

[ ] THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-155°C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

[X] THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

ENGINEERING DATA LIST		DATE 21 Feb 03	PAGE 1 OF 1 PAGE
NSN 1560-00-486-8791	REFERENCE NUMBER 4J31104-115A	CAGE AND NAME 98897 LOCKHEED AIRCRAFT CORP.	NOUN PANEL, UPPER, INNER W
APPLICATION C-5	TECHNICIAN / ENGINEER J LUDWIG /	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WR-ALC / LGECB 468-9866

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4J31104	98897	C	1	S		-115A, PANEL, ASSY OF
4R23200	98897	-	185	S		LOFT DATA
4J00002	98897	AC	2	S		SMOOTHNESS REQUIREMENTS
4J30600	98897	K	2	S		REFERENCE DRAWING
STM22-506	98897	B	16	S		MATERIAL SPEC.
STM28-102	98897					CANCELLED,USE MIL-C-7438
STM30-102	98897	F	26	S		MATERIAL SPEC.
DS30000	98897	R	9	S		DESIGN STANDARD
DS30004	98897	-		-		CANCELLED, USE STP51-302
STP51-302	98897	W	43	S	D	PDF FILE,use in lieu of DS30004
MIL-C-7438G(1) 26 FEB 86	81349	G		O		PDF FILE,use in lieu of STM28-102
DS5025	98897	AB	25	S		DESIGN STANDARD
STP57-004	98897	J	8	S		PROCESS SPEC.
STP63-001	98897	P	19	S	D	IMPRESS STAMP NOT PERMITTED
STP60-401	98897	J	9	S		PROCESS SPEC.
STP60-101	98897	J	52	S		PROCESS SPEC.
ER8296 & ACC	98897	K	75	S		
FINISH SPECIFICATIONS						FA-54-71
STP58-408	98897	G	5	S		FINISH -FA
STP59-204	98897	B	9	S		FINISH -54
STP59-405	98897	-	9	S		FINISH -71
SPARES CONFIGURATION	98897					PER B/P EXCEPT OMIT HOLES, ADD TRIM ALLOWANCE TO FWD PROFILE AND CUTOUTS, ALSO ONE CORDWISE PROFILE.

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

PLEASE SEE ATTACHED ENGINEERING NOTES.

CD ROM

EXPORT CONTROL

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

176

ENGINEERING DATA LIST		DATE 14 Feb 03	PAGE 1 OF 1 PAGE
NSN 1560-00-485-1955UC	REFERENCE NUMBER 4J31107-116A	CAGE AND NAME LOCKHEED//1WL60/98897	NOUN PANEL, WING, FLAT
APPLICATION C-5	TECHNICIAN / ENGINEER T. SMILEY	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WR-ALC/LGECB 468-9866

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER; [illegible] COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

CD ROM

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4J31107	1WL60	C	1	S		-116A: TOP DRAWING
---	---	---		---	---	---
4J00002	1WL60	AC	2	S		ADDITIONAL DRAWING
4J30600	1WL60	K	2	S		ADDITIONAL DRAWING
4R23200	1WL60		185	S		ADDITIONAL DRAWING
DS30000	1WL60	R	9	S		REV DT 18 FEB 98
DS30004						CANX; USE STP51-302
ER8296	1WL60	K	75	S		REV DT 1 AUG 87; +ACC
STM22-506	1WL60	B	16	S		REV DT 16 DEC 94
STM28-102						CANX; USE MIL-C-7438F
STM30-102	1WL60	F	26	S		REV DT 15 JUN 71
STP57-004	1WL60	J	8	S		REV DT 4 APR 89
STP60-101	1WL60	J	52	S		REV DT 15 DEC 87
STP60-102	1WL60	J	55	S		REV DT 15 DEC 87; +ECO's
STP60-401	1WL60	J	9	S		REV DT 15 AUG 90
STP63-001	1WL60	P	19	S		REV DT 29 MAR 01
STP51-302	1WL60	W	43	S		REV DT 8 SEPT 99
4R20000	1WL60	C	187	S		ADDITIONAL DRAWING
STP59-405	1WL60		9	S		PUB DT 30 NOV 66
FINISHES						
A	891349					USE MIL-A-8625
F	81349					USE MIL-C-5541
54	81349					USE MIL-PRF-23377,TYI,CLS C
71						USE STP59-405

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

SPARES CONFIG: PER B/P. EXCEPT OMIT ALL HOLES. ADD TRIM ALLOWANCE TO FWD PROFILE AND CUT OUT. ALSO ONE CORDWISE PROFILE.

SPECIAL TOOLING REQUIRED PER SYSTEM ENGINEER.

EXPORT CONTROL

ALLOCS CHECK CL

RDIT QUE # 24591

DISTRIBUTION CODE D

OF IMAGES

PR TECHNICIAN CL 2-27-03

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN 1560-00-485-1955UC

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # 1560-00-485-1955UC

☒ **THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.**

☐ **FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.**

☐ **WHERE SPECIFIED, CHEM MILLING IS MANDATORY.**

☐ Digital Loft Data is available as Initial Graphics Exchange Specification (IGES) files for direct input to CAD/CAM Systems. The successful bidder, upon written request to the Procurement Contracting Officer (PCO), may obtain this DATA for manufacturing purposes.

☐ **DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.**

☒ **WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.**

☐ **AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".**

☐ **CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).**

☐ F-15 Loft Data Book provided for reference and inspection purposes only. Use of this book in conjunction with Digital (IGES Format) Loft Data, will provide the necessary information to ensure accurate Loft surface.

162

ENGINEERING DATA LIST		DATE 25 Feb 03	PAGE 1 OF 4 PAGE
NSN 1560-01-121-6504	REFERENCE NUMBER 4J50012-112C	CAGE AND NAME 98897/LOCKHEED MARTIN CORPORATION	NOUN PANEL,STRUCTURAL
APPLICATION C-5	TECHNICIAN / ENGINEER G.SULLIVAN	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WR-ALC/LGECA 468-0644

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4J50012	98897	AA	5	S		
DS5025	98897	AB	25	S	C	
LS35504	98897	A	1	S		CD ROM
DS30000	98897	R	9	S		
STP63-001	98897	P	19	S		
DS30003	98897					USE STP51-400
STP56-105	98897	M	9	S		
DS30002	98897					USE 0581
DS5055	98897					USE STP52-726
DS30006	98897					USE DS30031
LS38550	98897		1	S		
4J53023	98897	A	1	S		
4J52008	98897	G	3	S		
STSAE021	98897	E	3	S		
STSAE020	98897					USE HL23
DS5191	98897	C	1	S		
D4M00200	98897	E	3	S		
4J83013	98897	B	1	S		
LS35090	98897	H	2	S		
STP51-400	98897	D	36	S		
0581	98897	AD	63	S	D	
STP52-726	98897	F	16	S		
DS30031	98897	A	27	S		
STP56-107	98897	M	27	S		
DS30004	98897					USE STP51-302

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

EXPORT CONTROL

JEDMICS CHECK CC
RDRT QUE # 24368
DISTRIBUTION CODE B
OF IMAGES
PR TECHNICIAN G 2-25-03

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

ENGINEERING DATA LIST *(Continuation)*

DATE	PAGE	OF	NSN	PURCHASE REQUEST NUMBER
25 Feb 03	2	4	1560-01-121-6504	

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
STP51-302	98897	W	43	S	D	
HL23	98897		2	S	D	
LS37824	98897		1	S		
STP59-204	98897	B	9	S		
STM37-305	98897	A	8	S		
STP59-405	98897		9	S		
STP58-208	98897	U	19	S		
STP62-005	98897	E	8	S		
STP59-201	98897		4	S		
STP59-505	98897	D	11	S		

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

FINISH: "54" USE STP59-204
"71" USE STM37-305, STP59-405
"AA" USE STP58-208
"53" USE STP62-005
"1" USE STP59-201
"46" USE STP59-505

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # 1560-01-121-6504

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # 1560-01-121-6504

☐ **THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.**

☐ **FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.**

☐ **WHERE SPECIFIED, CHEM MILLING IS MANDATORY.**

☐ Digital Loft Data is available as Initial Graphics Exchange Specification (IGES) files for direct input to CAD/CAM Systems. The successful bidder, upon written request to the Procurement Contracting Officer (PCO), may obtain this DATA for manufacturing purposes.

☐ **DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.**

☒ **WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.**

☒ **AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".**

☐ **CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).**

☐ F-15 Loft Data Book provided for reference and inspection purposes only. Use of this book in conjunction with Digital (IGES Format) Loft Data, will provide the necessary information to ensure accurate Loft surface.

163

ENGINEERING DATA LIST

DATE 26 Feb 03			PAGE 1 OF PAGE
NSN 1560-00-486-8793	REFERENCE NUMBER 4J31105-115A	CAGE AND NAME 98897/MCDONNELL DOUGLAS	NOUN PANEL,STRUCTURAL
APPLICATION	TECHNICIAN / ENGINEER T.AVINA	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WR-ACL/LGECA/468-0644

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4J31105-115A	98897	D	1	S		
4J00002	98897	AC	2	S		REF
4R22200	98897	A	260	S		REF
4J30600	98897	K	2	S		REF
STM22-506	98897	B	16	S		
STP57-004	98897	J	8	S		
STP63-001	98897	P	19	S		IMPRESSION STAMPING NOT PERMISSIBLE
DS30000	98897	R	9	S		
STP60-401	98897	J	9	S		
STM30-102	98897	F	26	S		
STP60-101	98897	J	52	S		
DS30004	98897					USE STP51-302
STP51-302	98897	W	43	S		
STM28-102	98897					USE MIL-C-7438
MIL-C-7438	81349	G		O		REV DATE 26-FEB-86
STP58-408	98897	G	5	S		
STP59-204	98897	B	9	S		
STP59-405	98897		9	S		

CD ROM

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

FINISHES: "FA" USE STP58-408
"54" USE STP59-204(1)
"71" USE STP59-405

EXPORT CONTROL

JEDMICS CHECK GS
RDRT QUE # 24462
DISTRIBUTION CODE D
OF IMAGES
PR TECHNICIAN GS 26FEB03

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # 1560-00-486-8793

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # 1560-00-486-8793

☐ THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

☐ FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.

☐ WHERE SPECIFIED, CHEM MILLING IS MANDATORY.

☐ DIGITAL LOFT DATA IS AVAILABLE AS INITIAL GRAPHICS EXCHANGE SPECIFICATIONS (IGES) FILES FOR DIRECT INPUT TO CAD/CAM SYSTEMS. THE SUCCESSFUL BIDDER, UPON WRITTEN REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO), MAY OBTAIN THIS DATA FOR MANUFACTURING PURPOSES.

☒ DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.

☐ WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES (SEE ATTACHMENT 1).

☐ AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".

☐ CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).

ENGINEERING DATA LIST		DATE 24 Jan 03	PAGE 1 OF 1 PAGE
NSN 1560-01-014-8031UC	REFERENCE NUMBER 4J31117-149A	CAGE AND NAME 98897 LOCKHEED	NOUN PANEL ASSY.,TE
APPLICATION C5	TECHNICIAN / ENGINEER MWILLS	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WRALC/LGECC/6-1183

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4J31117	98897	D	1	S	-	-149A PANEL ASSY.
DS30004		-		-	-	CANCELLED--USE STP51-302
STP63-001		-		-	-	USE MIL STD 130
STP57-004		J	8	S	-	SURFACE PREP
LS38491		B	1	S	-	EXTRUSION
DS30000		R	9	S	-	FINISH SPEC
DS30003		-		-	-	CANCELLED--USE STP51-400
STP51-302		W	43	S	D	
STP60-401		J	9	S	-	SEAL BOND
STP60-101		J	52	S	-	
STM30-102		F	26	S	-	TYPE I
ER8296		K	78	S	-	
STM22-602		F	12	S	-	
DS5055		-		-	-	CANCELLED--USE STP52-726
STM28-102		-		-	-	CANCELLED--USE MIL-C-7438F
4R23200		-	185	S	-	LOFT DATA
4J00002		AC	2	S	-	SMOOTHNESS REQUIREMENTS
DS5025		AB	25	S	C	ABBREVIATIONS
STP58-209		L	12	S	-	FINISH 'A'
STP51-400		D	36	S	-	DS30003
STP58-408		G	5	S	-	FINISH 'FA'
STP59-204		B	9	S	-	FINISH '54'
STM37-305		A	8	S	-	FINISH '71'
STP59-405		-	9	S	-	FINISH '71'
STP52-726		F	16	S	-	DS5055

REMARKS / NOTES *(Continue on WR ALC/TIL FORM 0-762A)*

SEE ATTACHED GENERAL NOTES
IMPRESSION STAMPING NOT PERMISSIBLE
SPARES CONFIGURATION--PER BLUEPRINT EXCEPT OMIT HOLES AND ADD TRIM ALLOWANCE ON ALL PROFILE EXCEPT IN AREA OF AFT BONDED CHANNEL. DRILLED HOLES OMITTED, 1/2" EXCESS TRIM

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # 1560-01-014-8031UC

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # **1560-01-014-8031UC**

☒ THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

☐ FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.

☐ WHERE SPECIFIED, CHEM MILLING IS MANDATORY.

☐ DIGITAL LOFT DATA IS AVAILABLE AS INITIAL GRAPHICS EXCHANGE SPECIFICATIONS (IGES) FILES FOR DIRECT INPUT TO CAD/CAM SYSTEMS. THE SUCCESSFUL BIDDER, UPON WRITTEN REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO), MAY OBTAIN THIS DATA FOR MANUFACTURING PURPOSES.

☐ DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.

☒ WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE REPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES (SEE ATTACHMENT 1).

☐ AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".

☐ CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).

172

ENGINEERING DATA LIST

DATE 25 Feb 03			PAGE 1 OF 2 PAGE
NSN 1560-00-485-1542 UC	REFERENCE NUMBER 4J31111-150A	CAGE AND NAME 98897 LOCKHEED MARTIN CORP.	NOUN PANEL, UPPER SURFACE
APPLICATION C-5 ACFT	TECHNICIAN / ENGINEER R FOWLER	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WRALC/LGECC (478) 926-1183

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

CD ROM

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4J31111 & ECO 2002C0001	98897	E	2	S	-	(-150A) PANEL, UPPER SURFACE
DS 5025	98897	AB	25	S	C	DRAWING INTERPRETATION
LS 38492	98897	A	1	S	-	CHANNEL - EXTRUDED
4R23200	98897		185	S	-	MASTER DIM. DATA - WING
4J00002	98897	AC	2	S	-	SMOOTHNESS REQMNTS
4J30600 (REFERENCE)	98897	K	2	S	-	SURFACE PANEL, UPPER
STP 60-101	98897	J	52	S	-	ADHESIVE BONDING
STP 57-004	98897	J	8	S	-	SURFACE PREP
STM 28-102 (CANCELLED)	98897					USE MIL-C-7438
STM 22-506	98897	B	16	S	-	GLASS FABRIC EPOXY
DS 5055 (CANCELLED)	98897					USE STP 52-726
STP 52-726	98897	F	16	S	-	FASTENER INSTL
STP 60-401	98897	J	9	S	-	SEALING SPEC.
STM 22-602	98897	F	12	S	-	RESIN - PLASTIC CASTING
DS 30003 (CANCELLED)	98897					USE STP 51-400
STP 51-400	98897	D	36	S	-	MACHINING SPEC.
STM 30-102	98897	F	26	S	-	STRUCTURAL ADHESIVE
DS 30004 (CANCELLED)	98897					USE STP 51-302
STP 51-302	98897	W	43	S	D	FORM & FAB SPEC.
ER 8296 & APPENDIX J	98897	K	75	S	-	INSP. REQMNTS
STP 63-001	98897	P	19	S	-	MARKING SPEC.
DS 30000	98897	R	9	S	-	FINISH CODE
4R20000	98897	C	187	S	-	MASTER DIM. DATA - WING
FINISHES:						
"FA" = STP 58-408	98897	G	5	S	-	CHEMICAL FILM - ALUMINUM

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

CONTINUED..... ....

EXPORT CONTROL

JEDMICS CHECK Cc

REQT QUE # 24329

DISTRIBUTION CODE B

OF IMAGES

PE TECHNICIAN Cc 2-25-03

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

ENGINEERING DATA LIST *(Continuation)*

DATE	PAGE	OF	NSN	PURCHASE REQUEST NUMBER
25 Feb 03	2	2	1560-00-485-1542 UC	

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
"54" = STP 59 -204	98897	B	9	S	-	PRIMER, EPOXY
"71" = STP 59 -405	98897		9	S	-	ENAMEL, EPOXY
"A" = STP 58 -209	98897	L	12	S	-	ANODIZE, CHROMIC ACID
*** END OF LIST ***						
SPARES CONFIGURATION:						
SEE ECO 2002C0001						

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

SEE ATTACHED GENERAL NOTES FOR APPLICABLE INFORMATION.

WR-ALC/TIL FORM 0-762A, OCT 97 *(EF)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # 1560-00-485-1542 UC

GENERAL NOTES:

[X] ALL GOVERNMENT DOCUMENTS (I.E., MIL-SPECS, FED SPECS, STANDARDS, ETC.) NOTES, CITED, OR OTHERWISE REFERENCED IN THIS PROCUREMENT PACKAGE ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. CONTRACTOR MAY OBTAIN COPIES OF SPECIFICATIONS AND STANDARDS BY WRITING TO THE *DEPARTMENT OF THE NAVY, STANDARDIZATION DOCUMENT DESK, 700 ROBBINS AVENUE, BUILDING #4, SECTION D, PHILADELPHIA PA 19111-5094* WHEN A CANCELLED GOVERNMENT DOCUMENT IS SUPERSEDED BY ANOTHER GOVERNMENT DOCUMENT, THE SUPERSEDING GOVERNMENT DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED WITHIN THIS DOCUMENT (AFMC FORM 762).

[ ] DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

[X] THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS

[ ] THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

[ ] THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

[ ] IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

[ ] THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

[ ] THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

[X] THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

NSN # **1560-00-485-1542 UC**

[ ] FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.

[ ] WHERE SPECIFIED, CHEM MILLING IS MANDATORY.

[ ] DIGITAL LOFT DATA IS AVAILABLE AS INITIAL GRAPHICS EXCHANGE SPECIFICATIONS (IGES) FILES FOR DIRECT INPUT TO CAD/CAM SYSTEMS. THE SUCCESSFUL BIDDER, UPON WRITTEN REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO), MAY OBTAIN THIS DATA FOR MANUFACTURING PURPOSES.

[ ] DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.

[X] WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE REPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES (SEE ATTACHMENT 1).

[X] AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".

[ ] CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).

[ ] F-15 LOFT DATA BOOK PROVIDED FOR REFERENCE AND INSPECTION PURPOSES ONLY. USE OF THIS BOOK IN CONJUCTION WITH DIGITAL (IGES FORMAT) LOFT DATA, WILL PROVIDE THE NECESSARY INFORMATION TO ENSURE ACCURATE LOFT SURFACE.

ENGINEERING DATA LIST		DATE 3 Mar 03	PAGE 1 OF 1 PAGE
NSN 1560-00-146-3375UC	REFERENCE NUMBER 4J22067-101D	CAGE AND NAME 98897/LOCKHEED	NOUN PANEL, WING TIP
APPLICATION C-5	TECHNICIAN / ENGINEER B FOWLER	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE LGECA/468-0644

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4J22067	98897	J	1	S		
4E79050	98897	C	2	S		
4J00002	98897	AC	2	S		
4R23305	98897	--	1	M		
4R23306	98897	--	1	M		
4R24000	98897	C	189	S		
LS 173	36659	B	1	S		
DS 5025	98897	AB	25	S	C	
DS 30000	98897	R	9	S		
DS 30002 (CANCELLED)						USE 0581
DS 30004 (CANCELLED)						USE STP 51-302
STP 63-001 & ACC	98897	P	20	S	D	
STP 51-302 & ACC	98897	W	59	S	D	
STP 54-101	98897	W	34	S	D	
STP 56-107	98897	M	27	S		
STP 56-505	98897	F	13	S		
STP 55-005 & ACC	98897	G	44	S		
0581	98897	AD	63	S	D	
FINISH:						
"A" STP 58-209 & ACC	98897	L	18	S		
"54" STP 59-204	98897	B	9	S		
"71" STP 59-405	98897	--	9	S		

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # **1560-00-146-3375UC**

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☒ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # **1560-00-146-3375UC**

☒ THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

☐ FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.

☐ WHERE SPECIFIED, CHEM MILLING IS MANDATORY.

☐ **Digital Loft Data is available as Initial Graphics Exchange Specification (IGES) files for direct input to CAD/CAM Systems. The successful bidder, upon written request to the Procurement Contracting Officer (PCO), may obtain this DATA for manufacturing purposes.**

☐ DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.

☒ WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.

☐ AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".

☐ CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).

☐ **F-15 Loft Data Book provided for reference and inspection purposes only. Use of this book in conjunction with Digital (IGES Format) Loft Data, will provide the necessary information to ensure accurate Loft surface.**

ENGINEERING DATA LIST		DATE 7 Mar 03	PAGE 1 OF 1 PAGE
NSN 1560-00-486-8786UC	REFERENCE NUMBER 4J22022-101A	CAGE AND NAME LOCKHEED//98897	NOUN PANEL, TRAILING EDGE, WINGTIP
APPLICATION C-5	TECHNICIAN / ENGINEER T. SMILEY	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WR-ALC/LGECB 468-9866

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4J22022	98897		1	S		-101A; TOP DRAWING
---	---	---		---	---	---
4J20100	98897	K	4	S		ADDITIONAL DRAWING
4J20109	98897	E	1	S		ADDITIONAL DRAWING
4J22069	98897	K	3	S		ADDITIONAL DRAWING
4R24000	98897	C	189	S		MASTER DIM DATA
DS30000	98897	R	9	S		REV DT 18 FEB 98
DS30002						CANX; USE 0581
DS30003						CANX; USE STP51-400
DS30004						CANX; USE STP51-302
DS5262	98897	A	13	S		REV DT 15 APR 87
STM30-102	98897	F	26	S		REV DT 15 JUN 71
STP51-302 (PDF FILE)	98897	W`	43	S	D	REV DT 16 AUG 01; EXPRT CONT
STP54-101	98897	W	22	S	D	REV DT 20 SEPT 01; EXPRT CONT
STP55-104	98897	F	18	S		REV DT 21 FEB 95
STP56-105	98897	M	9	S		REV DT 29 NOV 95
STP56-107	98897	M	27	S		REV DT 15 OCT 85
STP59-511	98897	A	6	S		REV DT 16 JUN 69
STP60-005	98897	M	31	S		REV DT 17 APR 99
STP63-001	98897	P	19	S		REV DT 29 MAR 01
4J00002	98897	AC	2	S		ADDITIONAL DRAWING
STP56-405	98897	J	13	S		REV DT 17 OCT 85
STP56-505	98897	F	13	S		REV DT 15 OCT 82
STP51-402	98897	G	8	S		REV DT 15 OCT 85

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

ENGINEERING DATA LIST *(Continuation)*

DATE	PAGE	OF	NSN	PURCHASE REQUEST NUMBER
7 Mar 03	1	2	1560-00-486-8786UC	

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
STP60-102	98897	J	55	S		REV DT 15 DEC 87; + ECO
STP51-400	98897	D	36	S		REV DT 7 MAY 99
0581	98897	AD	63	S	D	REV DT 2 OCT 01; EXPRT CONT
FINISHES						
AA					O	USE MIL-A-8625
F					O	USE MIL-C-5541
1					O	USE MIL-PRF-23377
26					O	USE MIL-PRF-23377, TY I, CLS C

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN 1560-00-486-8786UC

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☒ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # 1560-00-486-8786UC

☒ **THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.**

☐ **FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.**

☐ **WHERE SPECIFIED, CHEM MILLING IS MANDATORY.**

☐ Digital Loft Data is available as Initial Graphics Exchange Specification (IGES) files for direct input to CAD/CAM Systems. The successful bidder, upon written request to the Procurement Contracting Officer (PCO), may obtain this DATA for manufacturing purposes.

☐ **DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.**

☒ **WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.**

☐ **AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".**

☐ **CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).**

☐ F-15 Loft Data Book provided for reference and inspection purposes only. Use of this book in conjunction with Digital (IGES Format) Loft Data, will provide the necessary information to ensure accurate Loft surface.

ENGINEERING DATA LIST		DATE 3 Mar 03	PAGE 1 OF 1 PAGE
NSN 1560-00-110-2898	REFERENCE NUMBER 4J22068-102D	CAGE AND NAME 98897 LOCKHEED	NOUN SKIN
APPLICATION C-5A	TECHNICIAN / ENGINEER D.DIXON MECHANICAL ENGINEERING TECH	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WR-ALC/LGECB 468-1185

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4J22068	98897	K	1	S		-102D SKIN
4J00002	98897	AC	2	S		SMOOTHNESS REQUIREMENTS
4R23305	98897	---	1	M		CONTOUR LINES - SEE NOTES
4R23306	98897	---	1	M		CONTOUR LINES - SEE NOTES
4R24000	98897	C	189	S		MASTER DIMENSIONS
4E79050	98897	C	2	S		REFERENCE DRAWING ONLY
STP63-102	98897	B	3	S		
STP55-005 & AMEND	98897	G	42	S		
DS30002						USE 0581
0581	98897	AD	36	S		
STP56-505 & VARIANT	98897	G	43	S		
STP56-107	98897	M	27	S		
STP54-101	98897	W	22	S		
STP51-302	98897	W	43	S		
DS30004						USE STP51-302
STP63-001	98897	P	19	S		
STP59-204	98897	B	9	S		FINISH CODE -54
STP58-209	98897	L	12	S		FINISH CODE -A
STP59-405	98897	---	9	S		FINISH CODE -71
DS30000	98897	R	9	S		FINISH SPEC
4J32501	98897	J	2	S		REFERENCE DRAWING ONLY
4J32506	98897	G	2	S		REFERENCE DRAWING ONLY
4J31202	98897	AD	10	S		REFERENCE DRAWING ONLY
4J53099	98897	D	1	S		REFERENCE DRAWING ONLY
4J12256	98897	K	2	S		REFERENCE DRAWING ONLY

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

PLEASE SEE ATTACHED ENGINEERING NOTES

ENGINEERING DATA LIST		DATE 27 Feb 03	PAGE 1 OF 1 PAGE
NSN 1560-00-175-3843 LH	REFERENCE NUMBER 4J22067-102D	CAGE AND NAME 98897 LOCKHEED MARTIN CORP	NOUN PANEL STRUCTURAL AI
APPLICATION C-5 ACFT	TECHNICIAN / ENGINEER J.GRAHAM	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WRALC/LGECC (478) 926-1183

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4J22067	98897	J	1	S	-	(-102D) PANEL LOWER
DS30000	98897	R	9	S	-	FINISH CODES
STP63-001/V01J	98897	P	20	S	D	MARKING SPEC.
DS30004 (CANCELLED)	98897	-		-	-	USE STP51-302
STP51-302	98897	W	43	S	-	FORM AND FAB
STP54-101/UV28	98897	W	23	S	D	HEAT TREAT ALUMINUM
STP56-107	98897	M	27	S	-	SEALANT OF AIRCRAFT
DS30002 (CANCELLED)	98897	-		-	-	USE 0581
0581	98897	AD	63	S	D	FASTENERS INSTALLATION
STP55-005/AMD	98897	G	42	S	-	WELDING OF SPOT AND SEAMS
4E79050 (REF)	98897	C	2	S	-	FINSIH AND MARKING OB WING
4R24000 (REF)	98897	C	189	S	-	MASTER DIM.
4R23306 (REF)	98897	-	1	M	-	LINES-ALL-CLOS OUT BD
4R23305 (REF)	98897	-	1	M	-	LINES-ALL-CBAL OUT BD
4J00002 (REF)	98897	AC	2	S	-	AERODYNAMIC SMOOTHNESS
LS173-3X7	98897	B	1	S	-	Y SECTION
LS173-3X11	98897	B	1	S	-	Y SECTION
LS173-3X21	98897	B	1	S	-	YSECTION
LS173-3X18	98897	B	1	S	-	Y SECTION
STP58-209	98897	L	12	S	-	CHROMIC ACID ANODIZING
STP59-204	98897	B	9	S	-	PRIMER, EPOXY, POLYAMIDE
STP59-405	98897	-	9	S	-	ENAMEL, EPOXY, GLOSS AL
						CD ROM

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

SPARES CONFIG: PER BP EXCEPT 1/8" EXCESS TRIM ON TRAILING EDGE AND COMMON TO WING TIP AREA COMMON TO AILERON NET.

SEE GENERAL NOTES ATTACHED:

EXPORT CONTROL

JEDMICS CHECK G5

RDRT QUE # 26654

DISTRIBUTION CODE B

OF IMAGES

PR TECHNICIAN GS 18MAR03

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # 1560-00-175-3843LH

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, *THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.*

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # 1560-00-175-3843LH

☒ THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

☐ FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.

☐ WHERE SPECIFIED, CHEM MILLING IS MANDATORY.

☐ Digital Loft Data is available as Initial Graphics Exchange Specification (IGES) files for direct input to CAD/CAM Systems. The successful bidder, upon written request to the Procurement Contracting Officer (PCO), may obtain this DATA for manufacturing purposes.

☐ DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.

☒ WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.

☐ AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".

☐ CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).

☐ F-15 Loft Data Book provided for reference and inspection purposes only. Use of this book in conjunction with Digital (IGES Format) Loft Data, will provide the necessary information to ensure accurate Loft surface.

ENGINEERING DATA LIST		DATE 3 Mar 03	PAGE 1 OF 1 PAGE
NSN 1560-00-486-8787	REFERENCE NUMBER 4J22022-102A	CAGE AND NAME 98897 LOCKHEED AIRCRAFT CORP.	NOUN TIP, WING
APPLICATION C-5	TECHNICIAN / ENGINEER J LUDWIG /	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WR-ALC / LGECB 468-9866

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4J22022	98897	G	1	S		-102A, TIP CLOSURE, ASSY OF
STSUD002	98897	A	3	S		RETAINER
STSUD000	98897	A	3	S		RETAINER
4R24000	98897	C	189	S		LOFT DATA
DS5025	98897	AB	25	S		DESIGN STANDARD
DS5262	98897	A	13	S		DESIGN STANDARD
DS30000	98897	R	9	S		DESIGN STANDARD
DS30002	98897	R	63	S		DESIGN STANDARD
DS30003	98897	-		-		CANCELLED, USE STP51-400
STP51-400	98897	D	36	S		USE IN LIEU OF DS30003
DS30004	98897	-		-		CANCELLED, USE STP51-302
STP51-302	98897	W	43	S	D	PDF FILE, use in lieu of DS30004
STP63-001	98897	P	19	S		Impression Stamping not Permitted
STP55-104	98897	F	18	S		PROCESS SPECIFICATION
STP56-105	98897	M	9	S		PROCESS SPEC
STP60-005	98897	M	31	S		PROCESS SPEC
STP56-107	98897	M	27	S		PROCESS SPEC
STP54-101	98897	W	22	S	D	PDF FILE
STP59-511	98897	A	6	S		PROCESS SPEC
STM30-102	98897	F	26	S		MATERIAL SPEC
FINISH SPECIFICATIONS						A / -1
STP58-209	98897	L	12	S		FINISH -A
STP59-201	98897	-	4	S		FINISH -1
SPARES CONFIGURATION						OMIT ATTACH HOLES

CD ROM

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

PLEASE SEE ATTACHED ENGINEERING NOTES.

EXPORT CONTROL

JEDMICS CHECK GS

REQUEST QTY # 26208

DISTRIBUTION CODE B

OF IMAGES

PR TECHNICIAN GS 13MAR03

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # 1560-00-486-8787

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # 1560-00-486-8787

☒ **THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.**

☐ **FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.**

☐ **WHERE SPECIFIED, CHEM MILLING IS MANDATORY.**

☐ Digital Loft Data is available as Initial Graphics Exchange Specification (IGES) files for direct input to CAD/CAM Systems. The successful bidder, upon written request to the Procurement Contracting Officer (PCO), may obtain this DATA for manufacturing purposes.

☐ **DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.**

☒ **WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.**

☐ **AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".**

☐ **CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).**

☐ F-15 Loft Data Book provided for reference and inspection purposes only. Use of this book in conjunction with Digital (IGES Format) Loft Data, will provide the necessary information to ensure accurate Loft surface.

REVISION: *01*

ENGINEERING DATA LIST

* HISTORY *

DATE : 12FEB03	DATA TECH : GS	ORGN SYMBOL : LGECB	PR NR :	APPLICATION: C-5	PAGE 1 OF 1

CAGE: 98897	MANUFACTURER NAME: LOCKHEED CORP LOCKHEED-GEORGIA CO	REFERENCE NR: 4F43030-112A	NOUN : FAIRING,AIRCRAFT	NSN : 1560001758097UC

CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REQUIREMENTS
98897	4F43030 /	D	0003	0000	S		(-112A) FAIRING RUDDER	
98897	4R15001 /	E	1074	0000	S		REF MASTER LINES DATA	
98897	STP60 401 /	J	0009	0000	S		CASTING AND BONDING SPEC	
98897	STP59-602 /	B	0005	0000	S		FINISHING PLASTIC PARTS	
98897	DS30000 /	R	0009	0000	S		CODES FOR FINISHING	
98897	STP63-001 /	P	0019	0000	S		MARKING SPEC	
98897	STP60-105 /	K	0044	0000	S		SANDWICH STRUCTURE SPEC	

CD ROM

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

EXPORT CONTROL

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

C - CLASSIFIED DOCUMENT.
S - FURNISHED WITH SOLICITATION.
M - STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
X DATA SUPPLIED (NOT IN EDCARS).
R - FURNISHED BY PCD UPON REQUEST.
P - PARTIAL DOCUMENT FURNISHED.
V - VENDOR DRAWING; (NOT PROVIDED).
G - GOV'T DOCUMENT.
O - OTHERS, CONTRACTOR MUST ACQUIRE.
A - DATA NOT AVAILABLE.

ENGINEERING DATA LIST		DATE 22 Jan 03	PAGE 1 OF 3 PAGE
NSN 1560-00-102-7760	REFERENCE NUMBER 4F75189-137A	CAGE AND NAME 98897/LOCKHEED MARTIN CORPORATION	NOUN PANEL,STRUCTURAL
APPLICATION C-5	TECHNICIAN / ENGINEER G.SULLIVAN	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WR-ALC/LGECA 468-0644

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4F75189	98897	E	1	S		
DS5025	98897	AB	25	S	C	
STM07-306	98897	C	5	S		
4R13101	98897	J	376	S		REFERENCE
4F75405	98897	B	3	S		REFERENCE
STM30-105	98897	E	10	S		
ER8296 & AP	98897	K	75	S		CD ROM
STP63-001	98897	P	19	S		
DS30000	98897	R	9	S		
STP60-301	98897	K	48	S		
STP51-304	98897	K	26	S	D	
DS30009	98897	F	3	S		
4F75002	98897	N	2	S	D	
4V41262	98897	A	1	S		
STP58-301	98897	D	4	S		

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

FINISH: "M" USE STP58-301

EXPORT CONTROL

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # 1560-00-102-7760

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # 1560-00-102-7760

☐ **THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.**

☐ **FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.**

☐ **WHERE SPECIFIED, CHEM MILLING IS MANDATORY.**

☐ Digital Loft Data is available as Initial Graphics Exchange Specification (IGES) files for direct input to CAD/CAM Systems. The successful bidder, upon written request to the Procurement Contracting Officer (PCO), may obtain this DATA for manufacturing purposes.

☐ **DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.**

☒ **WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.**

☒ **AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".**

☐ **CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).**

☐ F-15 Loft Data Book provided for reference and inspection purposes only. Use of this book in conjunction with Digital (IGES Format) Loft Data, will provide the necessary information to ensure accurate Loft surface.

ENGINEERING DATA LIST		DATE 22 Jan 03	PAGE 1 OF 1 PAGE
NSN 1560-00-498-7500UC	REFERENCE NUMBER 4F75189-138A	CAGE AND NAME 98898 / Lockheed Martin Corp.	NOUN Panel - MLG Fairing, Aft, Upper
APPLICATION C-5	TECHNICIAN / ENGINEER R. Toong /	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WR-ALC / LGECB 468-9866

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4F75189	98897	E	1	S	C	-138A
DS5025	98897	AB	25	S	C	CD ROM
STM07-306	98897	C	5	S		
4R13101	98897	J	376	S	C	Reference
4F75405	98897	B	3	S	D	Reference
STP60-301	98897	K	52	S		& (ACC)V02J
STM30-105	98897	E	10	S		
ER8296	98897	K	75	S		& Appendix A
STM22-503	98897	B	9	S		
4F75002	98897	N	2	S	D	Reference
4V41262	98897	A	1	S		Reference
STP63-001	98897	P	19	S	C	
DS30000	98897	R	9	S	C	
STP58-301	98897	D	4	S		Use for Finish "M-M", 2X
STP51-304	98897	K	26	S	D	
DS30009	98897	F	3	S		
STP60-401	98897	J	9	S		
STM22-602	98897	F	13	S		& (ACC)V01D
SPARES CONFIGURATIONS	98897	-		-		Per B/P except omit all attach holes Add 1/16" to 1/2" excess entire outside periphery for trim on installation.

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

Please see attached engineering notes.

EXPORT CONTROL

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # 1560-00-498-7500UC

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # **1560-00-762-7641 UC**

☐ FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.

☐ WHERE SPECIFIED, CHEM MILLING IS MANDATORY.

☐ DIGITAL LOFT DATA IS AVAILABLE AS INITIAL GRAPHICS EXCHANGE SPECIFICATIONS (IGES) FILES FOR DIRECT INPUT TO CAD/CAM SYSTEMS. THE SUCCESSFUL BIDDER, UPON WRITTEN REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO), MAY OBTAIN THIS DATA FOR MANUFACTURING PURPOSES.

☐ DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.

☒ WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE REPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES (SEE ATTACHMENT 1).

☒ AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".

☐ CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR *AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).*

☐ F-15 LOFT DATA BOOK PROVIDED FOR REFERENCE AND INSPECTION PURPOSES ONLY. USE OF THIS BOOK IN CONJUCTION WITH DIGITAL (IGES FORMAT) LOFT DATA, WILL PROVIDE THE NECESSARY INFORMATION TO ENSURE ACCURATE LOFT SURFACE.

ENGINEERING DATA LIST		DATE 21 Feb 03	PAGE 1 OF 1 PAGE
NSN 1560-00-762-7641 UC	REFERENCE NUMBER 4F75184-172A	CAGE AND NAME 98897 LOCKHEED MARTIN CORP.	NOUN PANEL, STRUCTURAL
APPLICATION C -5 ACFT	TECHNICIAN / ENGINEER R FOWLER	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WRALC/LGECC (478) 926-1183

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

CD ROM

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4F75184	98897	E	1	S	-	(-172A) PANEL, MLG FAIRING
DS 5025	98897	AB	25	S	C	DRAWING INTERPRETATION
STM28-102 (CANCELLED)	98897					USE MIL -C -7438
4R13101	98897	J	376	S	-	LOFT CONTOUR
4F75405	98897	B	3	S	D	BASIC DIM. - MLG FAIRING
4F75002 (REFERENCE)	98897	N	2	S	D	AFT SECTION - MLG FAIRING
STP 60 -401	98897	J	9	S	-	SEALANT SPEC.
STM 22 -602	98897	F	12	S	-	RESIN - PLASTIC CASTING
STM 22 -506	98897	B	16	S	-	GLASS FABRIC - EPOXY
STM 30 -102	98897	F	26	S	-	STRUCTURAL ADHESIVE
STP 60 -102	98897	J	47	S	-	HONEYCOMB BONDING
ECO 96C0006	98897	J	8	S	-	ENG. CHANGE OF STP 60 -102
ER 8296 & APPENDIX J	98897	K	75	S	-	INSPECTION REQMNTS
DS 30004 (CANCELLED)	98897					USE STP 51 -302
STP 51 -302	98897	W	43	S	D	FORM & FAB SPEC.
STP 63 -001	98897	P	19	S	-	MARKING SPEC.
STP 54 -101	98897	W	22	S	D	HEAT TREAT - ALUMINUM
DS 30000	98897	R	9	S	-	FINISH CODE
FINISHES:						
"A" = STP 58 -209	98897	L	12	S	-	ANODIZE - CHROMIC ACID
"1" = STP 59 -201	98897		4	S	-	PRIMER
*** END OF LIST ***						

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

SPARES CONFIGURATION : PER B/P, EXCEPT ALL EDGES TO HAVE 1/4 INCH EXCESS SKIN. HOLES POTTED, BUT NOT DRILLED.

SEE ATTACHED GENERAL NOTES FOR APPLICABLE INFORMATION.

EXPORT CONTROL

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # 1560-00-762-7641 UC

GENERAL NOTES:

☒ ALL GOVERNMENT DOCUMENTS (I.E., MIL-SPECS, FED SPECS, STANDARDS, ETC.) NOTES, CITED, OR OTHERWISE REFERENCED IN THIS PROCUREMENT PACKAGE ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. CONTRACTOR MAY OBTAIN COPIES OF SPECIFICATIONS AND STANDARDS BY WRITING TO THE *DEPARTMENT OF THE NAVY, STANDARDIZATION DOCUMENT DESK, 700 ROBBINS AVENUE, BUILDING #4, SECTION D, PHILADELPHIA PA 19111-5094.* WHEN A CANCELLED GOVERNMENT DOCUMENT IS SUPERSEDED BY ANOTHER GOVERNMENT DOCUMENT, THE SUPERSEDING GOVERNMENT DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED WITHIN THIS DOCUMENT (AFMC FORM 762).

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-83285 TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

☒ THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

ENGINEERING DATA LIST		DATE 21FEB03	PAGE 1 OF PAGE
NSN 1560-00-450-6098	REFERENCE NUMBER 4F75342-211B	CAGE AND NAME 98897/LOCKHEED	NOUN PANEL,STRUCTURAL
APPLICATION	TECHNICIAN / ENGINEER T.AVINA	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WR-ACL/LGECA/468-0644

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4F75342	98897	F	1	S		
4F75405	98897	B	3	S		REF
4F75395	98897	K	2	S		REF
4F75560	98897	T	6	S		REF
4R13101	98897	J	376	S		REF
DS30004	98897					USE STP51-302
STP51-302	98897	W	43	S	D	
DS30000	98897	R	9	S		
ER8296	98897	K	75	S		
STP60-401	98897	J	9	S		
STP60-102	98897	J	47	S		
STP63-001	98897	P	19	S		
STP54-101	98897	W	22	S	C	
STM28-102	98897					USE MIL-C-7438
STM30-102	98897	F	26	S		
STM22-602	98897	F	12	S		
STP60-505	98897	T	18	S		
DS5025	98897	AB	25	S	C	
MIL-C-7438	81349	G		O		REV DATE 26-FEB-1986
STP58-209	98897	L	12	S		
STP59-201	98897		4	S		

CD ROM

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

FINISH: "A" USE STP58-209
"1" USE STP59-201

EXPORT CONTROL

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

ENGINEERING DATA LIST		DATE 26 Feb 03	PAGE 1 OF PAGE
NSN 1560-01-196-8900	REFERENCE NUMBER 4F72626-108A	CAGE AND NAME 98897/LOCKHEED	NOUN PANEL,STRUCTURAL
APPLICATION	TECHNICIAN / ENGINEER T.AVINA	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WR-ALC/LGECA/468-0644

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4F72626-108A	98897	C	2	S		
4R13101	98897	J	376	S		REF
4F75002	98897	N	2	S	D	REF
4F75405	98897	B	3	S		REF
DS30000	98897	R	9	S		CD ROM
STP60-801	98897	A	8	S		
STM22-401	98897	A	21	S		
STP61-213	98897	J	12	S		
STP63-001	98897	P	19	S		IMPRESSION STAMPING NOT PREMITTED
STP59-602	98897	B	5	S		

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

FINISH: "RR" USE STP59-602

PROPERTY CONTROL

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # 1560-01-196-8900

GENERAL NOTES:

☐ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☐ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # 1560-01-196-8900

☐ **THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.**

☐ **FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.**

☐ **WHERE SPECIFIED, CHEM MILLING IS MANDATORY.**

☐ Digital Loft Data is available as Initial Graphics Exchange Specification (IGES) files for direct input to CAD/CAM Systems. The successful bidder, upon written request to the Procurement Contracting Officer (PCO), may obtain this DATA for manufacturing purposes.

☐ **DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.**

☐ **WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.**

☐ **AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".**

☐ **CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).**

☐ F-15 Loft Data Book provided for reference and inspection purposes only. Use of this book in conjunction with Digital (IGES Format) Loft Data, will provide the necessary information to ensure accurate Loft surface.

ENGINEERING DATA LIST		DATE 17 Jan 03	PAGE 1 OF 2 PAGE
NSN 1560-01-274-9358	REFERENCE NUMBER 4J50012-114B	CAGE AND NAME 98897 LOCKHEED	NOUN PANEL, STRUCTURAL
APPLICATION C-5	TECHNICIAN / ENGINEER MWILLS	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WRALC/LGECC/6-1183

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4J50012	98897	AA	5	S	-	-114B PANEL
LS35504		A	1	S	-	-1 HINGE CUTOUTS
DS30000		R	9	S	-	
STP63-001*		P	19	S	-	MARK PER
DS 30003		-		-	-	CANCELLED--USE STP51-400
4J52008		G	3	S	-	-110A
4J83013		B	1	S	-	-104A HINGE HALF
LS35090		H	2	S	-	
LS38488		-	1	S	-	
DS30004		-		-	-	CANCELLED--USE STP51-302
STP59-204		B	9	S	-	FINISH -54
STP59-206		-	5	S	-	
STM37-305		A	8	S	-	FINISH -71
STP59-405		-	9	S	-	FINISH -71 PROCESS
STP62-005		E	8	S	-	FINISH -53 PROCESS
STP51-400		D	36	S	-	
STP60-102 & ECO 96C0006 (8pg)		J	55	S	-	
STM30-102		F	26	S	-	
ER8296		K	78	S	-	
4J50016		A	1	S	-	DATUM REFERENCE
4R23300		C	98	S	-	LOFT DATA
STP51-302		W	43	S	D	
DS5025		AB	25	S	C	ABBREVIATIONS
DS5191		C	1	S	-	-1B
STP56-105		M	9	S	-	

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

SEE ATTACHED GENERAL NOTES
*IMPRESSION STAMPING NOT PERMITTED
SPARES CONFIGURATION--PER BP MINOR TRIM REQUIRED UPON INSTALLATION

ENGINEERING DATA LIST *(Continuation)*

DATE	PAGE	OF	NSN	PURCHASE REQUEST NUMBER
17 Jan 03	2	2	1560-01-274-9358	

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
DS30002	98897	-		-	-	CANCELLED--USE 0581
DS5055		-		-	-	CANCELLED--USE STP52-726
DS30006		-		-	-	CANCELLED--USE DS 30031
LS 37824		-	1	S	-	-1
STM28-102		-		-	-	CANCELLED--USE MIL-C-7438
4R23305		-	1	M	-	MYLAR AVAILABLE (REF)
0581		AC	63	S	D	
STP52-726		F	16	S	-	
DS30031		-	27	S	-	
LS37823		-	1	S	-	-1

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

SEE ATTACHED GENERAL NOTES
IMPRESSION STAMPING NOT PERMITTED

ENGINEERING DATA LIST		DATE 28 Jan 03	PAGE 1 OF 1 PAGE
NSN 1560-01-196-4399 UC	REFERENCE NUMBER 4F72626-107A	CAGE AND NAME 98897 LOCKHEED MARTIN CORP.	NOUN PANEL, STRUCTURAL
APPLICATION C -5 ACFT	TECHNICIAN / ENGINEER R FOWLER	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WRALC/LGECC (478) 926-1183

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4F72626	98897	C	2	S	-	(-107A) PANEL, ACCESS -MLG
DS 5025	98897	AB	25	S	C	DRAWING INTERPRETATION
4R13101	98897	J	376	S	-	LOFT CONTOUR
4F75405	98897	B	3	S	D	BASIC DIM. -MLG FAIRING
STP 63 -001	98897	P	19	S	-	MARKING SPEC.
STP 61 -213	98897	J	12	S	C	GLASS FABRIC SPEC.
STM 22 -401	98897	A	21	S	-	GLASS FABRIC SPEC.
DS 30000	98897	R	9	S	-	FINISH CODE
STP 59 -602	98897	B	5	S	-	FINISH - PLASTIC PARTS
4F75002 (REFERENCE)	98897	N	2	S	D	AFT SECTION - MLG FAIRING
*** END OF LIST ***						

CD ROM

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

SPARES CONFIGURATION : PER B/P EXCEPT OMIT ALL ATTACH HOLES AND ADD 1/2 INCH EXCESS AROUND PERIPHERY FOR TRIM.

SEE ATTACHED GENERAL NOTES FOR APPLICABLE INFORMATION.

EXPORT CONTROL

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # 1560-01-196-4399UC

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # 1560-01-196-4399UC

☒ **THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.**

☐ **FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.**

☐ **WHERE SPECIFIED, CHEM MILLING IS MANDATORY.**

☐ Digital Loft Data is available as Initial Graphics Exchange Specification (IGES) files for direct input to CAD/CAM Systems. The successful bidder, upon written request to the Procurement Contracting Officer (PCO), may obtain this DATA for manufacturing purposes.

☐ **DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.**

☒ **WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.**

☐ **AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".**

☐ **CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).**

☐ F-15 Loft Data Book provided for reference and inspection purposes only. Use of this book in conjunction with Digital (IGES Format) Loft Data, will provide the necessary information to ensure accurate Loft surface.

ENGINEERING DATA LIST		DATE 22 Jan 03	PAGE 1 OF 1 PAGE
NSN 1560-00-358-1083UC	REFERENCE NUMBER 4F75396-210A	CAGE AND NAME 98897 / Lockheed Martin Corp.	NOUN Panel - Aft. MLG Fairing
APPLICATION C-5	TECHNICIAN / ENGINEER R. Toong /	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WR-ALC / LGECB 468-9866

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4F75396	98897	C	1	S	C	-210A CD ROM
DS5025	98897	AB	25	S	C	
4F75405	98897	B	3	S	D	Reference
4R13101	98897	J	376	S	C	Reference
STM28-102	98897	-		-	-	Cancelled, use MIL-C-7438
MIL-C-7438(1)	81349	G		O		Publication Date: 26 Feb 1986
STP60-401	98897	J	9	S		
STP60-102	98897	J	55	S		& ECO96C0006
STM30-102	98897	F	27	S		& ECO98C0001
ER8296	98897	K	75	S		& Appendix A
4F75560	98897	T	6	S	C	Reference
DS30000	98897	R	9	S	C	
STP54-101	98897	W	22	S	D	
STP51-302	98897	W	43	S	D	
STP58-209	98897	L	12	S		Use for Finish "A"
STP59-201	98897	-	4	S		Use for Finish "-1-1-1", 3 Coats
STP63-001	98897	P	19	S	C	
DS30004	98897	-		-	-	Cancelled, use STP51-302
SPARES CONFIGURATION:	98897	-		-	-	Per B/P, except allow 1/2" excess skin on entire periphery. Omit all attach holes.

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

Please see attached engineering notes.

EXPORT CONTROL

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

ENGINEERING DATA LIST		DATE 20 Feb 03	PAGE 1 OF 2 PAGE
NSN 1560-01-176-5264 UC	REFERENCE NUMBER 4F75395-249A	CAGE AND NAME 98897 LOCKHEED MARTIN CORP.	NOUN PANEL, STRUCTURAL
APPLICATION C -5 ACFT	TECHNICIAN / ENGINEER R FOWLER	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WRALC/LGECC (478) 926-1183

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4F75395	98897	K	2	S	-	(-249A) PANEL, MLG FAIRING
DS 5025	98897	AB	25	S	C	DRAWING INTERPRETATION
4F75405	98897	B	3	S	D	BASIC DIM. - MLG FAIRING
4R13101	98897	J	376	S	-	LOFT CONTOUR
STM 28 -102 (CANCELLED)	98897					USE MIL -C -7438
4F21637	98897	A	1	S	-	RING - ANTENNA MOUNT
4V41459 (NOT REQUIRED)	98897					MODIFICATION DRAWING
STP 60 -505	98897	T	18	S	C	NONSTRUCTURAL ADHESIVE
STP 56 -107	98897	M	27	S	-	SEALING SPEC.
STM 40 -109	98897	C	7	S	-	SEALING COMPOUND
STP 65 -001	98897	E	5	S	-	ELECTRICAL BONDING
STP 60 -401	98897	J	9	S	-	SEALANT SPEC.
STM 22 -602	98897	F	12	S	-	RESIN - PLASTIC CASTING
STM 22 -506	98897	B	16	S	-	GLASS FABRIC -EPOXY
STM 30 -102	98897	F	26	S	-	STRUCTURAL ADHESIVE
STP 60 -102	98897	J	47	S	-	HONEYCOMB BONDING
ECO 96C0006	98897	J	8	S	-	ENG. CHANGE STP 60 -102
ER 8296 & APPENDIX J	98897	K	75	S	-	INSPECTION REQMNTS.
4F75560 (NOT REQUIRED)	98897					MLG FAIRING
STP 54 -101	98897	W	22	S	D	HEAT TREAT -ALUMINUM
STP 56 -105	98897	M	6	S	-	WET FASTENER INSTL.
STP 63 -001	98897	P	19	S	-	MARKING SPEC.
STP 51 -302	98897	W	43	S	D	FORM & FAB SPEC.
DS 30004 (CANCELLED)	98897					USE STP 51 -302
DS 30002 (CANCELLED)	98897					USE PROCESS SPEC. 0581

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

CONTINUED.....

ENGINEERING DATA LIST *(Continuation)*

DATE	PAGE	OF	NSN	PURCHASE REQUEST NUMBER
20 Feb 03	2	2	1560-01-176-5264 UC	

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
0581	98897	AD	63	S	D	FASTENER INSTL.
DS 30001	98897	F	18	S	-	DIM. CONTROL - CASTINGS
DS 30003 (CANCELLED)	98897					USE STP 51 -400
STP 51 -400	98897	D	36	S	-	MACHINING SPEC.
DS 30000	98897	R	9	S	-	FINISH CODE
FINISHES :						
"A" = STP 58 -209	98897	L	12	S	-	ANODIZE - CHROMIC ACID
"AA" = STP 58 -208	98897	U	19	S	-	ANODIZE - SULFURIC ACID
"1" = STP 59 -201	98897		4	S	-	PRIMER
"54" = STP 59 -204	98897	B	9	S	-	PRIMER - EPOXY
*** END OF LIST ***						

CD ROM

REMARKS / NOTES *(Continue on WR ALC/TIL FORM 0-762A)*

SPARES CONFIGURATION : PER B/P EXCEPT OMIT ALL ATTACH HOLES. ENTIRE PERIPHERY TO HAVE 3/4 INCH EXCESS FOR TRIM.

SEE ATTACHED GENERAL NOTES FOR APPLICABLE INFORMATION.

EXPORT CONTROL

ENGINEERING DATA LIST		DATE 29 Jan 03	PAGE 1 OF 2 PAGE
NSN 1560-01-176-5263UC	REFERENCE NUMBER 4F75395-247A	CAGE AND NAME 98897/LOCKHEED	NOUN PLATE, STRUCTURAL
APPLICATION C-5	TECHNICIAN / ENGINEER B FOWLER	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE LGECA/468-0644

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4F75395	98897	K	2	S		
4R13101	98897	J	376	S		
4F75405	98897	B	3	S	D	CD ROM
4F21637	98897	A	1	S		
4F75560	98897	T	6	S		
STM 28-102 (CANCELLED)						USE MIL-C-7438
STM 30-102 & ACC	98897	F	27	S		
STM 40-109	98897	C	7	S		
STP 56-107	98897	M	27	S		
STP 65-001	98897	E	5	S	D	
STP 54-101	98897	W	22	S	D	
STP 56-105	98897	M	9	S		
STP 63-001 & ACC	98897	P	20	S	D	
STP 51-302	98897	W	43	S	D	
STP 60-102 & ACC	98897	J	55	S		
STP 60-401	98897	J	9	S		
ER 8296 & ACC	98897	K	75	S		
DS 5025	98897	AB	25	S	C	
DS 30004 (CANCELLED)						USE STP 51-302
DS 30000	98897	R	9	S		
DS 30002 (CANCELLED)						USE 0581
DS 30001	98897	F	18	S		
DS 30003 (CANCELLED)						USE STP 51-400
0581	98897	AD	63	S	D	
STP 51-400	98897	D	36	S		

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

EXPORT CONTROL

SEMICS CHECK CC
RDRT QUE # 24325
DISTRIBUTION CODE D
OF IMAGES
CC 2-25-03

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

ENGINEERING DATA LIST *(Continuation)*

DATE	PAGE	OF	NSN	PURCHASE REQUEST NUMBER
29 Jan 03	2	2	1560-01-176-5263UC	

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
MIL-C-7438	81349	G	29	O	A	
FINISH:						
"A" STP 58-209 & ACC	98897	L	18	S		
"AA" STP 58-208 & ACC	98897	U	22	S		
"54" STP 59-204	98897	B	9	S		
"1" STP 59-201	98897		4	S		

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

WR-ALC/TIL FORM 0-762A, OCT 97 *(EF)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # **1560-01-176-5263UC**

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # **1560-01-176-5263UC**

☒ THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

☐ FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.

☐ WHERE SPECIFIED, CHEM MILLING IS MANDATORY.

☐ **Digital Loft Data is available as Initial Graphics Exchange Specification (IGES) files for direct input to CAD/CAM Systems. The successful bidder, upon written request to the Procurement Contracting Officer (PCO), may obtain this DATA for manufacturing purposes.**

☐ DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.

☒ WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.

☐ AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".

☐ CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).

☐ **F-15 Loft Data Book provided for reference and inspection purposes only. Use of this book in conjunction with Digital (IGES Format) Loft Data, will provide the necessary information to ensure accurate Loft surface.**

157

ENGINEERING DATA LIST

		DATE 29 Jan 03	PAGE 1 OF 1 PAGE
NSN 1560-00-824-6474UC	REFERENCE NUMBER 4W14177-156A	CAGE AND NAME 98897 LOCKHEED	NOUN FAIRING, AIRCRAFT
APPLICATION C5	TECHNICIAN / ENGINEER MWILLS	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WRALC/LGECC/6-1183

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4W14177	98897	F	1	S	-	-156A
STP54-101		W	22	S	-	HEAT TREAT
DS30004		-		-	-	CANCELLED--USE STP51-302
STP63-001		-		-	-	USE MIL STD 130
DS30000		R	9	S	-	FINISH CODES
STP60-102 & 96C006		J	55	S	-	
STM30-102		F	26	S	-	TYPE III
ER8296		K	75	S	-	
STP60-401		J	9	S	-	SEAL
4R13201		B	254	S	-	MASTER DATA
4J00002		AC	2	S	-	SMOOTHNESS REQUIREMENTS
DS5025		AB	25	S	C	
STM28-102		-		-	-	CANCELLED--USE MIL-C-7438
STM22-506		B	16	S	-	
STP59-201		-	4	S	-	PRIMER FINISH -1
STP51-302		W	43	S	D	FORM PER
DS30002		-		-	-	CANCELLED--USE 0581
0581		AD	63	S	D	
STP59-511		A	6	S	-	
STP56-105		M	9	S	-	
STP58-209		L	12	S	-	FINISH -A

CD ROM

JSTMICS CHECK CC
24465
B
CC 2-26-03

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

SEE ATTACHED GENERAL NOTES
IMPRESSION STAMPING NOT PERMISSIBLE
SPARES CONFIGURATION--PER BLUEPRINT EXCEPT OMIT ATTACH HOLES

EXPORT CONTROL

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # 1560-00-824-6474UC

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☒ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C5 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # **1560-00-824-6474UC**

☒ THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

☐ FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.

☐ WHERE SPECIFIED, CHEM MILLING IS MANDATORY.

☐ DIGITAL LOFT DATA IS AVAILABLE AS INITIAL GRAPHICS EXCHANGE SPECIFICATIONS (IGES) FILES FOR DIRECT INPUT TO CAD/CAM SYSTEMS. THE SUCCESSFUL BIDDER, UPON WRITTEN REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO), MAY OBTAIN THIS DATA FOR MANUFACTURING PURPOSES.

☐ DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.

☒ WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE REPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES (SEE ATTACHMENT 1).

☐ AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".

☐ CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).

☐ F-15 LOFT DATA BOOK PROVIDED FOR REFERENCE AND INSPECTION PURPOSES ONLY. USE OF THIS BOOK, IN CONJUNCTION WITH DIGITAL (IGES FORMAT) LOFT DATA, WILL PROVIDE THE NECESSARY INFORMATION TO ENSURE ACCURATE LOFT SURFACE.

170

ENGINEERING DATA LIST		DATE 21 Jan 03	PAGE 1 OF 1 PAGE
NSN 1560-00-558-0688	REFERENCE NUMBER 4P41006-108A	CAGE AND NAME 98897/LOCKHEED MARTIN CORPORATION	NOUN SKIN,AIRCRAFT
APPLICATION C-5	TECHNICIAN / ENGINEER G.SULLIVAN	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WR-ALC/LGECA 468-0644

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4P41006	98897	B	1	S		
STM07-306	98897	C	5	S		CD ROM
DS5025	98897	AB	25	S	C	
4R40102	98897	A	1	M		MYLAR AVAILABLE
STP63-001	98897	P	19	S		
STP55-104	98897	F	18	S		
STP53-201	98897	L	7	S		
DS30000	98897	R	9	S		
STP51-302	98897	W	43	S	D	
STP51-407	98897		4	S		
DS30009	98897	F	3	S		
STP51-304	98897	K	26	S	D	
STP57-401	98897	F	9	S		

JEDMICS CHECK GS
EDIT QUE # 24167
DISTRIBUTION CODE B
OF IMAGES
DR TECHNICIAN G524FEB03

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

FINISH: "MM" USE STP57-401

EXPORT CONTROL

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # 1560-00-558-0688UC

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # 1560-00-558-0688UC

☒ **THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.**

☐ **FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.**

☐ **WHERE SPECIFIED, CHEM MILLING IS MANDATORY.**

☐ Digital Loft Data is available as Initial Graphics Exchange Specification (IGES) files for direct input to CAD/CAM Systems. The successful bidder, upon written request to the Procurement Contracting Officer (PCO), may obtain this DATA for manufacturing purposes.

☐ ***DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR* NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.**

☒ **WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.**

☐ **AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE *CONDUCTED AS IDENTIFIED HEREIN*".**

☐ **CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).**

☐ F-15 Loft Data Book provided for reference and inspection purposes only. Use of this book in conjunction with Digital (IGES Format) Loft Data, will provide the necessary information to ensure accurate Loft surface.

171

ENGINEERING DATA LIST		DATE 10 Feb 03	PAGE 1 OF 1 PAGE
NSN 1560-00-494-7727	REFERENCE NUMBER 4F75389-224A	CAGE AND NAME LOCKHEED// 1WL60/98897	NOUN PANEL, FAIRING, MLG
APPLICATION C-5	TECHNICIAN / ENGINEER T. SMILEY	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE WR-ALC/LGECB 468-9866

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4F75389	1WL60	E	1	S		-224A; TOP DRAWING
---	---	---		---	---	---
4F75002	1WL60	N	2	S		ADDITIONAL DRAWING
4F75405	1WL60	B	3	S		ADDITIONAL DRAWING
4R13101	1WL60	J	376	S		ADDITIONAL DRAWING
DS30000	1WL60	R	9	S		REV DT 18 FEB 98
DS30004						CANX; USE STP51-302
ER8296	1WL60	K	75	S		REV DT 1 APR 85
STM22-502						CANX; USE MIL-C-9084
STM28-102						CANX; USE MIL-C-7438
STM30-102	1WL60	F	16	S		REV DT 15 JUN 71
STP51-302 PDF FILE	1WL60	W	43	S	D	REV DT 16 AUG 01; EXPT CONT
STP54-101	1WL60	W	22	S	D	REV DT 20 SEP 01; EXPT CONT
STP60-102	1WL60	J	56	S		REV DT 15 DEC 87; +ECO"s
STP60-401	1WL60	J	9	S		REV DT 15 AUG 90
STP63-001	1WL60	P	19	S		REV DT 29 MAR 01
FINISHES						
A						USE MIL-A-8625
-1						USE MIL-PRF-23377
						CD ROM

JEDMICS CHECK GS
RDRT QUE # 24565
DISTRIBUTION CODE D
OF IMAGES
PR TECHNICIAN GS 27FEB03

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

SPARES CONFIG: PER B/P, EXCEPT OMIT ALL MOUNTING HOLES. EXCESS TRIM .50 IN ENTIRE PERIPHERY.

EXPORT CONTROL

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN 1560-00-494-7727

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # 1560-00-494-7727

☒ **THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.**

☐ **FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.**

☐ **WHERE SPECIFIED, CHEM MILLING IS MANDATORY.**

☐ Digital Loft Data is available as Initial Graphics Exchange Specification (IGES) files for direct input to CAD/CAM Systems. The successful bidder, upon written request to the Procurement Contracting Officer (PCO), may obtain this DATA for manufacturing purposes.

☐ **DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.**

☒ **WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.**

☐ **AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".**

☐ **CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).**

☐ F-15 Loft Data Book provided for reference and inspection purposes only. Use of this book in conjunction with Digital (IGES Format) Loft Data, will provide the necessary information to ensure accurate Loft surface.

ENGINEERING DATA LIST		DATE 28 Jan 03	PAGE 1 OF 1 PAGE
NSN 1560-00-824-6426UC	REFERENCE NUMBER 4W14175-150A	CAGE AND NAME 98897/LOCKHEED	NOUN FAIRING, AIRCRAFT
APPLICATION C-5	TECHNICIAN / ENGINEER B FOWLER	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE LGECA/468-0644

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4W14175	98897	F	1	S		
4R13201	98897	B	254	S		CD ROM
4J00002	98897	AC	2	S		
STM 22-506	98897	B	16	S		
STM 28-102 (CANCELLED)						USE MIL-C-7438
STP 54-101	98897	W	22	S	D	
STP 60-401	98897	J	9	S		
STP 60-102 & ACC	98897	J	55	S		
STM 30-102 & ACC	98897	F	27	S		
STP 51-302	98897	W	43	S	D	
STP 63-001 & ACC	98897	P	20	S	D	
DS 5025	98897	AB	25	S	C	
DS 30004 (CANCELLED)						USE STP 51-302
DS 30000	98897	R	9	S		
ER 8629 (MISS PRINT)						SHOULD BE ER 8296
ER 8296 & ACC	98897	K	75	S		
MIL-C-7438	81349	G	29	O	A	
FINISH:						
"A" STP 58-209 & ACC	98897	L	17	S		
"1" STP 59-201	98897		4	S		

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

EXPORT CONTROL

GRAPHICS CHECK cc
DIRT OUT # 24320
DISTRIBUTION CODE D
OF IMAGES
BY TECHNICIAN cc 2-25-03

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # **1560-00-824-6426UC**

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # **1560-00-824-6426UC**

☒ THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

☐ FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.

☐ WHERE SPECIFIED, CHEM MILLING IS MANDATORY.

☐ **Digital Loft Data is available as Initial Graphics Exchange Specification (IGES) files for direct input to CAD/CAM Systems. The successful bidder, upon written request to the Procurement Contracting Officer (PCO), may obtain this DATA for manufacturing purposes.**

☐ DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.

☒ WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.

☐ AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".

☐ CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).

☐ **F-15 Loft Data Book provided for reference and inspection purposes only. Use of this book in conjunction with Digital (IGES Format) Loft Data, will provide the necessary information to ensure accurate Loft surface.**

ENGINEERING DATA LIST		DATE 27 Feb 03	PAGE 1 OF 2 PAGE
NSN 1560001363075	REFERENCE NUMBER 4W14751-151A	CAGE AND NAME 98897/LOCKHEED	NOUN PANEL,STRUCTURAL,AL
APPLICATION C-5	TECHNICIAN / ENGINEER R FIELDS	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE LGECA/468-0644

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UNDIMENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / REFERENCE CD ROM
4W14751	98897	J	2	S		
4W10000	98897	D	2	S	D	REFERENCE
4R13201	98897	B	254	S	C	REFERENCE
4J00002	98897	AC	2	S	C	REFERENCE
DS5025	98897	AB	25	S	C	
DS30004	98897					USE STP51-302 IN LIEU OF DS30004
DS30000	98897	R	9	S		
STM22-602 & ACC	98897	F	13	S	B	FOR PROCUREMENT PURPOSES ONLY
STM30-102 & ACC	98897	F	27	S		TYP.III
STP54-101 & ACC	98897	W	34	S	C	
STP60-401	98897	J	9	S		
STP60-102 & ACC	98897	J	55	S	B	FOR PROCUREMENT PURPOSES ONLY
STP51-302 & ACC	98897	W	59	S	D	
STP63-001 & ACC	98897	P	20	S		
ER8296 & ACC	98897	K	75	S		
STP59-201(1)	98897	B	4	S		
STP58-209 & ACC	98897	L	12	S		

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

FINISH: SEE DS30000 FOR FINISH CODE

EXPORT CONTROL

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # 1560001363075

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # 1560001363075

☐ **THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.**

☐ **FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.**

☐ **WHERE SPECIFIED, CHEM MILLING IS MANDATORY.**

☐ Digital Loft Data is available as Initial Graphics Exchange Specification (IGES) files for direct input to CAD/CAM Systems. The successful bidder, upon written request to the Procurement Contracting Officer (PCO), may obtain this DATA for manufacturing purposes.

☐ **DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.**

☒ **WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.**

☐ **AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".**

☐ **CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).**

☐ F-15 Loft Data Book provided for reference and inspection purposes only. Use of this book in conjunction with Digital (IGES Format) Loft Data, will provide the necessary information to ensure accurate Loft surface.

ENGINEERING DATA LIST		DATE 28 Jan 03	PAGE 1 OF 1 PAGE
NSN 1560-00-225-3496UC	REFERENCE NUMBER 4F75226-133A	CAGE AND NAME 98897/LOCKHEED	NOUN FAIRING, AIRCRAFT
APPLICATION C-5	TECHNICIAN / ENGINEER B FOWLER	PURCHASE REQUEST NUMBER	PREPARING ACTIVITY / PHONE LGECA/468-0644

NOTE: *FURNISH CODES: S-FURNISHED WITH THIS SOLICITATION; M - UND MENSION OR STABLE BASE COPY REQUIRED. REFERENCE COPY FURNISHED FOR INFORMATION. WORKING COPY TO BE FURNISHED SUCCESSFUL BIDDER. P-PHOTO COPY REQUIRED. R - FURNISHED ON CONTRACTOR REQUEST WITH PCO APPROVAL; O-CONTRACTOR MUST ACQUIRE.

DOCUMENT NUMBER / NAME	CAGE CODE	REV	NR SHEETS	FURN CODE*	DIST CODE	REMARKS / NOTE REFERENCE
4F75226	98897	B	1	S		
4R13101	98897	J	376	S		CD ROM
4F75405	98897	B	3	S	D	
4F75002	98897	N	2	S	D	
STM 07-306	98897	C	5	S		
STM 30-105	98897	E	10	S		
STP 51-304 & ACC	98897	K	28	S	D	
STP 60-301 & ACC	98897	K	52	S		
STP 60-401	98897	J	9	S		
STP 54-200 & ACC	98897	F	28	S		
STP 63-001 & ACC	98897	P	20	S	D	
DS 30000	98897	R	9	S		
DS 30009	98897	F	3	S		
DS 5025	98897	AB	25	S	C	
ER 8296 & ACC	98897	K	75	S		
FINISH:						
"MM" STP 57-401	98897	F	9	S		

REMARKS / NOTES *(Continue on WR-ALC/TIL FORM 0-762A)*

EXPORT CONTROL

WR-ALC/TIL FORM 0-762, OCT 97 *(EF)*

THE NOTES THAT APPLY FOR THIS NSN HAVE BEEN IDENTIFIED BY AN (X) MARK

NSN # **1560-00-225-3496UC**

GENERAL NOTES:

☒ 1. ALL GOVERNMENT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVEDBY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENT SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT".

☐ DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

☒ THIS DATA PACKAGE CONTAINS THE OUTLINE DIMENSIONS AND PERFORMANCE REQUIREMENTS NECESSARY TO MANUFACTURE THIS ITEM. THE SUCCESSFUL BIDDER MUST HAVE THE ENGINEERING CAPABILITIES NECESSARY TO FABRICATE, TEST, AND FURNISH AN ACCEPTABLE AIR FORCE SPARE WHILE COMPLYING WITH ALL PERFORMANCE SPECIFICATIONS. THE FINISHED PRODUCT(S) MUST MEET FORM, FIT, AND FUNCTION REQUIREMENTS.

☐ THE SUCCESSFUL BIDDER MUST ACQUIRE THE BASIC PART NUMBER FROM THE MANUFACTURER AND SCREEN THE PART IN ORDER TO MEET ALL THE NECESSARY PERFORMANCE REQUIREMENTS OF THIS DATA PACKAGE.

☐ THE CONTRACTOR MUST ADHERE TO SPECIFICATION CONTROL OR SOURCE CONTROL DRAWING(S). THE ITEMS MUST BE PROCURED FROM THE LISTED VENDORS. ANY DEVIATION AND/OR MODIFICATION MUST BE APPROVED BY THE CONTRACTING OFFICER FOR SUBSTITUTION FROM OTHER THAN SUGGESTED/APPROVED SOURCES.

☐ IN AREAS WHERE THE MIL-C-83286 URETHANE TOP COAT VIOLATES ENVIRONMENTAL CONTROL LAWS, MIL-C-85285, TYPE I, POLYURETHANE TOP COAT MAY BE USED.

☐ THESE DOCUMENTS CONTAIN A LEGEND IDENTIFYING THE DATA AS PROPRIETARY TO THE LOCKHEED AIRCRAFT CORP (LAC). LAC AUTHORIZED THE GOVERNMENT TO USE THE DATA IN THE PROCUREMENT OF C141 AIRCRAFT SPARES AND MAINTENANCE. ACCORDINGLY, THE DATA MAY BE USED IN THE MANUFACTURE OF THE PART(S) IDENTIFIED HEREIN.

☐ THE USE OF POLYVINYLCHLORIDE (PVC) INSULATED WIRING IS PROHIBITED. MIL-HDBK-454, GUIDELINE 71, PARA 4.3.3 APPLIES. MATERIALS ACCEPTABLE AS INSULATION ON WIRING OR SLEEVING ARE AS STATED IN MIL-STD-1587C, PARA 5.2.7. THE INSULATION MATERIAL REQUIREMENTS OF MIL-STD-1587, PARA 5.2.7 TAKE PRECEDENCE OVER ANY PVC INSULATION MATERIAL REQUIREMENTS REFERENCED IN THE DRAWINGS LISTED.

NSN # **1560-00-225-3496UC**

☒ THE SUCCESSFUL BIDDER SHALL HAVE THE NECESSARY ENGINEERING/TECHNICAL SKILLS AVAILABLE TO INTERPRET LOFT/MYLAR DATA AND DESIGN SPECIAL TOOLING NECESSARY TO MANUFACTURE THIS ITEM.

☐ FINISHED PARTS SHALL EITHER BE GRIT BLASTED PER PS12040, LIQUID HONED PER PS12045, OR ALKALINE CLEANED PER PS12030, TYPE III.

☐ WHERE SPECIFIED, CHEM MILLING IS MANDATORY.

☐ **Digital Loft Data is available as Initial Graphics Exchange Specification (IGES) files for direct input to CAD/CAM Systems. The successful bidder, upon written request to the Procurement Contracting Officer (PCO), may obtain this DATA for manufacturing purposes.**

☐ DATA MAY BE USED AND DISSEMINATED AS NECESSARY TO DETERMINE WHETHER OR NOT THE POTENTIAL OFFEROR WILL PROPOSE AND/OR PREPARE A PROPOSAL PROVIDED THE OFFEROR COMPLIES WITH THE RESTRICTIONS SET FORTH HEREIN, EXPORT CONTROL LAWS, AND OTHER APPLICABLE LAWS. AUTHORIZATION WAS RECEIVED ON _____.

☒ WARNING—THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES.

☐ AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ, "QUALIFICATION BY THE GOVERNMENT SHALL BE CONDUCTED AS IDENTIFIED HEREIN".

☐ CLASSIFIED/CONFIDENTIAL DATA WILL BE FURNISHED TO THE BIDDER/CONTRACTOR AWARDEE UPON REQUEST TO THE PROCUREMENT CONTRACTING OFFICER (PCO).

☐ **F-15 Loft Data Book provided for reference and inspection purposes only. Use of this book in conjunction with Digital (IGES Format) Loft Data, will provide the necessary information to ensure accurate Loft surface.**